
Subject: How to prevent .log file creation?

Posted by [yeohhs](#) on Wed, 15 Nov 2006 17:49:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

For MyUppApp.exe built in release mode, I noticed that every time the program exits, there is a myuppapp.log file. How do I disable the creation of this myuppapp.log file? And also its .log.old file?

Thanks for any ideas or suggestions.

Best Regards,
Yeoh

Subject: Re: How to prevent .log file creation?

Posted by [mirek](#) on Wed, 15 Nov 2006 18:07:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

Sorry, this is most likely a bug in uppsrc - usually, it should not .log anything. But sometimes, in development releases, I forget to delete some LOGs and TIMINGS in the sources....

What is in the .log?

Mirek

Subject: Re: How to prevent .log file creation?

Posted by [yeohhs](#) on Thu, 16 Nov 2006 02:51:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

myuppapp.log contains:

* C:\upp\out\MSC8.Gui\MyUppApp.exe 16.11.2006 01:50:08, user: Administrator

TIMING ExcludeClip : 0.0 us - 0.0 us (0.0 us / 5), min: 0.0 us, max: 0.0 us, nesting: 1 - 5

TIMING End : 977.4 us - 6.1 us (1.0 ms / 161), min: 0.0 us, max: 1.0 ms, nesting: 1 - 161

TIMING Clipoff : 0.0 us - 0.0 us (0.0 us / 54), min: 0.0 us, max: 0.0 us, nesting: 1 - 54

TIMING DrawRect : 0.0 us - 0.0 us (0.0 us / 75), min: 0.0 us, max: 0.0 us, nesting: 1 - 75

TIMING Offset : 0.0 us - 0.0 us (0.0 us / 96), min: 0.0 us, max: 0.0 us, nesting: 1 - 96

TIMING Intersect : 0.0 us - 0.0 us (0.0 us / 65), min: 0.0 us, max: 0.0 us, nesting: 1 - 65

TIMING Clip : 0.0 us - 0.0 us (0.0 us / 11), min: 0.0 us, max: 0.0 us, nesting: 1 - 11

TIMING Begin : 977.4 us - 6.1 us (1.0 ms / 161), min: 0.0 us, max: 1.0 ms, nesting: 1 - 161

TIMING IsPainting : 7.0 ms - 81.3 us (7.0 ms / 86), min: 0.0 us, max: 3.0 ms, nesting: 1 -

Subject: Re: How to prevent .log file creation?
Posted by [yeohhs](#) on Thu, 16 Nov 2006 15:56:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Thu, 16 November 2006 02:07But sometimes, in development releases, I forget to delete some LOGs and TIMINGS in the sources....

I found it in this source file: Core\Debug.cpp

```
TimingInspector::~TimingInspector() {  
// ASSERT(nesting_depth == 0); // troubles in MT!  
if(this == &s_zero()) return;  
// StdLog() << Dump() << "\r\n"; // prevent .log creation  
}
```

After commenting out the last line, the .log file is no longer created.

Best Regards,
Yeoh

Subject: Re: How to prevent .log file creation?
Posted by [mirek](#) on Thu, 16 Nov 2006 16:01:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Fixed.

You can do a quick patch, DrawOpWin32.cpp:

```
#define LTIMING(x)   RTIMING(x)  
  
to  
  
#define LTIMING(x)  // RTIMING(x)
```

Mirek

Subject: Re: How to prevent .log file creation?

Posted by [yeohhs](#) on Thu, 16 Nov 2006 16:24:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks!
