Subject: GTK theming a reality

Posted by mirek on Sun, 26 Nov 2006 00:20:33 GMT

View Forum Message <> Reply to Message

After a couple of weeks of pretty messy development, kick-off of GTK chameleon is now in main sources.

At the moment, it just reads system colors and font and "chameleonises" Button, Option and Switch, but obviously, even so little makes a huge difference...

Please test! And test with as many themes as possible...

BTW, you do not have to have GTK development headers installed to develop with U++ - GTK is loaded at runtime. Actually, it does not have to be even present either - in that case, U++ default theme is used (after an attempt to read KDE colors and font...))

Mirek

Subject: Re: GTK theming a reality

Posted by fallingdutch on Sun, 26 Nov 2006 17:30:34 GMT

View Forum Message <> Reply to Message

great work, Mirek!

it realy looks much better!

Bas

Subject: Re: GTK theming a reality

Posted by mirek on Sun, 26 Nov 2006 20:33:19 GMT

View Forum Message <> Reply to Message

ScrollBar theming ("chameleonization") in GTK is now finished as well.

We really start to look native

Mirek

Subject: Re: GTK theming a reality

Posted by masu on Sun, 26 Nov 2006 21:01:15 GMT

View Forum Message <> Reply to Message

Hi,

we have the problem of upper and lower case includes once again. Had to change include definitions of DLIHEADER from draw/*.dli to Draw/*.dli in Draw.h and DrawX11.cpp since my directory is uppercase.

Matthias

Subject: Re: GTK theming a reality

Posted by mirek on Sun, 26 Nov 2006 21:07:01 GMT

View Forum Message <> Reply to Message

Sorry, already fixed... (I hope).

I know this is stupid problem, but for me it is very convenient (almost the only possibility) to share the disk partition with sources between Win and Linux.

Mirek

Subject: Re: GTK theming a reality

Posted by masu on Sun, 26 Nov 2006 21:20:52 GMT

View Forum Message <> Reply to Message

No problm, if all problems would have been so simple to solve.

Another problem is missing implementation of CtrlFrame::OverPaint.

I simply copied Ctrl::OverPaint (which seems to basically be a placeholder) and it worked.

But after starting new ide, I get DLL not found, investigating ...

Matthias

Subject: Re: GTK theming a reality

Posted by mirek on Sun, 26 Nov 2006 22:05:20 GMT

View Forum Message <> Reply to Message

Already fixed, just sync new version. A lot was done today.

Mirek

Subject: Re: GTK theming a reality

Posted by masu on Sun, 26 Nov 2006 22:27:50 GMT

masu wrote on Sun, 26 November 2006 22:20But after starting new ide, I get DLL not found, investigating ...

I did not activate "use shared libs" for building .

Matthias

Subject: Re: GTK theming a reality

Posted by masu on Tue, 28 Nov 2006 12:56:05 GMT

View Forum Message <> Reply to Message

I noticed in "Output mode ..." that three-state checkbox is also missing from within GTK. Are you going to emulate it somehow like in Win?

Matthias

Subject: Re: GTK theming a reality

Posted by guido on Wed, 29 Nov 2006 10:47:25 GMT

View Forum Message <> Reply to Message

luzr wrote on Sun, 26 November 2006 01:20After a couple of weeks of pretty messy development, kick-off of GTK chameleon is now in main sources.

At the moment, it just reads system colors and font and "chameleonises" Button, Option and Switch, but obviously, even so little makes a huge difference...

Please test! And test with as many themes as possible...

BTW, you do not have to have GTK development headers installed to develop with U++ - GTK is loaded at runtime. Actually, it does not have to be even present either - in that case, U++ default theme is used (after an attempt to read KDE colors and font...))

Mirek

Congratulations!

Already working on icon theming?

Currently it shares a problem I got with Firefox 2.0 (1.5 was OK) in that application font is two points too big. I can make it smaller by increasing the Xserver DPI setting from 72 to 120, but than the other GTK apps have tiny fonts.

Could you please tell me, how the font size is retreived?

Guido

Subject: Re: GTK theming a reality Posted by mirek on Wed, 29 Nov 2006 10:57:48 GMT

View Forum Message <> Reply to Message

guido wrote on Wed, 29 November 2006 05:47

Congratulations!

Already working on icon theming?

That is the next step. Actually, there is not too many icons import now (only for message boxes and OK Cancel buttons).

Well, I can also import "common" icons for Cut/Copy/Paste, but maybe I will do so rather on "app demand". There is also a problem with icon size...

Quote:

Currently it shares a problem I got with Firefox 2.0 (1.5 was OK) in that application font is two points too big. I can make it smaller by increasing the Xserver DPI setting from 72 to 120, but than the other GTK apps have tiny fonts.

Could you please tell me, how the font size is retreived?

Sure:

```
char *font_name = "";
GOBJ().g_object_get(GTK().gtk_settings_get_default(), "gtk-font-name", &font_name, NULL);
const char *q = strrchr(font_name, ' ');
if(q) {
    int h = atoi(q);
    String face(font_name, q);
    int ii = Font::FindFaceNameIndex(face);
    if(ii < 0)
    if(ToUpper(face[0]) == 'M')
    ii = Font::COURIER;
    else
    if(ToUpper(face[0]) == 'S' && ToUpper(face[1]) == 'e')
    ii = Font::ROMAN;
    else
    ii = Font::ARIAL;
    Draw::SetStdFont(Font(ii, h ? h * 96 / 72 : 13));
}</pre>
```

(in short, it expects h * 96 / 72 converts retrieved point size to 96dpi screen pixels).

For me, font is exactly as big as in other gnome apps. But as you already noted, I tend to oversimplify things, maybe this simple height retrieval needs to take into account more factors?

Mirek

Subject: Re: GTK theming a reality Posted by guido on Wed, 29 Nov 2006 19:12:32 GMT View Forum Message <> Reply to Message

luzr wrote on Wed, 29 November 2006 11:57

Sure:

```
char *font name = "";
GOBJ().g_object_get(GTK().gtk_settings_get_default(), "gtk-font-name", &font_name, NULL);
const char *q = strrchr(font_name, ' ');
if(q) {
int h = atoi(q);
String face(font_name, q);
int ii = Font::FindFaceNameIndex(face);
if(ii < 0)
 if(ToUpper(face[0]) == 'M')
 ii = Font::COURIER;
 if(ToUpper(face[0]) == 'S' && ToUpper(face[1]) == 'e')
 ii = Font::ROMAN;
 else
 ii = Font::ARIAL:
Draw::SetStdFont(Font(ii, h ? h * 96 / 72 : 13));
}
```

(in short, it expects h * 96 / 72 converts retrieved point size to 96dpi screen pixels).

For me, font is exactly as big as in other gnome apps. But as you already noted, I tend to oversimplify things, maybe this simple height retrieval needs to take into account more factors?

Mirek

From the GTK2 docs:

The "gtk-xft-dpi" property

"gtk-xft-dpi" gint : Read / Write

Resolution for Xft, in 1024 * dots/inch. -1 to use default value.

Allowed values: [-1,1048576]

Default value: -1

.....

Maybe use that in your formula?

Guido

Subject: Re: GTK theming a reality

Posted by mirek on Wed, 29 Nov 2006 19:29:12 GMT

View Forum Message <> Reply to Message

Will you try? I think should be relatively easy (CtrlLib/ChGtk.cpp)

Mirek

Subject: Re: GTK theming a reality

Posted by guido on Thu, 30 Nov 2006 19:52:10 GMT

View Forum Message <> Reply to Message

luzr wrote on Wed, 29 November 2006 20:29Will you try? I think should be relatively easy (CtrlLib/ChGtk.cpp)

Mirek

Ok. Here my take:

```
char *font_name = "";
GOBJ().g_object_get(GTK().gtk_settings_get_default(), "gtk-font-name", &font_name, NULL);
int xdpi;
GOBJ().g_object_get(GTK().gtk_settings_get_default(), "gtk-xft-dpi", &xdpi, NULL);
int fontname = Font::ARIAL;
int fontheight = 13;
```

```
const char *q = strrchr(font_name, ' ');
if(q) {
int h = atoi(q);
 if(h)
 fontheight = h;
 String face(font_name, q);
 if(Font::FindFaceNameIndex(face) < 0)
 if(ToUpper(face[0]) == 'M')
  fontname = Font::COURIER;
 else
 if(ToUpper(face[0]) == 'S' && ToUpper(face[1]) == 'e')
  fontname = Font::ROMAN:
}
Draw::SetStdFont(Font(fontname, (fontheight * xdpi) / (1024*72)));
ChLookFn(GtkLookFn);
I looked at the GDK docs, and that's the math there.
Incidentally, I fixed a allocation bug, which I noticed GTK complain about, when starting a sample
app from a terminal.
The last line, is the fixed one:
ChSet("ScrollBarOverThumb", m != GetGTK(w, 0, 0, "slider", GTK_SLIDER|GTK_VAL1, 16, 32));
GTK().gtk_widget_destroy(w);
GTK().gtk_object_sink(adj);
Add to gtk.dli:
FN(void, gtk_object_sink, (G_obj *widget))
```

Subject: Re: GTK theming a reality
Posted by guido on Thu, 30 Nov 2006 19:58:17 GMT
View Forum Message <> Reply to Message

Addendum:

Should better be

int xdpi = 96*1024;

I suppose.

Guido

Subject: Re: GTK theming a reality Posted by masu on Thu, 30 Nov 2006 20:04:04 GMT

View Forum Message <> Reply to Message

guido wrote on Thu, 30 November 2006 20:58Addendum:

Should better be

int xdpi = 96*1024;

I suppose.

Guido

Why?

My dpi setting is 75, so this would not work.

Your first solution seems to be right.

Matthias

Subject: Re: GTK theming a reality

Posted by mirek on Thu, 30 Nov 2006 20:24:51 GMT

View Forum Message <> Reply to Message

masu wrote on Thu, 30 November 2006 15:04guido wrote on Thu, 30 November 2006 20:58Addendum:

Should better be

int xdpi = 96*1024;

I suppose.

Guido

Why?

My dpi setting is 75, so this would not work.

Your first solution seems to be right.

Matthias

I think Guido just assigns a default value so it does not crash if retrieval from gtk fails.

Mirek

Subject: Re: GTK theming a reality

Posted by guido on Thu, 30 Nov 2006 20:27:26 GMT

masu wrote on Thu, 30 November 2006 21:04guido wrote on Thu, 30 November 2006 20:58Addendum:

Should better be

int xdpi = 96*1024;

I suppose.

Guido

Why?

My dpi setting is 75, so this would not work.

Your first solution seems to be right.

Matthias

Only used as default, in case Gtk doesn't return a dpi value (although I doubt that can happen). 96dpi is the GTK default anyway, according to the docs, and Mirek used it as default too.

Guido

Subject: Re: GTK theming a reality

Posted by guido on Thu, 30 Nov 2006 20:29:28 GMT

View Forum Message <> Reply to Message

Mirek beat me to it Watching UEFA-Cup, that's my excuse

Guido

Subject: Re: GTK theming a reality

Posted by masu on Thu, 30 Nov 2006 20:37:37 GMT

View Forum Message <> Reply to Message

Yes, now I see it .

By the way, thanks Guido for fixing the other problem .

Matthias

Subject: Re: GTK theming a reality

Posted by mirek on Thu, 30 Nov 2006 20:46:01 GMT

(now in uppsrc, thanks guido).

Mirek

Subject: Re: GTK theming a reality

Posted by mirek on Thu, 30 Nov 2006 20:58:41 GMT

View Forum Message <> Reply to Message

BTW, I am just trying to get icons, but there is strange problem:

I am getting only the sort of alpha channel (no colors and perhaps that alpha is one of channels).

Code fragments used are:

```
ImageDraw iw(cx + 2 * margin, cy + 2 * margin);
iw.DrawRect(0, 0, cx + 2 * margin, cy + 2 * margin, back);
static G_obj *cm = GDK().gdk_x11_colormap_foreign_new(
   GDK().gdkx_visual_get(XVisualIDFromVisual(Xvisual)), Xcolormap);
G_obj *gw = GDK().gdk_pixmap_foreign_new(iw.GetDrawable());
GDK().gdk_drawable_set_colormap(gw, cm);
```

(above is common for painting widget elements too, so there most likely is not problem).

```
G_obj *b = GTK().gtk_widget_render_icon(widget, detail, state, NULL);
GDK().gdk_draw_pixbuf(gw, NULL, b, 0, 0, 0, 0, -1, -1, shadow, 0, 0);
GOBJ().g_object_unref(b);
```

(I am iterating state and shadow using several values to investigate the issue, all of them are just alphas...)

Any ideas?

Mirek

Subject: Re: GTK theming a reality

Posted by masu on Thu, 30 Nov 2006 21:45:41 GMT

```
luzr wrote on Thu, 30 November 2006 21:58
  G_obj *b = GTK().gtk_widget_render_icon(widget, detail, state, NULL);
  GDK().gdk draw pixbuf(gw, NULL, b, 0, 0, 0, 0, -1, -1, shadow, 0, 0);
```

```
GOBJ().g_object_unref(b);

Looking into the API docs, it should be:

GdkPixbuf *b = GTK().gtk_widget_render_icon(widget, detail, state, NULL);

GDK().gdk_draw_pixbuf(gw, NULL, b, 0, 0, 0, 0, -1, -1, shadow, 0, 0);

GOBJ().g_object_unref(b);
```

and widget has to be != NULL, but I think this is the case. Otherwise one should call gdk_drawable_set_colormap() on b again.

Matthias

Subject: Re: GTK theming a reality Posted by mirek on Thu, 30 Nov 2006 21:50:36 GMT View Forum Message <> Reply to Message

As I am basically redefining the whole interface in U++/.dli and I am using it in just single .cpp file, I have simplified it by "merging" all GTK/GDK/GOBJ pointer types into single one - G_obj (defined in U++).

Mirek

Subject: Re: GTK theming a reality
Posted by mirek on Thu, 30 Nov 2006 21:54:32 GMT
View Forum Message <> Reply to Message

masu wrote on Thu, 30 November 2006 16:45luzr wrote on Thu, 30 November 2006 21:58 G_obj *b = GTK().gtk_widget_render_icon(widget, detail, state, NULL); GDK().gdk_draw_pixbuf(gw, NULL, b, 0, 0, 0, 0, -1, -1, shadow, 0, 0); GOBJ().g_object_unref(b);

Looking into the API docs, it should be:

GdkPixbuf *b = GTK().gtk_widget_render_icon(widget, detail, state, NULL); GDK().gdk_draw_pixbuf(gw, NULL, b, 0, 0, 0, 0, -1, -1, shadow, 0, 0); GOBJ().g_object_unref(b);

Otherwise one should call gdk_drawable_set_colormap() on b again.

Matthias

Afaik, GdkPixbuf is not drawable...

Mirek

Subject: Re: GTK theming a reality

Posted by masu on Thu, 30 Nov 2006 22:07:48 GMT

View Forum Message <> Reply to Message

luzr wrote on Thu, 30 November 2006 22:54Afaik, GdkPixbuf is not drawable...

Mirek

Yes, you are right, as usual.

Matthias

Subject: Re: GTK theming a reality

Posted by mirek on Sat, 02 Dec 2006 09:38:14 GMT

View Forum Message <> Reply to Message

When I set the font size to "8", the font is different in U++ and Ubuntu. Therefore I tried to alter the code to

Draw::SetStdFont(Font(fontname, (fontheight * xdpi + 512*72) / (1024*72)));

(rounding the value). This seems to work OK for me, please check with your platforms...

Mirek

Subject: Re: GTK theming a reality

Posted by masu on Sat, 02 Dec 2006 23:16:48 GMT

View Forum Message <> Reply to Message

This is ok for on my system .

BTW, what was the problem with the pixbuf.

Edit: Size is ok, but I always get default font Arial.

Matthias

Subject: Re: GTK theming a reality

Posted by mirek on Sun, 03 Dec 2006 11:44:10 GMT

View Forum Message <> Reply to Message

masu wrote on Sat, 02 December 2006 18:16

BTW, what was the problem with the pixbuf.

"prototype" widget was set into "insensitive" state for some reason (most likely as result of fact that our hacking of GTK to make it display things for us is really very fragile). Therefore it returned "insensitive" map.

Quote:

Edit: Size is ok, but I always get default font Arial.

What font have you set? (Just name).

Mirek

Subject: Re: GTK theming a reality

Posted by masu on Sun, 03 Dec 2006 14:17:58 GMT

View Forum Message <> Reply to Message

luzr wrote on Sun, 03 December 2006 12:44What font have you set? (Just name). It is simply called "Sans", but it does matter what font I choose, it is always Arial in theIDE even after restarting theIDE.

Matthias

Subject: Re: GTK theming a reality

Posted by guido on Sun, 03 Dec 2006 15:37:49 GMT

View Forum Message <> Reply to Message

masu wrote on Sun, 03 December 2006 15:17luzr wrote on Sun, 03 December 2006 12:44What font have you set? (Just name).

It is simply called "Sans", but it does matter what font I choose, it is always Arial in theIDE even after restarting theIDE.

Matthias

Indeed, going DejaVu Sans -> DejaVu Serif for the GTK default font has no effect on upp apps

Guido

Subject: Re: GTK theming a reality

Posted by mirek on Tue, 05 Dec 2006 18:56:59 GMT

Mirek

Subject: Re: GTK theming a reality

Posted by iplayfast on Tue, 05 Dec 2006 19:48:02 GMT

View Forum Message <> Reply to Message

In Draw/Draw.h there are some case sensitive issues for Linux compiles.

#define DLIMODULE GTK
#define DLIHEADER <draw/gtk.dli>
#include <Core/dli_header.h>

#define DLIMODULE GDK
#define DLIHEADER <draw/gdk.dli>
#include <Core/dli_header.h>

#define DLIMODULE GOBJ #define DLIHEADER <draw/gobj.dli> #include <Core/dli_header.h>

should be

#define DLIMODULE GTK
#define DLIHEADER <Draw/gtk.dli>
#include <Core/dli_header.h>

#define DLIMODULE GDK
#define DLIHEADER <Draw/gdk.dli>
#include <Core/dli_header.h>

#define DLIMODULE GOBJ #define DLIHEADER <Draw/gobj.dli> #include <Core/dli_header.h>

Subject: Re: GTK theming a reality

Posted by masu on Tue, 05 Dec 2006 20:27:36 GMT

View Forum Message <> Reply to Message

This should have already been resolved. Please see prior posts

http://www.arilect.com/upp/forum/index.php?t=msg&&th =1707&goto=6769#msg_6769 and

http://www.arilect.com/upp/forum/index.php?t=msg&&th =1707&goto=6771#msg_6771

Matthias

Subject: Re: GTK theming a reality

Posted by iplayfast on Tue, 05 Dec 2006 20:37:45 GMT

View Forum Message <> Reply to Message

Well I downloaded last night from the dupp-developent 611-dev4 (from Nov 27) and this was the problem I ran into. It's easy to check for yourself.

Subject: Re: GTK theming a reality

Posted by masu on Tue, 05 Dec 2006 20:58:38 GMT

View Forum Message <> Reply to Message

I see, then it was overlapped action. At least the uvs version is fixed .

Matthias

Subject: Re: GTK theming a reality

Posted by masu on Wed, 06 Dec 2006 22:02:20 GMT

View Forum Message <> Reply to Message

luzr wrote on Tue, 05 December 2006 19:56Font name issue fixed.

Thanks, looks very nice, now .

Matthias