

---

Subject: UppLocal persistence problem  
Posted by [Werner](#) on Sun, 26 Nov 2006 15:53:51 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

"TheIDE help / macros" reads:

Quote:... .usc files can be either part of regular packages or are placed in Common or Local directory. ...

If I understand the code correctly, "Local directory" means a directory named "UppLocal" and residing in the directory containing the TheIDE program file (commonly ".../upp") which has to be manually created.

Obviously, UppLocal is to hold custom data. This should lead to its persistence. But whenever a fresh Ultimate++ version is installed via the respective .exe file, this directory is deleted.

Bug, feature, or my personal misinterpretation of UppLocal's purpose?

Werner

---

Subject: Re: UppLocal persistence problem  
Posted by [fallingdutch](#) on Sun, 26 Nov 2006 18:50:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Werner

Werner wrote on Sun, 26 November 2006 16:53 "TheIDE help / macros" reads:

Quote:... .usc files can be either part of regular packages or are placed in Common or Local directory. ...

If I understand the code correctly, "Local directory" means a directory named "UppLocal" and residing in the directory containing the TheIDE program file (commonly ".../upp") which has to be manually created.

I understand it that you can place it in any local (= non default) directory (=package) wherever you create it. As you say C:\upp doesn't make much sense because it is deleted each time you update.

so eg D:\MyApps\myPackage would be a local dir at the "SetMainPackage" Screen just add a new assamly (right click on the left column) and point it to D:\MyApps. They won't be deleted and you can add .usc files to your packages as much as you want.

Bas

---

---

Subject: Re: UppLocal persistence problem  
Posted by [Werner](#) on Sun, 26 Nov 2006 20:57:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Sun, 26 November 2006 19:50 I understand it that you can place it in any local (= non default) directory (=package) wherever you create it. As you say C:\upp doesn't make much sense because it is deleted each time you update.  
so eg D:\MyApps\myPackage would be a local dir at the "SetMainPackage" Screen just add a new assamly (right click on the left column) and point it to D:\MyApps. They won't be deleted and you can add .usc files to your packages as much as you want.

You are absolutely right!  
Unfortunately that's not the problem ...

I want to use my .usc files for macros. If you have an .usc file only in one of your packages, the Macro menu doesn't show up. And if it showed up, it would be useful only if I worked on exactly this package.

But I want to write macros which are \_always\_ available.

Werner

---

Subject: Re: UppLocal persistence problem  
Posted by [fallingdutch](#) on Mon, 27 Nov 2006 06:37:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Werner wrote on Sun, 26 November 2006 21:57  
I want to use my .usc files for macros. If you have an .usc file only in one of your packages, the Macro menu doesn't show up. And if it showed up, it would be useful only if I worked on exactly this package.

But I want to write macros which are \_always\_ available.

Now i understand your problem, Werner

just looked throught the code, as you did, too, i guess. But was unable to find a path where TheIDE looks for UscMacros.

I hope Mirek will tell us

I don't know how special your macros are, but what about adding them to the "programs written with upp" part of the forum so all of us can use it and maybe we get some more helpfull macros?

Bas

---

---

Subject: Re: UppLocal persistence problem  
Posted by [Werner](#) on Mon, 27 Nov 2006 12:33:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Mon, 27 November 2006 07:37But was unable to find a path where TheIDE looks for UscMacros.

I hope Mirek will tell us

I don't know how special your macros are, but what about adding them to the "programs written with upp" part of the forum so all of us can use it and maybe we get some more helpfull macros?

Bas

As far as macros are concerned, TheIDE looks into "Common" and "UppLocal". The latter is hard-coded. It must exist in the directory where the "TheIDE" program file resides.

It is basically an excellent idea to have one's own custom directory. It's just that a new installation might delete it.

As far as `_my_` macros are concerned, I'm actually working on a macro tutorial. (That's the reason for this thread.) This tutorial will include some useful macros, I hope. But please, be patient. Currently I'm heavily testing two UPTs which I intend to publish soon. Maybe another UPT will follow up. And only then the macro tutorial will be ready to be published.

Werner

---

Subject: Re: UppLocal persistence problem  
Posted by [fallingdutch](#) on Tue, 28 Nov 2006 17:23:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

oh yes ... that is a drawback of windows ... when using linux you have the .theide folder in your home directory where these files are stored and not deleted upon update.

a macro tut would be great.

Bas

---