Subject: MySQL and Sql class issue Posted by dmcgeoch on Wed, 06 Dec 2006 14:10:17 GMT

View Forum Message <> Reply to Message

Hello,

Has anyone tried to use MySql with the Sql class? I'm looking for an example similiar to the example for Sqlite.

Thanks,

Dave

Subject: Re: MySQL and Sql class issue

Posted by mezise on Wed, 06 Dec 2006 15:53:10 GMT

View Forum Message <> Reply to Message

Yes, try 'SQL\_MySql' package in 'reference' assembly (TheIDE dev version).

## To compile:

- 1. You need mysql libs (while installing mysql under Windows just check dev files option)
- 2. TheIDE menu: Setup/Build methods../ set correct paths to bin, include and lib directories.
- 3. If you compile using free MSC71 in Debug mode and have error about lacking file 'libcpmtd.lib' change method e.g. to Optimal.

Good luck!

Michal

Subject: Re: MySQL and Sql class issue

Posted by dmcgeoch on Wed, 06 Dec 2006 18:03:54 GMT

View Forum Message <> Reply to Message

Hello,

The SQL\_MySql app performs all of its operations as part of main. What I am trying to do is access various SQL actions (insert, update, delete, select), from withing functions that are part of the main window class. I believe that i could simply use the "Execute" function, but I would prefer to use the functions in the Sql class.

As a side note, I am trying to use a schema file similiar to the one in the SQL\_Sqlite3 example, however it doesn't seem to create the table or, if I create the table independantly, update the

records in the table.

Dave

Thanks,

Subject: Re: MySQL and Sql class issue

Posted by mirek on Wed, 06 Dec 2006 18:24:45 GMT

View Forum Message <> Reply to Message

Well, I guess the trick you need to know is the existence of "global SQL session/cursor".

It is represented by that "SQL" in examples. Once you assign anything to it, all Sql cursor will by default be assigned to this session. Of course, this works well only as long as your app uses just single database (but that is 90% cases).

Moreover, you also use this "SQL" as cursor to execute commands (but caution is needed there).

Mirek

Subject: Re: MySQL and Sql class issue

Posted by mirek on Wed, 06 Dec 2006 18:25:40 GMT

View Forum Message <> Reply to Message

P.S. If this explanation does not help, post some code or testcase.

Mirek

Subject: Re: MySQL and Sql class issue

Posted by dmcgeoch on Wed, 06 Dec 2006 20:30:32 GMT

View Forum Message <> Reply to Message

Hello,

I'm still not sure how to get this to work correctly. I've attached the code that I've written.

Ps. I am still learning how to use Ultimate++ so please forgive the crude code.

Thanks.

Dave

## File Attachments

1) SOLApp.zip, downloaded 9391 times

Subject: Re: MySQL and Sql class issue Posted by mirek on Wed, 06 Dec 2006 21:25:33 GMT

View Forum Message <> Reply to Message

Well, constructor is about the worst place to do login

It should look like this:

```
GUI APP MAIN
MySalSession session:
if(!session.Connect("test", "welcome1", "example", "localhost")) {
 Exclamation("Can't connect with MySql\n");
 return;
}
SQL = session; // Use as global session
SqlSchema sch;
All Tables(sch):
if(sch.ScriptChanged(SqlSchema::UPGRADE))
 MySqlPerformScript(sch.Upgrade()); // Create schema without indexes, constraints etc...
if(sch.ScriptChanged(SqlSchema::ATTRIBUTES)) {
 MySqlPerformScript(sch.Attributes()); // Add indexes, constraints...
if(sch.ScriptChanged(SqlSchema::CONFIG)) { // Fill with initial data if any
 MySqlPerformScript(sch.ConfigDrop());
 MySqlPerformScript(sch.Config()):
sch.SaveNormal(); // Save as files for later use if needed
SQLApp().Run();
```

Then remove "session" from MyApp and all Sql constructor leave default (sometimes you can use SQL instead of defining Sql - basicaly for all non-query statements, queries are somewhat risky)

Mirek

Subject: Re: MySQL and Sql class issue Posted by dmcgeoch on Thu, 07 Dec 2006 15:58:10 GMT View Forum Message <> Reply to Message

Thank you Mirek. That did the trick.

## Dave

Page 4 of 4 ---- Generated from U++ Forum