

---

Subject: CodeEditor: Character en-coding problem [BUG]?

Posted by [Lance](#) on Fri, 23 Mar 2007 11:53:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Sympton: Bad charaters open file in utf-8 encoding

System info: Gentoo Linux, upp installed (emerged) with ebuild provided by ebojd. locale setting: LC\_ALL=zh\_CN.utf8

Btw, I changed editor's default charset to utf8, but it didn't solve the problem.

Thanks!

---

---

Subject: Re: CodeEditor: Character en-coding problem [BUG]?

Posted by [mirek](#) on Fri, 23 Mar 2007 12:28:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

What is "bad character"? Too little information to draw any conclusions...

Mirek

---

---

Subject: Re: CodeEditor: Character en-coding problem [BUG]?

Posted by [Lance](#) on Sat, 31 Mar 2007 17:11:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks Mirek.


Please refer to the screen shot. This is when I open the AddressBook example.

It's probably not something common to user who use English only.

#### File Attachments

1) [Screenshot.png](#), downloaded 641 times

---



Subject: Re: CodeEditor: Character en-coding problem [BUG]?

Posted by [mirek](#) on Mon, 02 Apr 2007 21:34:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Lance wrote on Sat, 31 March 2007 13:11 Thanks Mirek.

Please refer to the screen shot. This is when I open the AddressBook example.

It's probably not something common to user who use English only.

Wow, interesting, never seen that before

Do you think you can try to change the editor font in the Setup/Environment?

Mirek

---

---

Subject: Re: CodeEditor: Character en-coding problem [BUG]?

Posted by [Lance](#) on Mon, 02 Apr 2007 22:52:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I didn't really think it would work. But when I changed the first font from monospace to Courier, it did the magic.

Fantastic! Thank you Mirek, you have been so helpful.

---

---

Subject: Re: CodeEditor: Character en-coding problem [BUG]?

Posted by [mirek](#) on Tue, 03 Apr 2007 05:16:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Mon, 02 April 2007 18:52 I didn't really think it would work. But when I changed the first font from monospace to Courier, it did the magic.

Fantastic! Thank you Mirek, you have been so helpful.

Well, that was not really a fix, just getting a clue

How is your "monospace" defined? (It should be in /etc/fonts)

Mirek

---

---

Subject: Re: CodeEditor: Character en-coding problem [BUG]?

Posted by [Lance](#) on Wed, 04 Apr 2007 11:11:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

~ \$ ls /etc/fonts

conf.avail conf.d fonts.conf fonts.dtd local.conf

I set font to Monospace in gedit, and it looks ok.

Then in OpenOffice.writer, I cannot locate monospace font.

Thanks. And by the way, my upp is still not ok. It appears the directory setting is blank. I added g++ as command, and some include directory, but apparently my directory list is not complete.

Isn't GCC.bom supposed to solve the directory problem? or are there other files missing?

Thanks a ton

---

---

Subject: Re: CodeEditor: Character en-coding problem [BUG]?

Posted by [mirek](#) on Mon, 09 Apr 2007 15:00:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Lance wrote on Wed, 04 April 2007 07:11

~ \$ ls /etc/fonts

conf.avail conf.d fonts.conf fonts.dtd local.conf

I set font to Monospace in gedit, and it looks ok.

Then in OpenOffice.writer, I cannot locate monospace font.

Thanks. And by the way, my upp is still not ok. It appears the directory setting is blank. I added g++ as command, and some include directory, but apparently my directory list is not complete.

Isn't GCC.bom supposed to solve the directory problem? or are there other files missing?

Thanks a ton

Yes, GCC.bm is part of trick. However, recent .deb and .rpm version (2007.1rc5) should setup everything; what version are you using?

Mirek

---