

---

Subject: QtfRichObject problem

Posted by [DuncanShortland](#) on Wed, 18 Apr 2007 10:26:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Using U++ 207.1rc2

Modified the code QtfDrawing to try to create several drawings to be pasted into a single qtf file.

Created an array of :

```
RichObject ft[MAXVAL];  
DrawingDraw tw[MAXVAL];
```

and Created them to size:

```
tw[i].Create(width, height);
```

Drawing into the space all works OK.

Then saved the RichObject after drawing with:

```
ft[i]=CreateDrawingObject(tw[i].GetResult(), ...)
```

Now I try to create a QtfRichObject with

```
QtfRichObject pict(ft[i]);
```

and convert it to string by

```
tree << "[i2000 " << pict << "&";
```

Going round the loop several times creates the necessary number of objects but they are all the last one.

I am sure it is the fact that I have only one QtfRichObject pict created and it uses that one several times in the physical draw.

I cannot make an array of QtfRichObjects to save away and I am reluctant to use new / pointers

Any suggestions please.

---

---

Subject: Re: QtfRichObject problem

Posted by [mirek](#) on Wed, 18 Apr 2007 11:11:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Please, can you upload the package?

Mirek

---

---

Subject: Re: QtfRichObject problem  
Posted by [DuncanShortland](#) on Wed, 18 Apr 2007 11:38:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

The application is too big but I have modified QtfDrawing to give the same effect.

I am sure it is the pict which needs to be an array.

The last contents (red) is used to display the image as it is the same one.

However the class/struct will not allow blank creation and dynamic setting.

Any suggestions?

---

### File Attachments

1) [main.cpp](#), downloaded 445 times

---

---

Subject: Re: QtfRichObject problem  
Posted by [mirek](#) on Wed, 18 Apr 2007 20:43:39 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

DuncanShortland wrote on Wed, 18 April 2007 07:38The application is too big but I have modified QtfDrawing to give the same effect.

I am sure it is the pict which needs to be an array.

The last contents (red) is used to display the image as it is the same one.

However the class/struct will not allow blank creation and dynamic setting.

Any suggestions?

Use Array:

```
#include <CtrlLib/CtrlLib.h>
```

```
using namespace Upp;
```

```
Color col[] = {Yellow, Blue, Green, Red};
```

```
#define MAX 4
```

```

GUI_APP_MAIN
{
    String qtf;
    Array<QtRichObject> o;

    for(int i = 0; i < MAX; i++) {
        DrawingDraw dw(100, 100);
        dw.DrawRect(0, 0, 100, 100, White);
        dw.DrawEllipse(10, 10, 80, 80, Red, 5, Blue);
        dw.DrawRect(50, 50, 50, 50, col[i]);
        o.Add(QtRichObject(CreateDrawingObject(dw.GetResult(), Size(1000, 1000), Size(1000,
1000))));
        qtf << "[A6 This is some drawing in QTF: " << i << o.Top() << "&";
    }
    PromptOK(qtf);
}

```

BTW, please, if possible, upload really the whole package packed as .zip, it saves the time of reproducing the rest.

Mirek

---



---

Subject: Re: QtRichObject problem  
 Posted by [mirek](#) on Wed, 18 Apr 2007 21:01:50 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thinking about it, adding a default constructor is a good idea too, so with the next release you will be able to do it this way too:

```

#include <CtrlLib/CtrlLib.h>

using namespace Upp;

Color col[] = {Yellow, Blue, Green, Red};

#define MAX 4

GUI_APP_MAIN
{
    String qtf;
    QtRichObject o[MAX];

    for(int i = 0; i < MAX; i++) {
        DrawingDraw dw(100, 100);
        dw.DrawRect(0, 0, 100, 100, White);

```

```
dw.DrawEllipse(10, 10, 80, 80, Red, 5, Blue);
dw.DrawRect(50, 50, 50, 50, col[i]);
o[i] = QtfRichObject(CreateDrawingObject(dw.GetResult(), 1000, 1000));
qtf << "[A6 This is some drawing in QTF: " << i << o[i] << "&";
}
PromptOK(qtf);
}
```

(Or you can add def construtor now and next release will not break your code...

Mirek

---