
Subject: Linux Oracle UPP

Posted by [mrmodolo](#) on Fri, 20 Apr 2007 15:21:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,
I am using UPP in windows a long time (I have a Oracle database and connect to It by UPP...). Now in my work some machines are migrating to Linux, I try the SQL_Oracle in my KUBUNTU 6.10 but did no compile. The other examples work very well (now OpenGL work too). I have the client .so librarys and sdk oracle oci but did not work.

What I am doing wrong?

thanks a lot,

Subject: Re: Linux Oracle UPP

Posted by [mirek](#) on Fri, 20 Apr 2007 16:01:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

mrmodolo wrote on Fri, 20 April 2007 11:21Hi,
I am using UPP in windows a long time (I have a Oracle database and connect to It by UPP...). Now in my work some machines are migrating to Linux, I try the SQL_Oracle in my KUBUNTU 6.10 but did no compile. The other examples work very well (now OpenGL work too). I have the client .so librarys and sdk oracle oci but did not work.

What I am doing wrong?

thanks a lot,

Frankly, I do not know You are the first one trying this...

What are errors?

Mirek

Subject: Re: Linux Oracle UPP

Posted by [mrmodolo](#) on Sun, 22 Apr 2007 23:13:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks for your attention!
This is the output after try to compile SQL_Oracle:

```
----- Oracle ( GCC DEBUG SHARED BLITZ LINUX ) ( 1 / 4 )
BLITZ: OraCommon.cpp Oci7.cpp Oci8.cpp contest.cpp
```

scope

/home/marcelo/upp/uppsrc/Oracle/Oracle7.h:37: error: template argument 1 is invalid

/home/marcelo/upp/uppsrc/Oracle/Oci7.cpp: In constructor

/home/marcelo/upp/uppsrc/Oracle/Oci7.cpp:765: error: no matching function for call to

/home/marcelo/upp/uppsrc/Core/Other.h:267: note: candidates are: void Upp::Link<T,

N>::LinkAfter(Upp::Link<T, N>*, int) [with T = Upp::OCI7

Connection, int N = 1]

/home/marcelo/upp/uppsrc/Oracle/Oracle8.h: At global scope:

scope

/home/marcelo/upp/uppsrc/Oracle/Oracle8.h:66: error: template argument 1 is invalid

/home/marcelo/upp/uppsrc/Oracle/Oci8.cpp: In constructor

/home/marcelo/upp/uppsrc/Oracle/Oci8.cpp:744: error: no matching function for call to

/home/marcelo/upp/uppsrc/Core/Other.h:267: note: candidates are: void Upp::Link<T,

N>::LinkAfter(Upp::Link<T, N>*, int) [with T = Upp::OCI8

Connection, int N = 1]

Oracle: 4 file(s) built in (0:02.86), 716 msec / file, duration = 3028 msec

There were errors. (0:03.03)

Subject: Re: Linux Oracle UPP
Posted by [mirek](#) on Tue, 24 Apr 2007 11:57:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well, seems like this is beyond the simple fix. We will have to install Oracle client (hope we can do it in Ubuntu) and fix all issues...

Mirek

Subject: Re: Linux Oracle UPP
Posted by [tojocky](#) on Fri, 25 Sep 2009 11:02:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Tue, 24 April 2007 14:57 Well, seems like this is beyond the simple fix. We will have to install Oracle client (hope we can do it in Ubuntu) and fix all issues...

Mirek

Is possible to install oracle client on ubuntu:

The detail instalation is by address:
<http://thisbrokenworld.wordpress.com/2008/04/10/oracle-10g-client-tools-on-ubuntu-710/#comment-3>

The package SQL_oracle was compiled succfull with oracle8 in ubuntu. but when I run I have getlastError:
Error loading OCI8 oracle connection dynamic library.

Somebody works on u++ with ubuntu?
