Subject: Linux Oracle UPP
Posted by mrmodolo on Fri, 20 Apr 2007 15:21:04 GMT
View Forum Message <> Reply to Message

Hi,
I am using UPP in windows a long time (I have a Oracle database and connect to It by UPP...). Now in my work some machines are migrating to Linux, I try the SQL_Oraclein my KUBUNTU 6.10 but did no compile. The other examples work very well (now OpenGL work too). I have the client .so librarys and sdk oracle oci but did not work.

What I am doing wrong?

thanks a lot,

Subject: Re: Linux Oracle UPP
Posted by mirek on Fri, 20 Apr 2007 16:01:19 GMT
View Forum Message <> Reply to Message

mrmodolo wrote on Fri, 20 April 2007 11:21Hi,
I am using UPP in windows a long time (I have a Oracle database and connect to It by UPP...). Now in my work some machines are migrating to Linux, I try the SQL_Oraclein my KUBUNTU 6.10 but did no compile. The other examples work very well (now OpenGL work too). I have the client .so librarys and sdk oracle oci but did not work.

What I am doing wrong?

thanks a lot,

Frankly, I do not know You are the first one trying this...

What are errors?

Mirek

Subject: Re: Linux Oracle UPP
Posted by mrmodolo on Sun, 22 Apr 2007 23:13:24 GMT
View Forum Message <> Reply to Message

Thanks for your attention!
This is the output after try to compile SQL_Oracle:

----- Oracle (GCC DEBUG SHARED BLITZ LINUX) (1 / 4)
BLITZ: OraCommon.cpp Oci7.cpp Oci8.cpp contest.cpp

scope
/home/marcelo/upp/uppsrc/Oracle/Oracle7.h:37: error: template argument 1 is invalid
/home/marcelo/upp/uppsrc/Oracle/Oci7.cpp: In constructor

/home/marcelo/upp/uppsrc/Oracle/Oci7.cpp:765: error: no matching function for call to

/home/marcelo/upp/uppsrc/Core/Other.h:267: note: candidates are: void Upp::Link<T,
N>::LinkAfter(Upp::Link<T, N>*, int) [with T = Upp::OCI7
 Connection, int N = 1]

/home/marcelo/upp/uppsrc/Oracle/Oracle8.h: At global scope:

scope
/home/marcelo/upp/uppsrc/Oracle/Oracle8.h:66: error: template argument 1 is invalid
/home/marcelo/upp/uppsrc/Oracle/Oci8.cpp: In constructor

/home/marcelo/upp/uppsrc/Oracle/Oci8.cpp:744: error: no matching function for call to

/home/marcelo/upp/uppsrc/Core/Other.h:267: note: candidates are: void Upp::Link<T,
N>::LinkAfter(Upp::Link<T, N>*, int) [with T = Upp::OCI8
 Connection, int N = 1]

Oracle: 4 file(s) built in (0:02.86), 716 msecs / file, duration = 3028 msecs

There were errors. (0:03.03)

Subject: Re: Linux Oracle UPP
Posted by mirek on Tue, 24 Apr 2007 11:57:15 GMT
View Forum Message <> Reply to Message

Well, seems like this is beyond the simple fix. We will have to install Oracle client (hope we can do it in Ubuntu) and fix all issues...

Mirek

Subject: Re: Linux Oracle UPP
Posted by tojocky on Fri, 25 Sep 2009 11:02:23 GMT
View Forum Message <> Reply to Message

luzr wrote on Tue, 24 April 2007 14:57Well, seems like this is beyond the simple fix. We will have to install Oracle client (hope we can do it in Ubuntu) and fix all issues...

Mirek

Is possible to install oracle client on ubuntu:

The detail instalation is by address:
http://thisbrokenworld.wordpress.com/2008/04/10/oracle-10g-c
lient-tools-on-ubuntu-710/#comment-3

The package SQL_oracle was compiled succefull with oracle8 in ubuntu. but when I run I have getlastError:
Error loading OCI8 oracle connection dynamic library.

Somebody works on u++ with ubuntu?