
Subject: Attempting to compile U++ drawing examples
Posted by [veryfaststuff](#) on Sun, 22 Apr 2007 04:01:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

This is my first time to compile c++ code with a GUI kit. I tried to compile the following:

```
#include <CtrlLib/CtrlLib.h>

using namespace Upp;

struct MyApp : TopWindow {
    void DoPainting(Draw& w) {
        w.DrawEllipse(0, 0, 100, 30, WhiteGray(), 1, Cyan);
        w.DrawText(0, 0, "Hello world", Roman(30).Bold());
    }

    virtual void Paint(Draw& w) {
        w.DrawRect(GetSize(), White());
        DoPainting(w);
        w.Offset(30, 50);
        DoPainting(w);
        w.End();
        w.Offset(20, 100);
        w.Clip(5, 5, 40, 20);
        DoPainting(w);
        w.End();
        w.End();
        w.Clipoff(10, 150, 60, 20);
        DoPainting(w);
        w.End();
    }
};

GUI_APP_MAIN
{
    MyApp().Sizeable().Run();
}
```

I get the following errors upon completion:

test.cpp

```
c++ -c -I"D:\Workspace" -I"D:\zProgramming\GUI\UPP\uppsrc"
-I"D:\zProgramming\Compilers\MinGW\include" -DflagMAIN -DflagGCC -DflagDEBUG -
DflagDEBUG_FULL -DflagBLITZ -DflagWIN32 -DbmYEAR=2007 -DbmMONTH=4 -DbmDAY=21
-DbmHOUR=22 -DbmMINUTE=52 -DbmSECOND=52 -g2 -static -fe
xceptions -D_DEBUG -O0 -x c++ "D:\Workspace\main\test.cpp" -o
"D:\zProgramming\GUI\UPP\out\main\MINGW.Debug_full.Main\test.o"
D:\Workspace\main\test.cpp:59:2: warning: no newline at end of file
D:\zProgramming\Compilers\MinGW\bin\c++.exe -c -I"D:\Workspace"
```

```

-I"D:\zProgramming\GUI\UPP\uppsrc" -I"D:\zProgramming\Compilers\MinGW\inc
lude" -DflagMAIN -DflagGCC -DflagDEBUG -DflagDEBUG_FULL -DflagBLITZ -DflagWIN32
-DbmYEAR=2007 -DbmMONTH=4 -DbmDAY=21 -DbmHOUR=22 -DbmM
INUTE=52 -DbmSECOND=52 -g2 -static -fexceptions -D_DEBUG -O0 -x c++
"D:\Workspace\main\test.cpp" -o "D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o"
compiled in (0:07.06)
main: 2 file(s) built in (0:10.07), 5039 msecs / file, duration = 10812 msecs
Linking...
c++ -static -mwindows -mconsole -o
"D:\zProgramming\GUI\UPP\out\MINGW.Debug_full\main.exe" -ggdb
-L"D:\zProgramming\Compilers\MinGW\lib" -
WI,-O,2 "D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\main.o"
"D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.
o" -WI,--start-group -WI,--end-group
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0x43): In function
`ZN3Upp8MoveableINS_5Rect_liEENS_10EmptyClassEEC2Ev
':
D:/zProgramming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to
`Upp::Ctrl::InitWin32(HINSTANCE__*)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0x55):D:/zProgrammin
g/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::SplitCmdLine__(char const*)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0x6a):D:/zProgrammin
g/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::coreCmdLine__()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0xcb):D:/zProgrammin
g/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::AppInitEnvironment__()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0xd5):D:/zProgrammin
g/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::Ctrl::CloseTopCtrls()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0xe1):D:/zProgrammin
g/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::UsrLog(char const*)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0xe6):D:/zProgrammin
g/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::DeleteUsrLog()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0xeb):D:/zProgrammin
g/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::Ctrl::ExitWin32()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0xf0):D:/zProgramming
/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::AppExit__()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0xf5):D:/zProgramming
/GUI/UPP/uppsrc/Core/Gtypes.h: undefined referenc
e to `Upp::GetExitCode()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0x18c): In function

```

```

`Z10GuiMainFn_v':
D:/Workspace/main/test.cpp:57: undefined reference to `Upp::TopWindow::Sizeable(bool)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text+0x19c):D:/Workspace/
main/test.cpp:57: undefined reference to `Upp::Top
Window::Run(bool)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyAppD1Ev[MyA
pp::~MyApp()+0x16): In function `ZN3Upp8MoveableINS_
5Rect_liEENS_10EmptyClassEEC2Ev':
D:/zProgramming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to
`Upp::TopWindow::~TopWindow()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZdlPv[operator
delete(void*)]+0x43):D:/zProgramming/GUI/UPP/uppsrc/Co
re/Gtypes.h: undefined reference to `Upp::MemoryFreeDebug(void*)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyAppC1Ev[MyA
pp::MyApp()+0xd):D:/zProgramming/GUI/UPP/uppsrc/Core
/Gtypes.h: undefined reference to `Upp::TopWindow::TopWindow()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN3Upp12DestroyArr
ayINS_6StringEEEvPT_PKS2_[void Upp::DestroyArray<Up
p::String>(Upp::String*, Upp::String
const*)]+0x15):D:/zProgramming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to
`Upp::String:
::~String()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0x8):D:/zProgramming/GUI/UPP/uppsrc/Core
/Gtypes.h: undefined reference to `Upp::Ctrl::NcCreate(HWND__*)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0xc):D:/zProgramming/GUI/UPP/uppsrc/Core
/Gtypes.h: undefined reference to `Upp::Ctrl::NcDestroy()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0x10):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::PreDestroy()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0x14):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::WindowProc(unsigned int, unsigned int,
long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0x18):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::Accept()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0x1c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::Reject()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0x20):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::SetData(Upp::Value const&)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0x24):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::GetData() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable

```

for MyApp]+0x28):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::Serialize(Upp::Stream&)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x2c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::SetModify()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x30):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::ClearModify()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x34):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::IsModified() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x3c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::OverPaint() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x40):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::CancelMode()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x44):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::Activate()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x48):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::Deactivate()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x4c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::FrameMouseEvent(int, Upp::Point_<int>, int,
unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x50):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::MouseEvent(int, Upp::Point_<int>, int, unsigned
long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x54):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::MouseEnter(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x58):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::MouseMove(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x5c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::LeftDown(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x60):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::LeftDouble(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x64):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::LeftRepeat(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0x68):D:/zProgramming/GUI/UPP/uppsrc/Cor

e/Gtypes.h: undefined reference to `Upp::Ctrl::LeftUp(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x6c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::RightDown(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x70):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::RightDouble(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x74):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::RightRepeat(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x78):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::RightUp(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x7c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::MouseWheel(Upp::Point_<int>, int, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x80):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::MouseLeave()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x84):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::CursorImage(Upp::Point_<int>, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x88):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::Key(unsigned long, int)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x8c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::GotFocus()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x90):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::LostFocus()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x94):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::HotKey(unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x98):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::GetAccessKeys() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0x9c):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::AssignAccessKeys(unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0xa0):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::PostInput()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable for MyApp]+0xa4):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::ChildMouseEvent(Upp::Ctrl*, int, Upp::Point_<int>, int, unsigned long)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable

for MyApp]+0xa8):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::ChildGotFocus()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xac):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::ChildLostFocus()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xb0):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::ChildAdded(Upp::Ctrl*)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xb4):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::ChildRemoved(Upp::Ctrl*)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xb8):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::ParentChange()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xbc):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::State(int)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xc0):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::Layout()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xc4):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::GetMinSize() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xc8):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::GetStdSize() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xcc):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::GetMaxSize() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xd0):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::IsShowEnabled() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xd4):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::GetOpaqueRect()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xd8):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::GetVoidRect()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xdc):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::Updated()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xe0):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::Close()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable
for MyApp]+0xe4):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::IsOcxChild()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata\$_ZTV5MyApp[vtable

```

for MyApp]+0xe8):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::TopWindow::GetDesc() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0xec):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::Dump() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.rdata$_ZTV5MyApp[vtable
for MyApp]+0xf0):D:/zProgramming/GUI/UPP/uppsrc/Cor
e/Gtypes.h: undefined reference to `Upp::Ctrl::Dump(Upp::Stream&) const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyAppD0Ev[MyA
pp::~~MyApp()+0x16):D:/zProgramming/GUI/UPP/uppsrc/Co
re/Gtypes.h: undefined reference to `Upp::TopWindow::~~TopWindow()'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp5PaintER
N3Upp4DrawE[MyApp::Paint(Upp::Draw&)]+0x1c):D:/zProgr
amming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to `Upp::Ctrl::GetSize() const'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp5PaintER
N3Upp4DrawE[MyApp::Paint(Upp::Draw&)]+0x4a):D:/zProgr
amming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to
`Upp::Draw::DrawRect(Upp::Rect_<int> const&, Upp::Color)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp5PaintER
N3Upp4DrawE[MyApp::Paint(Upp::Draw&)]+0x77):D:/zProgr
amming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to `Upp::Draw::Offset(int, int)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp5PaintER
N3Upp4DrawE[MyApp::Paint(Upp::Draw&)]+0xaf):D:/zProgr
amming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to `Upp::Draw::Offset(int, int)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp5PaintER
N3Upp4DrawE[MyApp::Paint(Upp::Draw&)]+0xda):D:/zProgr
amming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to `Upp::Draw::Clip(int, int, int, int)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp5PaintER
N3Upp4DrawE[MyApp::Paint(Upp::Draw&)]+0x12d): In func
tion `Z10GuiMainFn_v':
D:/Workspace/main/test.cpp:55: undefined reference to `Upp::Draw::Clipoff(int, int, int, int)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp10DoPaint
ingERN3Upp4DrawE[MyApp::DoPainting(Upp::Draw&)]+0x5e
): In function `ZN3Upp8MoveableINS_5Rect_liEENS_10EmptyClassEEC2Ev':
D:/zProgramming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to
`Upp::Draw::DrawEllipse(int, int, int, int, Upp::Color, int, Upp::Col
or)'
D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o(.text$_ZN5MyApp10DoPaint
ingERN3Upp4DrawE[MyApp::DoPainting(Upp::Draw&)]+0xd6
):D:/zProgramming/GUI/UPP/uppsrc/Core/Gtypes.h: undefined reference to
`Upp::Draw::DrawTextA(int, int, char const*, Upp::Font, Upp::Co
lor, int, int const*)'
collect2: ld returned 1 exit status
D:/zProgramming/Compilers/MinGW/bin/c++.exe -static -mwindows -mconsole -o
"D:/zProgramming/GUI/UPP/out/MINGW.Debug_full/main.exe" -ggdb -
L"D:/zProgramming/Compilers/MinGW/lib" -Wl,-O,2
"D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main/main.o" "D:/zProgramming/GUI/
UPP/out/main/MINGW.Debug_full.Main/test.o" -Wl,--start-group -Wl,--end-group

```

```
Error executing D:\zProgramming\Compilers\MinGW\bin\c++.exe -static -mwindows -mconsole -o
"D:\zProgramming\GUI\UPP\out\MINGW.Debug_full\main.exe" -ggdb -L"D:\zProgramming\Compilers\MinGW\lib" -WI,-O,2
"D:/zProgramming/GUI/UPP/out/main/MINGW.Debug_full.Main\main.o" "D:/z
Programming/GUI/UPP/out/main/MINGW.Debug_full.Main\test.o" -WI,--start-group
-WI,--end-group
Exitcode: 1
```

There were errors. (0:13.65)

These are the only things I can think of that could be the source of the problem:

- 1) Using U++ snapshot
- 2) Attempting to compile a fragment of a whole set of code

I've tried tracing the error, but I got even more confused when I found that Gtypes.h really did not have any of the functions that the compiler was pointing out.

Subject: Re: Attempting to compile U++ drawing examples

Posted by [mirek](#) on Sun, 22 Apr 2007 07:24:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

I think the trouble is that you do not have GUI in the project. How have you created it?

In the left top pane, you should see "CtrlLib" - that means CtrlLib package is present, which will make present all the stuff needed to compile/link GUI application.

See this screenshot:

[http://www.ultimatepp.org/L\\$www\\$suppweb2\\$idess\\$en-us.html_2.p ng](http://www.ultimatepp.org/Lwwwsuppweb2$idess$en-us.html_2.p ng)

Mirek

Subject: Re: Attempting to compile U++ drawing examples

Posted by [veryfaststuff](#) on Wed, 25 Apr 2007 05:36:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Oh, now that makes sense. I thought that TheIDE was checking my directories for the dependencies found in my source file. Now it compiles. Thanks.