
Subject: Xmlize and double

Posted by [pivica](#) on Mon, 30 Jan 2006 06:55:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

How to save and load double into xml. On way to save double is to convert him to String, but when loading I can't find a way to convert that String back to double.

```
class SomeClass
{
    double d;
    Vector<double> vd;

    void Xmlize(XmlIO xml)
    {
        String sd;
        Vector<String> svd;

        if (xml.IsStoring())
        {
            sd = AsString(d);
            int n = vd.GetCount();
            for (int i = 0; i < n; ++i)
                svd.Add(AsString(vd[i]));
        }

        xml
            ("d", sd)
            ("vd", svd)
            ;

        if (xml.IsLoading())
        {
            // now what???
        }
    }
}
```

Subject: Re: Xmlize and double

Posted by [mirek](#) on Mon, 30 Jan 2006 10:53:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well, we should definitely add "xmlizers" for "double":

```
template<> inline String XmlAttrStore(const double& var)
{
    return AsString(var);
}
```

```
template<> inline void XmlAttrLoad(double& var, const String& text)
{
    CParser p(text);
    if(p.IsDouble()) var = p.ReadDouble();
}
```

```
template<> inline
void Xmlize(XmlIO xml, double& var)
{
    xml.Attr("value", var);
}
```

In fact, it is just my omission that I forgot to have them in Xmlize. They are now there...

This also shows one convenient way how convert String to double...

Mirek

Subject: Re: Xmlize and double
Posted by [pivica](#) on Mon, 30 Jan 2006 23:47:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

Mirek thanks very much for your help.

Subject: Re: Xmlize and double
Posted by [pivica](#) on Mon, 06 Feb 2006 22:16:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

There isn't CParser::IsDouble() method but there is IsNumber(). Is it OK to use it.

Xmlize for bool variables is missing. It's not big problem, just convert bool to int and back, but it would be nice to have it.

Subject: Problems with null doubles and Xmlize in 602b version.
Posted by [pivica](#) on Tue, 07 Feb 2006 15:55:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

I've just downloaded 602b. Xmlize class for doubles works OK when numbers are not DOUBLE_NULL. But in application which I am developing user can leave empty EditDouble ctrls

and in that case double from that ctrl has DOUBLE_NULL value. When storing with Xmlize such double value has empty string value, but when trying to load it XmlError("expected floating point number") is raised.

For example:

```
class A
{
public:
void Xmlize(XmlIO xml) { xml ("d", d); }
double d;
};
```

//...

```
EditDouble ctrl;
ctrl.Clear();
```

```
A a;
a.d = ctrl; // Now d has DOUBLE_NULL value
StoreAsXMLFile(a, "a", "a.xml");
LoadFromXMLFile(a, "a.xml"); // return false!
```

"a.xml" after StoreAsXMLFile is something like this:

```
<a>
  <d value=""/>
</a>
```

Problem is in Xmlize.cpp in XmlAttrLoad(double& var, const String& text) method, XmlError is raised when text is empty.

```
template<> void XmlAttrLoad(double& var, const String& text)
{
  CParser p(text);
  if(!p.IsDouble())
    throw XmlError("expected floating point number");
  var = p.ReadDouble();
}
```

My temporary workaround is to determine if text is empty:

```
template<> void XmlAttrLoad(double& var, const String& text)
{
  CParser p(text);
  ////
  if (text.IsEmpty())
```

```
{
  var = DOUBLE_NULL;
  return;
}
/////
if(!p.IsDouble())
  throw XmlError("expected floating point number");
var = p.ReadDouble();
}
```

Same problem maybe exist in XmlAttrLoad(int& var, const String& text) and XmlAttrLoad(dword& var, const String& text). They are also throwing XmlError.

Subject: Re: Problems with null doubles and Xmlize in 602b version.

Posted by [mirek](#) on Tue, 07 Feb 2006 19:15:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hm, stupid me. NULL is something I have not considered there....

Thanks.

Mirek

Subject: Re: Problems with null doubles and Xmlize in 602b version.

Posted by [mirek](#) on Tue, 07 Feb 2006 19:35:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Should be now fixed (and "bool" added).

Mirek
