

---

Subject: Refresh(), Paint(Draw& w), or something else nearby?

Posted by [kverko](#) on Wed, 04 Jul 2007 18:58:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi!

I have coded a little cell automat program. When I have put the step to the next cycle into a left click event handler, it did work. Now I use the SetTimeCallback function from the AnimatedHello example and it does work.

What I can no manage is to put the cycle control into the execution flow. For example I did:

```
function Steps()
{
    for(int i=0;i<1000;i++)
    {
        Step();
    }
}
function Step()
{
    Refresh();
}
```

And it does not work. The Step function is the same as in the SetTimeCallback! (Or in LeftDown.) The counting of next generation is in the Paint(Draw& w) function.

I am afraid of the counting the next generation could be longer than the timing of callback on a slower machine. Anyway I can not see, why does not work the simple code above. Or how other way can I set up the cycle control?

---

---

Subject: Re: Refresh(), Paint(Draw& w), or something else nearby?

Posted by [mrjt](#) on Thu, 05 Jul 2007 10:07:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The reason that this doesn't work is that Refresh doesn't call Paint immediately. Paint will only get called once and only after your code has finished.

One solution:

```
void Step()
{
    bool quit = false;
    Refresh();
    ProcessEvents(&quit); // Force Refresh event to be executed
    // If quit is true here then exit the app
}
```

This would draw each step as it is generated. I would advise against having the cell update code in Paint though.

And to fix the the TimerCallback problem of the step taking longer than the callback, if you change the timing from a negative to a positive number then you have to re-issue the callback every time it executes. This means you could complete the calculation of the next generation before you set the callback:

```
void OnTimer()
{
    UpdateCells();
    Refresh();
    SetTimerCallback(40, THISBACK(OnTimer));
}
```

James

---

---

Subject: Re: Refresh(), Paint(Draw& w), or something else nearby?

Posted by [kverko](#) on Thu, 05 Jul 2007 19:15:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thank for the response. I suspected some unknown property in the background.

The callback re-issue is good idea, it works well.

But the ProcessEvents did not help. I could not take timer out of order.

Here is the code in the actual test state.

#### File Attachments

1) [cyclic.zip](#), downloaded 374 times

---

---

Subject: Re: Refresh(), Paint(Draw& w), or something else nearby?

Posted by [mrjt](#) on Fri, 06 Jul 2007 10:02:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The problem is that you are running the loop from the window's constructor, but at that point the window hasn't been shown yet so Paint will not be called.

If you add the code:

```
virtual bool Key(dword key, int count) {
    if (key == K_SPACE) {
        for(int i=0;i<1000;i++)
        {
            step();
        }
    }
}
```

```
}  
return true;  
}  
return false;  
}
```

Then pressing the space bar runs the loop correctly, repainting after every calculate(). Also you could speed up your Paint routine using an ImageBuffer (In calculate put the pixels straight into an ImageBuffer, then create an Image and paint that instead).

Nice program though, it makes pretty pictures

James

---

---

Subject: Re: Refresh(), Paint(Draw& w), or something else nearby?

Posted by [kverko](#) on Fri, 06 Jul 2007 14:19:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

You are right. I had some diffuse bad feeling about the control flow, but could not catch the cause. Thanks again.

The cellular automaton is from David Griffeath (University of Wisconsin).

---