

---

Subject: Some macro enhancements for TheIde  
Posted by [Zardos](#) on Fri, 06 Jul 2007 14:03:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

I needed some enhancements for Macros in TheIde, so I made some small changes in the upp source. May be you can consider introducing them into the repository, again...

1.) I wanted to run some external programs on a source file. For example a source beautifier like AStyle. This kind of macro should be always available and independent of the selected package. To accomplish this I changed:

In Ide.cpp the function void Ide::SyncUsc() to this code:

```
void Ide::SyncUsc()
{
    CleanUsc();
    ::Workspace wspc;
    static String scan[] = { main, ConfigFile("ide.aux") };
    for(int t = 0; t < (sizeof scan / sizeof scan[0]); t++) {
        wspc.Scan(scan[t]);
        int i;
        for(i = 0; i < wspc.GetCount(); i++) {
            const Package& p = wspc.GetPackage(i);
            for(int j = 0; j < p.file.GetCount(); j++) {
                String file = SourcePath(wspc[i], p.file[j]);
                if(ToLower(GetFileExt(file)) == ".usc")
                    UscFile(file);
            }
        }
    }
    UscProcessDir(GetCommonDir());
    UscProcessDir(GetLocalDir());
    UscProcessDir(GetFileFolder(ConfigFile("x")));
}
```

Now, not only the current package is searched for macros - in addition the files in <ide-aux> are searched for macros, too.

The next step was to add 3 functions to "Ide::MacroEditor()":

SaveCurrentFile() : Save the current source file

ProjectDir() : Get the package directory. I need this for some other stuff... OOps PackageDir or PackagePath would be better I gues

FileName() : Get the current Name of the current file.

I changed Ide.h and added the following lines to:

```
struct Ide : public TopWindow, public WorkspaceWork, public IdeContext {
```

```
void MacroSaveCurrentFile(EscEscape& e);  
void MacroProjectDir(EscEscape& e);  
void MacroFileName(EscEscape& e);
```

and in Macro.cpp I added the following lines to:

```
EscValue Ide::MacroEditor()
```

```
out.Escape("SaveCurrentFile()", THISBACK(MacroSaveCurrentFile));  
out.Escape("ProjectDir()", THISBACK(MacroProjectDir));  
out.Escape("FileName()", THISBACK(MacroFileName));
```

and these functions to Macro.cpp:

```
void Ide::MacroSaveCurrentFile(EscEscape& e)  
{  
    SaveFile();  
}
```

```
void Ide::MacroProjectDir(EscEscape& e)  
{  
    e = GetFileFolder(PackagePathA(GetActivePackage()));  
}
```

```
void Ide::MacroFileName(EscEscape& e)  
{  
    e = editfile;  
}
```

As an example you can now add a macro file to <ide-aux> and call a beautifier like this from the macro menu:

```
macro "Beautify" Ctrl+Shift+B {  
    ClearConsole();  
    cout("Beautifying...");  
    SaveCurrentFile();  
    Execute("astyle.exe --style=java --indent=tab=4 --indent-cases --one-line=keep-blocks  
--unpad=paren --pad=oper --break-blocks " + FileName());  
}
```

- Ralf

---

---

Subject: Re: Some macro enhancements for TheIde  
Posted by [mirek](#) on Mon, 09 Jul 2007 07:23:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Patch applied, except the first step (ide-aux):

```
UscProcessDir(GetLocalDir());  
UscProcessDir(GetFileFolder(ConfigFile("x")));
```

This adds all \*.usc files in theide.exe (or ~/.ide) directory and (ide)/UppLocal (or ~/.ide/UppLocal), which I think should be enough here. I am afraid that adding ide-aux package could lead to problems as it is being used to view existing files, including perhaps some .usc files that you want just to view (e.g. to copy stuff from them), not to run...

---

---

Subject: Re: Some macro enhancements for TheIde  
Posted by [Zardos](#) on Mon, 09 Jul 2007 14:02:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Mon, 09 July 2007 09:23Patch applied, except the first step (ide-aux):  
This adds all \*.usc files in theide.exe (or ~/.ide) directory and (ide)/UppLocal (or ~/.ide/UppLocal), which I think should be enough here. I am afraid that adding ide-aux package could lead to problems as it is being used to view existing files, including perhaps some .usc files that you want just to view (e.g. to copy stuff from them), not to run...

It's allways nice if there is no need to have a special personal version of Ultimate++  
Thanks for applying the patch!

- Ralf

---