Subject: Some macro enhancements for Thelde Posted by Zardos on Fri, 06 Jul 2007 14:03:01 GMT

View Forum Message <> Reply to Message

Hello,

I needed some enhancements for Macros in Thelde, so I made some small changes in the upp source. May be you can consider introducing them into the repository, again...

1.) I wanted to run some external programs on a source file. For example a source beautifier like AStyle. This kind of macro should be always available and independent of the selected package. To accomplis this I changed:

In Ide.cpp the function void Ide::SyncUsc() to this code:

```
void Ide::SyncUsc()
CleanUsc();
::Workspace wspc;
static String scan[] = { main, ConfigFile("ide.aux") };
for(int t = 0; t < (size of scan / size of scan[0]); <math>t++) {
 wspc.Scan(scan[t]);
 int i;
 for(i = 0; i < wspc.GetCount(); i++) {
 const Package& p = wspc.GetPackage(i);
  for(int i = 0; i < p.file.GetCount(); i++) {
  String file = SourcePath(wspc[i], p.file[j]);
  if(ToLower(GetFileExt(file)) == ".usc")
   UscFile(file);
 }
 }
UscProcessDir(GetCommonDir()):
UscProcessDir(GetLocalDir());
UscProcessDir(GetFileFolder(ConfigFile("x")));
}
```

Now, not only the current package is searched for macros - in addition the files in <ide-aux> are searched for macros, too.

The next step was to add 3 functions to "Ide::MacroEditor()":

SaveCurrentFile(): Save the current source file

ProjectDir() : Get the package directory. I need this for some other stufff... OOps PackageDir or

PackagePath would be better I gues

FileName() : Get the current Name of the current file.

```
I changed Ide.h and added the following lines to:
struct Ide: public TopWindow, public WorkspaceWork, public IdeContext {
 void MacroSaveCurrentFile(EscEscape& e);
 void MacroProjectDir(EscEscape& e):
 void MacroFileName(EscEscape& e);
and in Macro.cpp I added the following lines to:
EscValue Ide::MacroEditor()
out.Escape("SaveCurrentFile()", THISBACK(MacroSaveCurrentFile));
out.Escape("ProjectDir()", THISBACK(MacroProjectDir));
out.Escape("FileName()", THISBACK(MacroFileName));
and these functions to Macro.cpp:
void Ide::MacroSaveCurrentFile(EscEscape& e)
SaveFile();
void Ide::MacroProjectDir(EscEscape& e)
e = GetFileFolder(PackagePathA(GetActivePackage()));
}
void Ide::MacroFileName(EscEscape& e)
e = editfile;
As an example you can now add a macro file to <ide-aux> and call a beautifier like this from the
macro menu:
macro "Beautify" Ctrl+Shift+B {
ClearConsole():
cout("Beautifying...");
SaveCurrentFile();
Execute("astyle.exe --style=java --indent=tab=4 --indent-cases --one-line=keep-blocks
--unpad=paren --pad=oper --break-blocks " + FileName());
}
```

Subject: Re: Some macro enhancements for Thelde Posted by mirek on Mon, 09 Jul 2007 07:23:37 GMT

View Forum Message <> Reply to Message

Patch applied, except the first step (ide-aux):

UscProcessDir(GetLocalDir()); UscProcessDir(GetFileFolder(ConfigFile("x")));

This adds all *.usc files in theide.exe (or ~/.ide) directory and (ide)/UppLocal (or ~/.ide/UppLocal), which I think should be enough here. I am afraid that adding ide-aux package could lead to problems as it is being used to view existing files, including perhaps some .usc files that you want just to view (e.g. to copy stuff from them), not to run...

Subject: Re: Some macro enhancements for Thelde Posted by Zardos on Mon, 09 Jul 2007 14:02:41 GMT

View Forum Message <> Reply to Message

luzr wrote on Mon, 09 July 2007 09:23Patch applied, except the first step (ide-aux): This adds all *.usc files in theide.exe (or ~/.ide) directory and (ide)/UppLocal (or ~/.ide/UppLocal), which I think should be enough here. I am afraid that adding ide-aux package could lead to problems as it is being used to view existing files, including perhaps some .usc files that you want just to view (e.g. to copy stuff from them), not to run...

It's allways nice if there is no need to have a special personal version of Ultimate++ Thanks for applying the patch!

- Ralf