

---

Subject: U++ versioning

Posted by [johnevans77](#) on Sat, 21 Jul 2007 16:43:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Deal all,

How ultimate++ deal with version numbering? Are 505, 605, 606 development version and 2007.1 is stable version? Or bigger version always better and stable?

And, i think in Status & Roadmap, we should put release date:)

Please advise.

JE

---

---

Subject: Re: U++ versioning

Posted by [fudadmin](#) on Sat, 21 Jul 2007 16:52:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

As I understand, from the year 2007 => 2007.x , where x is month number, was decided to mark those as stable versions.

701, 702 etc.

^ the same year - but dev(elopement) versions.

605 - from year 2006 - 5 month (May?)

---

---

Subject: Re: U++ versioning

Posted by [johnevans77](#) on Sat, 21 Jul 2007 17:01:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for the information

---

---

Subject: Re: U++ versioning

Posted by [mirek](#) on Sat, 21 Jul 2007 19:11:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Note that there were two changes in versioning on the way...

First it was regular 0.1, 0.2 etc...

Then we changed to 510, 605 etc... but later started 605dev1 for development snapshots... 10 and 05 are months.

Starting this year, it is 2007.1, where first number is year, second is the release number in the

year. Dev version keep 610dev1 "method".

---

---

Subject: Re: U++ versioning

Posted by [johnevans77](#) on Sun, 22 Jul 2007 04:18:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Big thanks for explanation. The latter one should be clearer for some people like me

JE

---

---

Subject: Re: U++ versioning

Posted by [amrein](#) on Wed, 27 Aug 2008 14:22:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi

I have an issue with those version names. If I want to make a dynamic .dll for Windows or an dynamic .so for Linux/Unix, I will be in trouble.

Could U++ use something like upp.version.release.bugfix instead of year.bugfix ?

Explanations

Version: incremented if dynamically linked software won't work any more (api changed and old class/functions removed)

release: incremented if new class/functions/variables are added

bugfix: incremented if only bug fix have been added to previous bugfix-1 release

---

---

Subject: Re: U++ versioning

Posted by [mirek](#) on Wed, 27 Aug 2008 14:32:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

amrein wrote on Wed, 27 August 2008 10:22Hi

I have an issue with those version names. If I want to make a dynamic .dll for Windows or an dynamic .so for Linux/Unix, I will be in trouble.

I think if you are going to do .so, you can perhaps adopt your own scheme.

Quote:

Version: incremented if dynamically linked software won't work any more (api changed and old

class/functions removed)

release: incremented if new class/functions/variables are added

bugfix: incremented if only bug fix have been added to previous bugfix-1 release

Well, unfortunately, in U++ all these things usually happen at the same time... and in reality, nobody tracks them.

Sorry, DLL hell is something we deliberately decided to completely avoid and forget about...

The problem is that in C++, it is way too easy to break binary compatibility. You either have to screw your C++ style and adhere to some "limited C++", or forget about it. We decided, long time ago, to forget about it.

Mirek

---

Subject: Re: U++ versioning  
Posted by [amrein](#) on Wed, 27 Aug 2008 19:08:46 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

2008 for the year. 01 for the release. From now, all new U++ release will have a name like 20xy.z.

But, for bug fix release, will it be 2008.2 or 2009.1 if the new release come in 2009?

Could U++ use 2009.0.0 instead of 2009.1 for next major release? That way, I will be able to use 9.0.0.

---

Subject: Re: U++ versioning  
Posted by [mirek](#) on Wed, 27 Aug 2008 21:49:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

If there is bugfix release, it would be 2008.1.1 or perhaps 2008.1a...

But all of this is not carved in the stone. We can adapt...

Mirek

Subject: Re: U++ versioning  
Posted by [Mindtraveller](#) on Wed, 27 Aug 2008 22:52:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

May be plain solution?  
YYYY.MM.DD-*vv*

---

---

Subject: Re: U++ versioning  
Posted by [amrein](#) on Thu, 28 Aug 2008 00:25:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Well there is an issue with y.m.d.v: year month and day are to far from version.release.fix.

It's not interesting to name a library 2008.8.25 and its next release 2009.1.5. Version should not change if you just add a few class/func without breaking compatibility. This is how Linux library naming works. It's because when program X want to link to library 2008.x.x, the dynamic loader won't use the new library 2009.x.x. The dynamic loader will only find and load the library with name 2008.zz.zz

The only solution is from luzr message:

"I think if you are going to do .so, you can perhaps adopt your own scheme."

---

---

Subject: Re: U++ versioning  
Posted by [amrein](#) on Wed, 03 Sep 2008 17:08:57 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

No problem with 20xy.z.

For libraries, I will be able to use 0.xy.z.

Note: The zero releases can break API as they want.

---

---

Subject: Re: U++ versioning  
Posted by [bytefield](#) on Wed, 03 Sep 2008 20:24:25 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi amrein. Even if your suggestions are not all applied to U++ them are useful, so keep posting your ideas. For example i will know which version scheme to apply to my applications from now on (version.release.bugfix).

---