
Subject: How to set transparency level for static rectangle?

Posted by [fudadmin](#) on Wed, 08 Feb 2006 01:22:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

How to set transparency level for static rectangle or other controls?

I have this code(one rect semi-covers the other):

```
#include <CtrlLib/CtrlLib.h>
```

```
GUI_APP_MAIN
```

```
{  
  TopWindow w;  
  Array<StaticRect> fr;  
  
  fr.Add();  
  fr[0].SetRect(50,50,100,100);  
  fr[0].Color(SRed);  
  fr.Add();  
  fr[1].SetRect(100,100,100,100);  
  fr[1].Color(SBlue);
```

```
  w.Add(fr[0]);  
  w.Add(fr[1]);
```

```
  w.Run();  
}
```

Subject: Re: How to set transparency level for static rectangle?

Posted by [mirek](#) on Wed, 08 Feb 2006 07:06:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
SetColor(Null);  
Transparent();
```

Not that "Transparent" is in fact just painting hint - in theory, all would work with this flag ON for all Ctrls. However, to avoid flickering, only Ctrls that really are transparent should have this activated.

Also, if what you need is StaticRect that is always transparent, rather use ParentCtrl.

Mirek

Subject: Re: How to set transparency level for static rectangle?

Posted by [fudadmin](#) on Wed, 08 Feb 2006 08:01:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Wed, 08 February 2006 02:06
SetColor(Null);
Transparent();

Not that "Transparent" is in fact just painting hint - in theory, all would work with this flag ON for all Ctrls. However, to avoid flickering, only Ctrls that really are transparent should have this activated.

Also, if what you need is StaticRect that is always transparent, rather use ParentCtrl.

Mirek

Where is THE LEVEL? I can't see any numbers.

I want:

```
SetColor(SRed, alpha=50%);
```

Subject: Re: How to set transparency level for static rectangle?

Posted by [mirek](#) on Wed, 08 Feb 2006 08:04:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

I see... Well, alpha-blended drawing is not supported.

You can SetAlpha for top-level Ctrl - it it will work on WinXP, but that is all for the moment.

(The problem is that alpha-blending is not supported by base platforms).

Mirek

Subject: Re: How to set transparency level for static rectangle?

Posted by [fudadmin](#) on Wed, 08 Feb 2006 08:12:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

do you suggest to use primitive DC and bitblt?

Subject: Re: How to set transparency level for static rectangle?

Posted by [mirek](#) on Wed, 08 Feb 2006 08:42:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

Actually, what I suggest is that DC/BitBlit (and its X11 equivalents) do not support alpha-blending (AFAIK).

However, it is possible that I misundestood what you really need...

What kind of operation do you want to do with BitBlt?

Mirek

Subject: Re: How to set transparency level for static rectangle?

Posted by [fudadmin](#) on Mon, 13 Feb 2006 11:05:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Wed, 08 February 2006 03:42: Actually, what I suggest is that DC/BitBlt (and its X11 equivalents) do not support alpha-blending (AFAIK).

However, it is possible that I misunderstood what you really need...

What kind of operation do you want to do with BitBlt?

Mirek


I'd like this kind

also you can check more at:

http://www.blitzbasic.com/bpdocs/command_list_gui_cat.php?show=HTML%20Views

File Attachments

1) [macoside_big.png](#), downloaded 2411 times



Subject: Re: How to set transparency level for static rectangle?

Posted by [mirek](#) on Mon, 13 Feb 2006 11:29:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well, you can have this: it is window-level alpha blending, supported by `Ctrl::SetAlpha`.

The only problem you have to be aware of is that unlike all other things, you can use `SetAlpha` just for windows that are open at the moment (this is not U++ way, perhaps I should fix that..)

Try (untested):

```
GUI_APP_MAIN
{
  TopWindow win;
  win.Open();
  win.SetAlpha(100);
  win.Run();
}
```

Another thing to know is that it does not work before Win2000 or in Linux (is NOP).

BTW, what you cannot have is alpha blending of shapes in your view area (this requires GDI+ on Win32, which is not implicit on all platforms we want to support...)

Mirek

Subject: Re: How to set transparency level for static rectangle?

Posted by [fudadmin](#) on Sun, 19 Feb 2006 22:59:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Yes, it is working. My mistake was that I had missed `win.Open()`.

Then, experimenting with U++ `Ctrl` DC's, I realised that in U++ you get `hwnd` after you open the window.

But now I can't believe that the semi-transparent window is soooo slow comparing to what I get with "pure" win32 API's on my 1.5 Ghz. Could you give some hints about the reason?

Subject: Re: How to set transparency level for static rectangle?

Posted by [fudadmin](#) on Sun, 19 Feb 2006 23:04:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Wed, 08 February 2006 03:42 Actually, what I suggest is that `DC/BitBlt` (and its X11 equivalents) do not support alpha-blending (AFAIK).

However, it is possible that I misunderstood what you really need...

What kind of operation do you want to do with `BitBlt`?

Mirek

Actually, I want to use not only bitblt but I need hDC's for win32 api's, like SetDIBitsToDevice, StretchDIBits, AlphaBlend etc.

Subject: Re: How to set transparency level for static rectangle?

Posted by [fudadmin](#) on Mon, 20 Feb 2006 00:17:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

fudadmin wrote on Sun, 19 February 2006 17:59

But now I can't believe that the semi-transparent window is soooo slow comparing to what I get with "pure" win32 API's on my 1.5 Ghz. Could you give some hints about the reason?

There was something strange... It's ok now after I recompiled.
