

---

Subject: TopWindow childless Clock example [BUG][FIXED]

Posted by [hribek](#) on Thu, 09 Feb 2006 10:27:44 GMT


[View Forum Message](#) <> [Reply to Message](#)

---

WinXP(or 98), upp 511 MinGW bundled, Analog clock hello world example. Build it, execute it. Everything OK. And then press the [down] key on your keyboard. It cause a memory error of the clock example.

## File Attachments

1) [clock.png](#), downloaded 1625 times



---

Subject: Re: Clock example bug

Posted by [hribek](#) on Thu, 09 Feb 2006 12:44:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Or try AnimatedHello or Color example. Or probably any other UPP program with main frame without child windows (buttons, menu, ...).

---

---

Subject: Re: Clock example bug

Posted by [hribek](#) on Thu, 09 Feb 2006 12:48:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
bool TopWindow::Key(dword key, int count)
{
    if(Ctrl::Key(key, count))
        return true;
    if(IsChild()) return false;
    if(key == K_DOWN || key == K_RIGHT || key == K_TAB) {
        Ctrl *ctrl = GetFocusChildDeep();
        if(ctrl && IterateFocusForward(ctrl, this))
            return true;
        if(GetFirstChild()->SetWantFocus())

```

BUG BUG BUG GetFirstChild() probably return NULL

---

Subject: Re: Clock example bug  
Posted by [mirek](#) on Thu, 09 Feb 2006 19:11:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Indeed!

Thank you. It is amazing for how long this went unnoticed (there is not too many childless windows in real programming I guess...)

Fixed.

Mirek

---