

---

Subject: segmentation fault on Ubuntu Feisty  
Posted by [mdelfede](#) on Mon, 10 Sep 2007 10:22:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I've 2 pc both with ubuntu feisty installed.  
On the first one, theide works great.  
On the second, it don't even start, giving 'segmentation fault' with no other messages, IF RAN AS A NORMAL USER.  
Running as ROOT does work.  
I don't know where to look for the problem... any suggestion ?

Best Regards

Max

edit : running on GDB shows this :

```
Program received signal SIGSEGV, Segmentation fault.  
[Switching to Thread -1219471664 (LWP 13303)]  
0xb78538e5 in XftCharExists () from /usr/lib/libXft.so.2
```

edit : with the workaround here :

[http://www.ultimatepp.org/forum/index.php?t=msg&goto=9594&&srch=segmentation+fault#msg\\_9594](http://www.ultimatepp.org/forum/index.php?t=msg&goto=9594&&srch=segmentation+fault#msg_9594)

it does work.

Ciao

Max

---

---

Subject: Re: segmentation fault on Ubuntu Feisty  
Posted by [mirek](#) on Mon, 10 Sep 2007 16:27:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Can you check this little bit more evolved fix, please

```
static int sCheckComposed(const char *face)  
{  
    XftFont *xftfont = XftFontOpen(Xdisplay, Xscreenno,  
                                   XFT_FAMILY, XftTypeString, (char *)face,  
                                   XFT_PIXEL_SIZE, XftTypeInteger, 20,  
                                   (void *)0);  
    if(xftfont == NULL )  
        return -1;
```

```

int n = 0;
for(int c = 0; c < 128; c++)
    if(!XftCharExists(Xdisplay, xffont, c + 256))
        n++;
XftFontClose(Xdisplay, xffont);
return n > 10;
}

void Draw::InitPlatformFonts()
{
for(int i = 0; i < __countof(basic_fonts); i++) {
    XFTFontFaceInfo& f = XFTFontFace().Add(basic_fonts[i]);
    f.name = basic_fonts[i];
    f.scaleable = true;
    f.fixed = i == 3 || i == 6;
    f.compose = sCheckComposed(basic_fonts[i]);
}
FcFontSet *fs = XftListFonts(Xdisplay, Xscreenno, (void *)0, XFT_FAMILY, XFT_SPACING,
                            XFT_SCALABLE, (void *)0);
for(int i = 0; i < fs->nfont; i++) {
    FcChar8 *family = NULL;
    if(FcPatternGetString(fs->font[i], FC_FAMILY, 0, &family) == 0 && family) {
        int comp = sCheckComposed(face);
        if(comp >= 0) {
            XFTFontFaceInfo& f = XFTFontFace().GetAdd((char *)family);
            int spacing;
            if(FcPatternGetInteger(fs->font[i], FC_SPACING, 0, &spacing) == 0 && spacing ==
XFT_MONO)
                f.fixed = true;
            FcBool scaleable;
            if(FcPatternGetBool(fs->font[i], FC_SCALABLE, 0, &scaleable) == 0 && scaleable)
                f.scaleable = true;
            f.compose = comp;
        }
    }
}
FcFontSetDestroy(fs);
}

```

(The point is to not include fonts that fail into the list of fonts..)

Mirek

---



---

Subject: Re: segmentation fault on Ubuntu Feisty  
 Posted by [mdelfede](#) on Mon, 10 Sep 2007 19:51:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'll test it tomorrow... here at home theide works with no patch !

Ciao

Max

---

---

Subject: Re: segmentation fault on Ubuntu Feisty  
Posted by [mdelfede](#) on Tue, 11 Sep 2007 09:12:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

'face' here is undefined :

```
int comp = sCheckComposed(face);
```

If I did understand the code (maybe not !) it must change like that :

```
int comp = sCheckComposed((char *)family);
```

Ciao

Max

---

---

Subject: Re: segmentation fault on Ubuntu Feisty  
Posted by [mirek](#) on Wed, 12 Sep 2007 09:19:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thanks!

Mirek

---

---

Subject: Re: segmentation fault on Ubuntu Feisty  
Posted by [mdelfede](#) on Wed, 12 Sep 2007 09:51:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

thanx to you for the software !

---