
Subject: How to define the width of a table?
Posted by [benoitc](#) on Wed, 12 Sep 2007 09:21:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Sorry for that basic question, but I didn't find a way to specify the width of a QTF table in a report. By default the table is spread over the whole page.

Thanks in advance,
Benoit

Subject: Re: How to define the width of a table?
Posted by [mirek](#) on Wed, 12 Sep 2007 10:09:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

You can define the space on left and right size.

```
<number  
>number
```

Mirek

Subject: Re: How to define the width of a table?
Posted by [irisRoyalty](#) on Wed, 05 May 2010 02:02:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

but if i want to make one column's width fixed,how?
thanks

Subject: Re: How to define the width of a table?
Posted by [mirek](#) on Wed, 05 May 2010 07:01:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

irisRoyalty wrote on Tue, 04 May 2010 22:02but if i want to make one column's width fixed,how?
thanks

U++ RichText does not support fixed width of table column (yet?). If you need one, you need to use column ratios to achieve it. (In reality, as long as you need just "document" precision, quite easy to do by try/error approach).

Mirek

Subject: Re: How to define the width of a table?
Posted by [koldo](#) on Wed, 05 May 2010 08:21:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Wed, 05 May 2010 09:01irisRoyalty wrote on Tue, 04 May 2010 22:02but if i want to make one column's width fixed,how?
thanks

U++ RichText does not support fixed width of table column (yet?). If you need one, you need to use column ratios to achieve it. (In reality, as long as you need just "document" precision, quite easy to do by try/error approach).

Mirek

Sometimes a trick could be to do what you want in T++ and then copy that from the generated .tpp file to your C++ program.

Subject: Re: How to define the width of a table?
Posted by [mirek](#) on Thu, 06 May 2010 18:28:04 GMT
[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Wed, 05 May 2010 04:21luzr wrote on Wed, 05 May 2010 09:01irisRoyalty wrote on Tue, 04 May 2010 22:02but if i want to make one column's width fixed,how?
thanks

U++ RichText does not support fixed width of table column (yet?). If you need one, you need to use column ratios to achieve it. (In reality, as long as you need just "document" precision, quite easy to do by try/error approach).

Mirek

Sometimes a trick could be to do what you want in T++ and then copy that from the generated .tpp file to your C++ program.

Actually, I plan to add some sort of "Qt studio" in TheIDE...

Mirek
