## Subject: How to define the width of a table? Posted by benoitc on Wed, 12 Sep 2007 09:21:08 GMT View Forum Message <> Reply to Message

Hi,

Sorry for that basic question, but I didn't find a way to specify the width of a QTF table in a report. By default the table is spread over the whole page.

Thanks in advance, Benoit

Subject: Re: How to define the width of a table? Posted by mirek on Wed, 12 Sep 2007 10:09:38 GMT View Forum Message <> Reply to Message

You can define the space on left and right size.

<number >number

Mirek

Subject: Re: How to define the width of a table? Posted by irisRoyalty on Wed, 05 May 2010 02:02:34 GMT View Forum Message <> Reply to Message

but if i want to make one column's width fixed, how? thanks

Subject: Re: How to define the width of a table? Posted by mirek on Wed, 05 May 2010 07:01:04 GMT View Forum Message <> Reply to Message

irisRoyalty wrote on Tue, 04 May 2010 22:02but if i want to make one column's width fixed, how? thanks

U++ RichText does not support fixed width of table column (yet?). If you need one, you need to use column ratios to achieve it. (In reality, as long as you need just "document" precision, quite easy to do by try/error approach).

Mirek

luzr wrote on Wed, 05 May 2010 09:01irisRoyalty wrote on Tue, 04 May 2010 22:02but if i want to make one column's width fixed,how? thanks

U++ RichText does not support fixed width of table column (yet?). If you need one, you need to use column ratios to achieve it. (In reality, as long as you need just "document" precision, quite easy to do by try/error approach).

## Mirek

Sometimes a trick could be to do what you want in T++ and then copy that from the generated .tpp file to your C++ program.

Subject: Re: How to define the width of a table? Posted by mirek on Thu, 06 May 2010 18:28:04 GMT View Forum Message <> Reply to Message

koldo wrote on Wed, 05 May 2010 04:21luzr wrote on Wed, 05 May 2010 09:01irisRoyalty wrote on Tue, 04 May 2010 22:02but if i want to make one column's width fixed,how? thanks

U++ RichText does not support fixed width of table column (yet?). If you need one, you need to use column ratios to achieve it. (In reality, as long as you need just "document" precision, quite easy to do by try/error approach).

Mirek

Sometimes a trick could be to do what you want in T++ and then copy that from the generated .tpp file to your C++ program.

Actually, I plan to add some sort of "Qtf studio" in TheIDE...

Mirek

Page 2 of 2 ---- Generated from U++ Forum