
Subject: Splitter and SetMin strange behavior
Posted by mapo **on** Wed, 19 Sep 2007 18:13:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

i'm looking for using splitter, but have some strange problems with SetMin method.
if I want splitter to be ~380px wide, i have to cal S1.SetMin(0, 5000);, but documentation states,
that second parameter is in pixels.

Am I doing something wrong?

I attached example project.

mapo.

File Attachments

1) [GUISample1.zip](#), downloaded 577 times

Subject: Re: Splitter and SetMin strange behavior
Posted by mirek **on** Wed, 19 Sep 2007 21:07:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

mapo wrote on Wed, 19 September 2007 14:13Hi,

i'm looking for using splitter, but have some strange problems with SetMin method.
if I want splitter to be ~380px wide, i have to cal S1.SetMin(0, 5000);, but documentation states,
that second parameter is in pixels.

Am I doing something wrong?

I attached example project.

mapo.

I have just checked, unfortunately, Min seems to be in 1/10000 of width (which is, if nothing else,
quite impractical).

Will look into the issue tomorrow (perhaps adding SetMinPixels).

Thanks for testcase.

Mirek

Subject: Re: Splitter and SetMin strange behavior
Posted by [mirek](#) on Thu, 20 Sep 2007 20:25:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well, I hope it is fixed now (with SetMinPixels).

Quick fix:

```
class Splitter : public Ctrl {  
public:  
    virtual void Layout();  
    virtual void Paint(Draw& draw);  
    virtual void MouseMove(Point p, dword keyflags);  
    virtual void LeftDown(Point p, dword keyflags);  
    virtual void LeftUp(Point p, dword keyflags);  
    virtual Image CursorImage(Point p, dword keyflags);  
    virtual void Serialize(Stream& s);  
  
protected:  
    Vector<int> pos;  
    Vector<int> mins;  
    Vector<int> minpx;  
    int      width;  
    int      style;  
    int      mouseindex;  
    bool     vert;  
    int      inset;  
  
    int      ClientToPos(Point client) const;  
    int      PosToClient(int pos) const;  
    int      FindIndex(Point client) const;  
    int      GetChildCount() const;  
    int      GetMins(int i) const;  
  
public:  
    void     Set(Ctrl& l, Ctrl& r);  
  
    Splitter& SetPos(int newpos, int index = 0);  
    int      GetPos(int index = 0) const      { return index < pos.GetCount() ? pos[index] : 10000; }  
  
    int      GetCount() const            { return GetChildCount(); }  
  
    void     Zoom(int i);  
    void     NoZoom()                  { Zoom(-1); }  
    int      GetZoom() const          { return style; }  
  
    void     SetMin(int i, int w)       { mins.At(i, 0) = w; }  
    void     SetMinPixels(int i, int w) { minpx.At(i, 0) = w; }
```

```

void Add(Ctrl& pane);
Splitter& operator<<(Ctrl& pane) { Add(pane); return *this; }

Splitter& Vert(Ctrl& top, Ctrl& bottom);
Splitter& Horz(Ctrl& left, Ctrl& right);
Splitter& Vert() { vert = true; Layout(); return *this; }
Splitter& Horz() { vert = false; Layout(); return *this; }
Splitter& BarWidth(int w);
bool IsHorz() const { return !vert; }
bool IsVert() const { return vert; }

void Clear();
void Reset();

Splitter();
virtual ~Splitter();
};

```

```

int Splitter::GetMins(int i) const
{
    int min1 = (i < mins.GetCount() ? mins[i] : 0);
    int min2 = 0;
    int cx = GetSize().cx;
    if(cx)
        min2 = (i < minpx.GetCount() ? minpx[i] : 0) * 10000 / cx;
    return max(min1, min2);
}

```

```

Splitter& Splitter::SetPos(int p, int i) {
    int l = (i > 0 && i - 1 < pos.GetCount() ? pos[i - 1] : 0) + GetMins(i);
    int h = (i + 1 < pos.GetCount() ? pos[i + 1] : 10000) - GetMins(i + 1);
    pos.At(i) = minmax(p, l, h);
    Layout();
    return *this;
}

```

Mirek

Subject: Re: Splitter and SetMin strange behavior
 Posted by [mapo](#) on Fri, 21 Sep 2007 07:27:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

thanx!
