
Subject: Dynamic Variable Names

Posted by [gonzofish](#) on Mon, 14 Jan 2008 15:33:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Is there any facility in U++ that makes it possible to have dynamic variable names and variable types?

I'm parsing a config file and it'd be nice to have the specified config variables be used in the parser. I know in scripting languages, such as PHP, that it is possible to have:

```
$var = "real_var";  
$$var = "foo and bar";  
echo $real_var;
```

and the output would be "foo and bar".

Thanks.

Subject: Re: Dynamic Variable Names

Posted by [mr_ped](#) on Mon, 14 Jan 2008 16:09:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

As the C++ is compiled language with sort-of-strong type checking, you can't have fully dynamic variable names.

Yet there's nothing preventing you from making an interpreter wrapper for thing like this.

Basically a standard map container with String index is probably the simplest way to do this.

Check

[http://www.ultimatepp.org/srcdoc\\$Core\\$Tutorial\\$en-us.html](http://www.ultimatepp.org/srcdoc$Core$Tutorial$en-us.html)
paragraph 10. VectorMap for basic info.

The code will look something like this:

```
//map of values  
VectorMap<String, Value> m;  
  
//reading variables  
for ...reading loop... {  
    String var_name = read...  
    Value var_value = read...  
    m.Add( var_name, var_value );  
}  
  
//using variable  
Value x = m.Get("the dynamic variable name");
```

```
//writing variables
for(int i = 0; i < m.GetCount(); i++) {
    write... m.GetKey(i)
    write... " = "
    write... m[i]
    write...end line or whatever you wish;
}
```

I suggest to encapsulate+hide+wrap this into class, still 'echo \$real_var' will need one function call, so it will look like 'echo values.GetValue("real_var")'

(if you mind the verbosity of such line, you can easily make instance "v" of that class, and use () operator function to return value, so it will be 'echo v("real_var")' ... but it looks too cryptic to me. And AFAIK you can't get it better in C++ anyway.

update2:

If you wonder why "Value" for values... because UPP::Value can store different kinds of values, still you should check if it covers all your needs. (It pretty much should, because almost anything can be "String" for a while and String can be stored in Value too ... but it makes more sense to have native Integers and Dates in cases where the data fits into them)

Actually class UPP::Value is nice example of how far you can get with sort-of-dynamic types in C++ and how well the C++ static compilation can be bend in this direction.

I'm not sure what for you need the dynamic variables names anyway, I see you tried to describe something about config files, but I'm missing "the" reason in it.

Subject: Re: Dynamic Variable Names
Posted by [waxblood](#) on Mon, 14 Jan 2008 16:25:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

If it is an interpreter you want you should look at u++ scripting language
[http://www.ultimatepp.org/srcdoc\\$Esc\\$Esc\\$en-us.html](http://www.ultimatepp.org/srcdocEscEsc$en-us.html)

Subject: Re: Dynamic Variable Names
Posted by [zsolt](#) on Mon, 14 Jan 2008 17:49:11 GMT
[View Forum Message](#) <> [Reply to Message](#)

Check About storing configuration part of the documentation. Read the "1) Text configuration" section.

Reading a text configuration file is very simple:

```
VectorMap<String, String> cfg = LoadIniFile("myapp.cfg");  
String recentdir = cfg.Get("RECENTDIR", Null);  
int id = ScanInt(cfg.Get("ID", Null));
```

Subject: Re: Dynamic Variable Names
Posted by [gonzofish](#) on Mon, 14 Jan 2008 18:05:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thank you all very much. All replies are helpful to what I'm doing.
