
Subject: Code reformatter added to TheIDE
Posted by [mdelfede](#) on Sun, 27 Jan 2008 14:56:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well, after some effort, I got astyle code reformatter bound to Theide.
Here a screenshot of the setup dialog:

On next post, the changed files and some technical details.

Ciao

Max

File Attachments

1) [astyle.png](#), downloaded 861 times

Subject: Re: Code reformatter added to TheIDE
Posted by [mdelfede](#) on Sun, 27 Jan 2008 15:15:00 GMT
[View Forum Message](#) <> [Reply to Message](#)

Here the patched/added files to get astyle working in TheIDE.
Patches consist of :

1 - Added modified astyle code. Changes are related to :

- use Upp:: containers/types instead of std:: ones
- fixed some memory leaks
- ported sources to unicode (using Upp::WString instead std::string)

2 - Additions to ide menu, dialog, keys and serialization, so astyle settings are saved with the Ide configuration.

To use, just get the 2401 UVS2 release (corresponding to latest 104 SVN release) and unpack the file here in uppsrc folder, overwriting files when needed.

Enjoy!

Ciao

Max

p.s. : I forgot to mention, code reformatting command is in edit menu; it reformats current editor window.

No support to reformat selections as IMHO it makes few sense...
Undo is supported, so don't worry about testing !

Ciao

Max

File Attachments

1) [uppsrc_astyle.zip](#), downloaded 398 times

Subject: Re: Code reformatter added to TheIDE
Posted by [mdelfede](#) on Mon, 28 Jan 2008 18:46:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

It works unchanged also on today SVN Release 105, corresponding to latest UVS2 2402 Release.

Ciao

Max

Subject: Re: Code reformatter added to TheIDE
Posted by [mdelfede](#) on Tue, 29 Jan 2008 22:42:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

It works unchanged also on today SVN Release 106, corresponding to latest UVS2 2407 Release.

Ciao

Max

Subject: Re: Code reformatter added to TheIDE
Posted by [zsolt](#) on Wed, 30 Jan 2008 10:04:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

seems to be promising. My only problem is license of astyle. It's LGPL, so it should be compiled as a dll or so.

Subject: Re: Code reformatter added to TheIDE

Posted by [mdelfede](#) on Wed, 30 Jan 2008 10:24:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

zsolt wrote on Wed, 30 January 2008 11:04seems to be promising. My only problem is license of astyle. It's LGPL, so it should be compiled as a dll or so.

Well, that's not for sure.... In LGPL license is stated that :

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

We're modifying the source code and publishing it on terms of LGPL, we're distributing a work containing portions of the library with a license that allow access to source code of the derivative product, so I think that TheIDE falls in such a case.... But we'd need a lawyer to be sure about that

BTW, it would be no problem to make a shared library of astyle, but imo it makes few sense.

Ciao

Max

Subject: Re: Code reformatter added to TheIDE

Posted by [mirek](#) on Wed, 30 Jan 2008 11:51:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

IMO, license is not a problem. We are redistributing all the code with it. And it is not needed for U++ applications, only for TheIDE.

BTW, even worse issue there is ndisasm, which is GPL.

Speaking about it, I am more worried about the coding style. Astyle code is exactly what U++ approach tries to argue with

Mirek

Subject: Re: Code reformatter added to TheIDE

Posted by [mdelfede](#) on Wed, 30 Jan 2008 12:13:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Wed, 30 January 2008 12:51

Speaking about it, I am more worried about the coding style. Astyle code is exactly what U++ approach tries to argue with

Well, I'd agree with you if astyle would be made as a part of Upp, but it's only an helper for theide, not upp

IMHO loosing a week or two to make something like astyle from scrath would not be a valuable choice.

Besides of that, astyle patched to use upp containers doesn't look awful, even if it uses pointers to manage stuffs quite a bit.

I had to change just 5(or 6 ?) container variables to use the DeepCopy option, among the lot more used there, so it's not so bad.

(BTW, nice stuff the 'pick semantics broken' error, it saved me a lot of debugging).

Just think as astyle like a black box that does (well, indeed) it's job.

Speaking about coding style, jpeg, tif and so C plugins are not the most elegant pieces of code ever seen !

IMHO, reinventing the wheel makes sense if with that wheel you travel for many km at high speed. Having a ferrari to go shopping at the supermarket near home is not whorth the money !

Ciao

Max

Subject: Re: Code reformatter added to TheIDE
Posted by [mirek](#) on Fri, 08 Feb 2008 11:08:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well, I have added it...

Anyway, after a while of experimenting, it feels hardly usable... E.g. I was completely unsuccessful trying to use it to format anything in a way I am used to (and most U++ sources are formatted).

Actually, the only effect I have noticed is that it inserted a line after each source line

Also, I think, if such set of flags is possible (I mean, U++ 'default' style), it should be preset...

Mirek

Subject: Re: Code reformatter added to TheIDE
Posted by [mdelfede](#) on Fri, 08 Feb 2008 20:53:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Fri, 08 February 2008 12:08Well, I have added it...

Anyway, after a while of experimenting, it feels hardly usable... E.g. I was completely unsuccessful trying to use it to format anything in a way I am used to (and most U++ sources are formatted).

Actually, the only effect I have noticed is that it inserted a line after each source line

Also, I think, if such set of flags is possible (I mean, U++ 'default' style), it should be preset...

Mirek

Hmmmm... I hope that one was before our chat in ICQ

BTW, besides XP problems (I hope you found why it behaves so in XP and good on Linux...), I think that "default U++ style" can easily be added with a button more. Better, I guess it would not be a bad idea to add some 'defaults', like K&R, Linux, Upp, My () and maybe the ability to store user settings by name.

Ciao

Max
