

---

Subject: U++ heap Leak errors on Linux (Kubuntu)  
Posted by [Oblivion](#) on Tue, 26 Feb 2008 23:49:44 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,  
I have a question: I have installed U++ .deb package and compiled the sources, but whenever I close the U++ applications (any application), I get "heap leak" errors on Kubuntu (with dynamic linked libs only - static linking does not work at all, it gives errors). However, I've managed to prevent the "heap leaks" by adding the NOGTK keyword to the build methods. But in that case, the U++ applications return to the classic skin and does not adapt themselves to the system visual styles (even if the desktop is KDE, not Gnome).  
Also, I tested the MALLOC keyword combination too, but it didn't compile either.

Here is a sample. When I try to compile an app with DEBUG + static linking or any release mode + static linking, I get the below errors:

```
----- CtrlLib ( GUI GCC DEBUG BLITZ LINUX ) ( 1 / 9 )
----- CtrlCore ( GUI GCC DEBUG BLITZ LINUX ) ( 2 / 9 )
----- RichText ( GUI GCC DEBUG BLITZ LINUX ) ( 3 / 9 )
----- PdfDraw ( GUI GCC DEBUG BLITZ LINUX ) ( 4 / 9 )
----- Draw ( GUI GCC DEBUG BLITZ LINUX ) ( 5 / 9 )
----- plugin/bmp ( GUI GCC DEBUG BLITZ LINUX ) ( 6 / 9 )
----- Core ( GUI GCC DEBUG BLITZ LINUX ) ( 7 / 9 )
----- plugin/png ( GUI GCC DEBUG BLITZ LINUX ) ( 8 / 9 )
----- HelloWorld ( GUI MAIN GCC DEBUG BLITZ LINUX ) ( 9 / 9 )
```

Linking...

```
/home/maldoror/upp/out/Core/GCC.Debug.Gui/$blitz.o: In function `CheckDll__(char const*, char const* const*, Upp::Vector<void*>&):
```

```
$blitz.cpp:(.text+0x21021): warning: Using 'dlopen' in statically linked applications requires at runtime the shared libraries from the glibc version used for linking
```

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g_get_any_init_do': (.text+0x1472): warning: Using 'getpwuid' in statically linked applications requires at runtime the shared libraries from the glibc version used for linking
```

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g_get_any_init_do': (.text+0x1465): warning: Using 'setpwent' in statically linked applications requires at runtime the shared libraries from the glibc version used for linking
```

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g_get_any_init_do': (.text+0x147a): warning: Using 'endpwent' in statically linked applications requires at runtime the shared libraries from the glibc version used for linking
```

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(GetDflt.o): In function `GetHomeDir': /build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/GetDflt.c:133: warning: Using 'getpwnam_r' in statically linked applications requires at runtime the shared libraries from the glibc version used for linking
```

```

/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/././src/GetDflt.c:135: warning: Using 'getpwuid_r'
in statically linked applications requires at ru
ntime the shared libraries from the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libX11.a(x11_trans.o): In function
`_X11TransSocketOpen':
/usr/include/X11/Xtrans/Xtranssock.c:472: warning: Using 'getaddrinfo' in statically linked
applications requires at runtime the shared libraries from
the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libX11.a(x11_trans.o): In function
`UnixHostReallyLocal':
/usr/include/X11/Xtrans/Xtranssock.c:1893: warning: Using 'gethostbyname' in statically linked
applications requires at runtime the shared libraries fr
om the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libX11.a(x11_trans.o): In function
`_X11TransSocketINETConnect':
/usr/include/X11/Xtrans/Xtranssock.c:1678: warning: Using 'getservbyname' in statically linked
applications requires at runtime the shared libraries fr
om the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk-x11-2.0.a(gdkdisplay-x11.o): In function
`gdk_display_open':
(.text+0xfbd): undefined reference to `XCompositeQueryExtension'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk-x11-2.0.a(gdkdisplay-x11.o): In function
`gdk_display_open':
(.text+0xfe4): undefined reference to `XDamageQueryExtension'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk-x11-2.0.a(gdkevents-x11.o): In function
`gdk_event_translate':
(.text+0x1947): undefined reference to `XDamageSubtract'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_windowing_window_set_composited':
(.text+0xbb): undefined reference to `XCompositeRedirectWindow'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_windowing_window_set_composited':
(.text+0xcf): undefined reference to `XDamageCreate'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_windowing_window_set_composited':
(.text+0xf3): undefined reference to `XCompositeUnredirectWindow'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_windowing_window_set_composited':
(.text+0x102): undefined reference to `XDamageDestroy'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
`real_save_jpeg':
(.text+0x3a6): undefined reference to `jpeg_std_error'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
`real_save_jpeg':
(.text+0x3e8): undefined reference to `jpeg_CreateCompress'
/usr/lib/gcc/i486-linux-gnu/4.1.3/././././lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
`real_save_jpeg':
(.text+0x47b): undefined reference to `jpeg_set_defaults'

```

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg':  
(.text+0x495): undefined reference to `jpeg\_set\_quality'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg':  
(.text+0x4a5): undefined reference to `jpeg\_start\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg':  
(.text+0x531): undefined reference to `jpeg\_write\_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg':  
(.text+0x559): undefined reference to `jpeg\_finish\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg':  
(.text+0x561): undefined reference to `jpeg\_destroy\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg':  
(.text+0x5fa): undefined reference to `jpeg\_destroy\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg':  
(.text+0x694): undefined reference to `jpeg\_stdio\_dest'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_lines':  
(.text+0xe8d): undefined reference to `jpeg\_read\_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x10ec): undefined reference to `jpeg\_start\_output'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x112e): undefined reference to `jpeg\_finish\_output'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x1147): undefined reference to `jpeg\_input\_complete'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x1156): undefined reference to `jpeg\_input\_complete'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x120f): undefined reference to `jpeg\_save\_markers'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x121f): undefined reference to `jpeg\_read\_header'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x129a): undefined reference to `jpeg\_calc\_output\_dimensions'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x12d0): undefined reference to `jpeg\_calc\_output\_dimensions'

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load\_increment':  
(.text+0x1361): undefined reference to `jpeg\_start\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_stop\_load':  
(.text+0x1507): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_stop\_load':  
(.text+0x153c): undefined reference to `jpeg\_finish\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x15ad): undefined reference to `jpeg\_std\_error'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x160c): undefined reference to `jpeg\_CreateDecompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x1666): undefined reference to `jpeg\_resync\_to\_restart'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x169e): undefined reference to `jpeg\_save\_markers'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x16ae): undefined reference to `jpeg\_read\_header'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x16bf): undefined reference to `jpeg\_start\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x1783): undefined reference to `jpeg\_read\_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x17d2): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x1820): undefined reference to `jpeg\_finish\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x1828): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_load':  
(.text+0x1904): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_begin\_load':  
(.text+0x19d6): undefined reference to `jpeg\_CreateDecompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_begin\_load':  
(.text+0x1a13): undefined reference to `jpeg\_std\_error'

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function `gdk\_pixbuf\_\_jpeg\_image\_begin\_load':  
(.text+0x1a53): undefined reference to `jpeg\_resync\_to\_restart'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_pop\_handlers':  
(.text+0x1e4): undefined reference to `TIFFSetErrorHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_pop\_handlers':  
(.text+0x1f1): undefined reference to `TIFFSetWarningHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_push\_handlers':  
(.text+0x234): undefined reference to `TIFFSetErrorHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_push\_handlers':  
(.text+0x245): undefined reference to `TIFFSetWarningHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x3ed): undefined reference to `TIFFClientOpen'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x487): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x49e): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x4b6): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x4d6): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x4ed): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o):(.text+0x50c): more undefined references to `TIFFSetField' follow  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x592): undefined reference to `TIFFWriteScanline'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x5d6): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x600): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x617): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function

`gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':  
(.text+0x624): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`tiff\_image\_parse':  
(.text+0x96b): undefined reference to `TIFFGetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`tiff\_image\_parse':  
(.text+0x9d0): undefined reference to `TIFFGetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`tiff\_image\_parse':  
(.text+0xac5): undefined reference to `TIFFGetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`tiff\_image\_parse':  
(.text+0xb39): undefined reference to `TIFFReadRGBAImageOriented'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`gdk\_pixbuf\_\_tiff\_image\_stop\_load':  
(.text+0xe35): undefined reference to `TIFFClientOpen'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`gdk\_pixbuf\_\_tiff\_image\_stop\_load':  
(.text+0xe7d): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`gdk\_pixbuf\_\_tiff\_image\_load':  
(.text+0x1046): undefined reference to `TIFFFdOpen'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function  
`gdk\_pixbuf\_\_tiff\_image\_load':  
(.text+0x10a2): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-f  
cfontmap.o): In function `pango\_cairo\_fc\_font\_ma  
p\_get\_type':  
(.text+0x7a): undefined reference to `pango\_fc\_font\_map\_get\_type'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-f  
cfontmap.o): In function `pango\_cairo\_fc\_font\_ma  
p\_set\_resolution':  
(.text+0x16e): undefined reference to `pango\_fc\_font\_map\_cache\_clear'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-f  
cfont.o): In function `pango\_cairo\_fc\_font\_get\_t  
ype':  
(.text+0x6a): undefined reference to `pango\_fc\_font\_get\_type'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-f  
cfont.o): In function `pango\_cairo\_fc\_font\_creat  
e\_metrics\_for\_context':  
(.text+0x335): undefined reference to `pango\_fc\_font\_create\_metrics\_for\_context'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpango-1.0.a(libpango\_thai\_lang\_la-thai-lang.o): In  
function `thai\_engine\_break':  
(.text+0x124): undefined reference to `th\_uni2tis'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpango-1.0.a(libpango\_thai\_lang\_la-thai-lang.o): In  
function `thai\_engine\_break':  
(.text+0x173): undefined reference to `th\_brk'

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(ConnDis.o): In function `GetAuthorization':  
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/ConnDis.c:1253: undefined reference to  
`XauDisposeAuth'  
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/ConnDis.c:1058: undefined reference to  
`XauGetBestAuthByAddr'  
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/ConnDis.c:1197: undefined reference to  
`XdmcpWrap'
```

There were errors. (0:28.73)

I used hello world example, but I can confirm that the errors are almost identical.

Then, I Used dynamic linking and DEBUG + NOGTK, which resulted as this (here I use the lde, but again the behaviour is same in all compiled U++ apps):

Look at the difference between the taskbar, window NC area and U++ working area.

Also, I have to say that, first I tried with the .deb package of 2007.1, then I updated the U++ source to 2008.1 and recompiled. But the errors remained the same.

When I compile the codes in traditional manner (solely DEBUG, or any release mode + dynamic linking and without any additional keyword) Everything seems to work well, Until I close the app. When the app is closed, OS gives heap leak errors...


Any idea???

I use Kubuntu 7.10 (Gusty) and it is up-to-date.

Regards.

## File Attachments

1) [TheIDE skin problem.png](#), downloaded 1916 times



Subject: Re: U++ heap Leak errors on Linux (Kubuntu)

Posted by [mrjt](#) on Wed, 27 Feb 2008 13:36:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Well, the appearance is normal with NOGTK flag since you need GTK for detecting host theme. And it is very difficult to statically link with GTK+, so IMO it is best just to do full dynamic links.

As to the heap leaks, that is not normal. Chances are that it's your code but the problem can be hard to track down if it's to do with global/static variables.

---

Subject: Re: U++ heap Leak errors on Linux (Kubuntu)

Posted by [guido](#) on Wed, 27 Feb 2008 22:09:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Gtk theming doesn't work, when statically linked. Since that is all up uses Gtk for, it is not only difficult to do, but also pointless

Maybe the ide could be more helpful here. Quite a lot of build options a beginner is easily lost in, at least on the X11 side.

---

Subject: Re: U++ heap Leak errors on Linux (Kubuntu)

Posted by [Oblivion](#) on Wed, 27 Feb 2008 22:36:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:

Gtk theming doesn't work, when statically linked. Since that is all up uses Gtk for, it is not only difficult to do, but also pointless Very Happy

Maybe the ide could be more helpful here. Quite a lot of build options a beginner is easily lost in, at least on the X11 side.

Yes you are right but here the main problem is not gtk or theming. Those attempts were to eliminate the "heap leak" problem.

As I stated in the first topic, When I don't compile with NOGTK macro, ANY application I compile with U++ works and "looks" well until the program is terminated. But when I terminate them, (ANY U++ app, not only those I wrote) they just give "heap leak" error (even theIDE itself, that's why you see theIDE in the screenshot without theming), and that "heap leak" is quite deadly, since almost always it leads to a deadlock after a while. I've tried to backtrace the problem but couldn't arrive any result yet. But one thing is for sure: that the problem lies between U++ core and the OS itself (whether the X server or KDE, I'm not sure).

---

Subject: Re: U++ heap Leak errors on Linux (Kubuntu)

Posted by [mirek](#) on Sat, 15 Mar 2008 15:11:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Oblivion wrote on Wed, 27 February 2008 17:36Quote:

Gtk theming doesn't work, when statically linked. Since that is all up uses Gtk for, it is not only difficult to do, but also pointless Very Happy  
Maybe the ide could be more helpful here. Quite a lot of build options a beginner is easily lost in, at least on the X11 side.

Yes you are right but here the main problem is not gtk or theming. Those attempts were to eliminate the "heap leak" problem.

As I stated in the first topic, When I don't compile with NOGTK macro, ANY application I compile with U++ works and "looks" well until the program is terminated. But when I terminate them, (ANY U++ app, not only those I wrote) they just give "heap leak" error (even theIDE itself, that's why you see theIDE in the screenshot without theming), and that "heap leak" is quite deadly, since almost always it leads to a deadlock after a while. I've tried to backtrace the problem but couldn't arrive any result yet. But one thing is for sure: that the problem lies between U++ core and the OS itself (whether the X server or KDE, I'm not sure).

Sorry that I have ignored KDE problem for so long....

OK, installed KDE, tried, got leaks

Working theory: The problem is that by overloading new/delete, we impose leak detector upon Qt libs as well.

In ChGtk code, I have not cared, so far, about destroying proxy GTK widgets used to to paint stuff. With "real" Gtk this is not an issue, because we do not track malloc leaks (and of course, all is allocated just once on application startup too). But with GTK, somewhere deep inside our overloaded new is used -> not destroying stuff is serious problem....

I will try to add proper cleanup to the code. But still there might be another issue - if there are any leaks in Qt/KDE, they will be detected as well

Mirek