
Subject: ChatClient with Ultimate++

Posted by [chochmah](#) on Thu, 06 Mar 2008 17:06:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Forum,

My Problem is this:

I have written a chatclient using a chatlibrary that provides a function named chatout(char *text). Everytime the clint receives a new chatline chatout() is called;

My Question:

How can I make a change to the richtextview-widget from outside the Withj2Layout<TopWindow> class that the richtextview-widget blongs to? Just calling the widget.SetQTF(CHATTEXT); results in a crash.

Doing it with a callback from the TopWindow works, but callbacks are only called when something within the TopWindow happens and not when a string extern to the function is changed.

(I just want to change the displayed text in the windget when chatout() receives something)

I hope this is understable.

Thanks Alot for your time and help

chochmah

Subject: Re: ChatClient with Ultimate++

Posted by [mirek](#) on Thu, 06 Mar 2008 19:54:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

chochmah wrote on Thu, 06 March 2008 12:06Hi Forum,

My Problem is this:

I have written a chatclient using a chatlibrary that provides a function named chatout(char *text). Everytime the clint receives a new chatline chatout() is called;

My Question:

How can I make a change to the richtextview-widget from outside the Withj2Layout<TopWindow> class that the richtextview-widget blongs to? Just calling the widget.SetQTF(CHATTEXT); results in a crash.

It should not. Anyway, hard to say if we do not know details. Testcase suggested.

Mirek

Subject: Re: ChatClient with Ultimate++

Posted by [chochmah](#) on Thu, 06 Mar 2008 20:39:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

```

///layout

LAYOUT(j2Layout, 624, 436)
ITEM(LineEdit, a, LeftPosZ(4, 564).TopPosZ(412, 20))
ITEM(RichTextView, e, LeftPosZ(0, 624).TopPosZ(0, 408))
END_LAYOUT

///main

class j2 : public Withj2Layout<TopWindow> {
public:
    typedef j2 CLASSNAME;
    j2();
};

j2 HG;
String qtfx;

j2::j2() {
    CtrlLayout(*this, "Joachim 0.1");
    SetLanguage( LNG_(D,E,D,E) );
    SetDefaultCharset(CHARSET_UTF8);
}

void textin_cb(int x, String farbe, String Sender, String text) {
    qtfx<<"\1"<<Sender<<":"<<text<<"\1]&;
    HG.e.SetQTF(qtfx);
    HG.e.ScrollEnd();
}

GUI_APP_MAIN
{
    readinifile();
    int ids = 1;
    pthread_t threads;
    pfi = &ParseChatLine;
    pthread_create (&threads, NULL, readchat, &ids);
    HG.Run();
}

```

Thanks for the Reply, I hope this helps. Calling textin_cb result in an heap or memory error when:

- The scrollbar is moved while textin_cb is called
- More then one page of text in the widget
(also happens without HG.e.ScrollEnd())

Thank you

Subject: Re: ChatClient with Ultimate++
Posted by [mirek](#) on Thu, 06 Mar 2008 21:02:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

chochmah wrote on Thu, 06 March 2008 15:39//layout

```
LAYOUT(j2Layout, 624, 436)
ITEM(LineEdit, a, LeftPosZ(4, 564).TopPosZ(412, 20))
ITEM(RichTextView, e, LeftPosZ(0, 624).TopPosZ(0, 408))
END_LAYOUT
```

```
///main
```

```
class j2 : public Withj2Layout<TopWindow> {
public:
    typedef j2 CLASSNAME;
    j2();
};

j2 HG;
String qtfx;

j2::j2() {
    CtrlLayout(*this, "Joachim 0.1");
    SetLanguage( LNG_(D,E,D,E) );
    SetDefaultCharset(CHARSET_UTF8);
}

void textin_cb(int x, String farbe, String Sender, String text) {
    qtfx<<"\1"<<Sender<<":"<<text<<"\1]&;
    HG.e.SetQTF(qtfx);
    HG.e.ScrollEnd();
}
```

```
GUI_APP_MAIN
{
    readinifile();
    int ids = 1;
    pthread_t threads;
    pfi = &ParseChatLine;
    pthread_create (&threads, NULL, readchat, &ids);
    HG.Run();
}
```

Thanks for the Reply, I hope this helps. Calling textin_cb result in an heap or memory error when:
-The scrollbar is moved while textin_cb is called
-More then one page of text in the widget
(also happens without HG.e.ScrollEnd())

Thank you

Still too little info. I do not even see when textin_cb is called....

A proper testcase is zipped package to demonstrate the rproblem that compiles, most preferably on both Win32 and linux.

Anyway:

If you are using threads, you should use U++ threads, otherwise you will have memory leaks.

GUI can run in the main thread only.

Mirek

Subject: Re: ChatClient with Ultimate++
Posted by [chochmah](#) on Thu, 06 Mar 2008 21:20:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

hi,

testcase: testcase

unfortunatly that works only with windows.

Thanks

chochmah

Subject: Re: ChatClient with Ultimate++
Posted by [mirek](#) on Fri, 07 Mar 2008 16:46:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well, for starters... As I said, only main thread can do GUI. You are calling the textin_cb from non-main thread and calling SetQTF there. That cannot work. Use Post of callback there.

Also, you should not use global variables for widgets.

Mirek

Subject: Re: ChatClient with Ultimate++

Posted by [chochmah](#) on Sat, 08 Mar 2008 02:37:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

I did as you suggested and used a postcallback, now it works perfectly.

thank you very much!
