

---

Subject: In KDE, there are no more chameleon related memory leaks...

Posted by [mirek](#) on Sun, 16 Mar 2008 19:56:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

It is funny, as Qt seems to leave some leaks on app exit, so I had to suppress them too... (but I might be wrong about this).

Well, now going to try to fix appearance a bit:

I see problem with missing scrollbar arrows and TabCtrl is a bit ugly. Anything else to fix?

Mirek

---

---

Subject: Re: In KDE, there are no more chameleon related memory leaks...

Posted by [unodgs](#) on Sun, 16 Mar 2008 20:12:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I think default row height of array ctrl should be bigger. In gridctrl it is `Draw::GetStdFontCy() + 5` (and header height is row height + 2). But I'm not sure if they're exactly the same values as in xp or vista. Current height of arrayctrl row is clearly too small (for example edit controls are flattened a little bit - see build menu in the ide).

---

---

Subject: Re: In KDE, there are no more chameleon related memory leaks...

Posted by [mirek](#) on Sun, 16 Mar 2008 21:20:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

unodgs wrote on Sun, 16 March 2008 16:12 I think default row height of array ctrl should be bigger. In gridctrl it is `Draw::GetStdFontCy() + 5` (and header height is row height + 2). But I'm not sure if they're exactly the same values as in xp or vista. Current height of arrayctrl row is clearly too small (for example edit controls are flattened a little bit - see build menu in the ide).

Eh, actually, I was addressing KDE issues, do you too?

Mirek

---

---

Subject: Re: In KDE, there are no more chameleon related memory leaks...

Posted by [unodgs](#) on Sun, 16 Mar 2008 23:06:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:Eh, actually, I was addressing KDE issues, do you too?

I should have started with: By the way of apperance

---