

---

**Subject:** how can i use iterators with NTL?

**Posted by** ajmf77 **on** Wed, 04 Jun 2008 21:46:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi everyone!

My question arises from my need to translate a KD-tree header. In the STL view of the world, initializing a vector variable with another previous existent vector, we can use iterators in one line. How can i do the same with NTL?

ALA STL example:

```
vector<float> v1;  
***  
vector<float> v2(v1.begin,v2.begin+some_int);
```

thanxs in advance!

from Chile

---

---

**Subject:** Re: how can i use iterators with NTL?

**Posted by** mirek **on** Thu, 05 Jun 2008 03:37:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

v2.begin() + some\_int?

Does not make sense to me.

Anyway, in U++ closest equivalent is

```
Vector<int> a;  
....  
Vector<int> b;  
b.Append(a, pos, count);
```

if you insist on iterators, you have to "translate" them

```
b.Append(a, begin - a.Begin(), end - begin);
```

Mirek

---

---

**Subject:** Re: how can i use iterators with NTL?

**Posted by** ajmf77 **on** Thu, 05 Jun 2008 12:30:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

thax for your quick reply!

i has some errors in my former explanation, but you catch my idea.

Well, i use Insert(...), altought Append(...) is more appropiate.

And, again over iterators, in

template <class T, class Less> void Sort(T& c, const Less& less)

if my class T have two components, i. e.

class Point

{

float x,y

.

.

.

}

and i want to use in a class like

kdtree

{

.

some declarations

.

}

i can employ, in a STL style, a

class PXorder{

bool operator () (point &u, point &v)

{

.

some returns, based on if u>v or u<v

.

}

}

declared and implemented within kdtree class

but if we use

Vector<point> v;

Sort(v,PXorder());

the compiler returns ERROR: 'const PXorder' as argument 'this' in PXorder(Point,Point), discard qualifiers?

any suggestion?

PD: I will post source code later, thanx!

---

---

Subject: Re: how can i use iterators with NTL?

Posted by [mirek](#) on Thu, 05 Jun 2008 14:40:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

bool operator () (const point &u, const point &v) const

