
Subject: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Mon, 20 Oct 2008 12:14:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

How to display fields from different tables in one SQLArray.

Are there any analog View-Join

There are 2 tables:

```
TABLE_(PROJECT)
INT_ (PR_ID) PRIMARY_KEY AUTO_INCREMENT
INT_ (PR_CREATIONDATE)
INT_ (PR_USERID)
INT_ (PR_COMPANYID)
STRING_ (PR_TASKTODO,2000)
DOUBLE_ (PR_SUM)
INT_ (PR_PLANNEDDELIVERYDATE)
DOUBLE_ (PR_SUMFACT)
INT_ (PR_STATUS)
INT_ (PR_PAYSTATUS)
INT_ (PR_PLANNEDEXECUTIONTIME)
STRING_ (PR_COMMENT,2000)
END_TABLE
```

and

```
TABLE_(COMPANY)
INT_ (COM_ID) PRIMARY_KEY AUTO_INCREMENT
INT_ (COM_GROUPID)
STRING_ (COM_NAME,2000)
STRING_ (COM_INN,2000)
STRING_ (COM_KPP,2000)
STRING_ (COM_ADDRESSDOC,2000)
STRING_ (COM_ADDRESSFACT,2000)
STRING_ (COM_COMMENT,2000)
END_TABLE
```

They relate by field PR_COMPANYID

I need to display the first table, and instead of field PR_COMPANYID I need to display COM_NAME from second table. I found 2 solutions. First - do Join View on the SQL server. Second - do converter to display the column in the table. I think that there should be a 3rd - Correct.

Please Give the right decision.

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [zsolt](#) on Mon, 20 Oct 2008 12:20:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

I use simple ArrayCtrl to show this type of query results.

See SqlArray source to find out, how to create a select, based on ArrayCtrl columns.

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Mon, 20 Oct 2008 12:28:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Could you give simple example?

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Mon, 20 Oct 2008 12:55:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Maybe there is method to achieve the same result using SqlArray?

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [zsolt](#) on Mon, 20 Oct 2008 20:51:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

First you have to add the fields to your arrayctrl:

```
m_array.AddKey(PR_ID); //primary key  
m_array.AddColumn(PR_CREATIONDATE, t_("Creation Date"), 10)  
    .SetConvert(Single<ConvertYourIntBasedDate>());  
...  
m_array.AddColumn(COM_NAME, t_("Company Name"), 10);  
...
```

You have to have a function returning the fields of your Select statement:

```
SqlSet GetSqlColumns(const ArrayCtrl &a_array)
```

```
{  
    SqlSet cols;  
    for(int i = 0; i < a_array.GetIndexCount(); i++)  
        if(!a_array.GetId(i).IsNull())  
            cols.Cat(SqlId(a_array.GetId(i)));  
    return cols;  
}
```

And a code to fill the arrayctrl from db:

```
SqlSet cols = GetSqlColumns(m_array);
Sql sql;
sql *::Select(Distinct(cols))
    .From(PROJECT)
    .LeftJoin(COMPANY)
    .On(COM_ID == PR_COMPANYID)
    .Where(1)
    .OrderBy(PR_ID)
;

for(;;) {
    Vector<Value> row;
    if(!sql.Fetch(row)) break;
    m_array.Add(row);
}
```

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Mon, 20 Oct 2008 21:00:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Mon, 20 Oct 2008 21:04:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Does works methods like like Query(), Requery().???

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Sun, 02 Nov 2008 13:12:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Maybe I need GridControl ?

Can GridControl show in different columns data from related tables (child-parent)?

How to do this??

Subject: Re: How to display fields from different tables in one SQLArray

Posted by mirek **on Sun, 02 Nov 2008 15:47:03 GMT**

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Mon, 20 October 2008 17:04 Does works methods like like Query(), Requery()...???

No. You have to implement them yourself. But it is quite simple.

Mirek

Subject: Re: How to display fields from different tables in one SQLArray

Posted by sergeynikitin **on Sun, 02 Nov 2008 15:54:16 GMT**

[View Forum Message](#) <> [Reply to Message](#)

I have a huge table 50000-100000 records. It involves 12-15 reference tables. This is stored in the MySQL server.

What kind of technology would you recommend to work with the database.

Will all the data loaded into memory or the client program will be loaded only a fraction?

Subject: Re: How to display fields from different tables in one SQLArray

Posted by unodgs **on Sun, 02 Nov 2008 18:09:50 GMT**

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Sun, 02 November 2008 10:54 I have a huge table 50000-100000 records. It involves 12-15 reference tables. This is stored in the MySQL server.

What kind of technology would you recommend to work with the database.

Will all the data loaded into memory or the client program will be loaded only a fraction?

Loading it all would make your app working very slow. In my current app (Postgres) I use offset limit to page data. And of course I implemented special toolbar for navigating:

In SqlServer you can use OVER and ROW_NUMBER() to do the same.

File Attachments

1) [nav.png](#), downloaded 1542 times

Subject: Re: How to display fields from different tables in one SQLArray

Posted by sergeynikitin **on Sun, 02 Nov 2008 18:41:27 GMT**

[View Forum Message](#) <> [Reply to Message](#)

That is, in short, GridCtrl download the entire table in memory of the client, and does not limit the recording while watching?

And is there any way to avoid this unpleasant fact and load only those records that are visible on the screen, and then as we move curdor row on the table load on one record, or any small portions?

Maybe there is a method or a callback, in which I can do this functionality to the SqlArray.

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [unodgs](#) on Sun, 02 Nov 2008 19:44:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

No, GridCtrl doesn't download entire table into memory. In fact it doesn't load anything itself . Just told you how I deal with large tables. When user press second page I load only that page into memory. Numbers of page rows is also determined by user.

Dynamic loading during scrolling is imo a bad idea. Your ui actions will be "delayed" while loading next portion of rows. Of course you can load data when scrollbar's thumb stops moving, but it implies the next problem - what will you show to the user during scrolling action?

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [sergeynikitin](#) on Sun, 02 Nov 2008 20:50:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

unodgs wrote on Sun, 02 November 2008 22:44 Of course you can load data when scrollbar's thumb stops moving, but it implies the next problem - what will you show to the user during scrolling action?

If you say about scrollbar position than it's no problem. We are know quantity of rows in whole table and we can calculate right position of sb.

And on the position of SB, we can calculate the position in the table to display.

Of course it is, I suppose. Ideally.

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [mirek](#) on Sun, 02 Nov 2008 20:55:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Sun, 02 November 2008 10:54I have a huge table 50000-100000 records. It involves 12-15 reference tables. This is stored in the MySQL server.

What kind of technology would you recommend to work with the database.

Will all the data loaded into memory or the client program will be loaded only a fraction?

Just a funny note: I have just tried what it takes to fetch 130000 records to ArrayCtrl.

It is about 400MB.

Therefore, I would recommend trying the simple path first - do not worry and try it. Maybe the table is not as huge as you think.

You know it, "premature optimization..."

(Well, it definitely is not a huge table. The biggest table I am regulary dealing with has 2 500 000 records

Mirek

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [sergeynikitin](#) on Sun, 02 Nov 2008 20:58:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

There is a proprietary product TopSpeed Clarion.

When I first tried IDE Ultimate + +. I saw a lot of similarities with the Clarion.

In Clarion just used this approach to display the huge tables (but not huge, too), when the client receives from the server only lines that appear on the screen at the moment.

Of course it is difficult to program, but it works quite quickly.

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [mirek](#) on Sun, 02 Nov 2008 20:59:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

unodgs wrote on Sun, 02 November 2008 14:44

Of course you can load data when scrollbar's thumb stops moving, but it implies the next problem - what will you show to the user during scrolling action?

Actually, shadow areas that get updated as soon as rows get fetched in would not look that bad (I am using similar principle in RichEdit when rescaling window with images).

Mirek

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [mirek](#) on Sun, 02 Nov 2008 21:01:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Sun, 02 November 2008 15:58 There is a proprietary product TopSpeed Clarion.

When I first tried IDE Ultimate + +. I saw a lot of similarities with the Clarion.

In Clarion just used this approach to display the huge tables (but not huge, too), when the client receives from the server only lines that appear on the screen at the moment.

Of course it is difficult to program, but it works quite quickly.

IMO, the problem is that there is no generic way how to create random access cursor to all suported RDMBs... AFAIK.

OTOH, maybe this is something to investigate.

Mirek

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Sun, 02 Nov 2008 21:09:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

By the way, I have decided to how to display related fields from other tables by using SqlArray.

```
struct ConvCompany : Convert
{
    Value Format(const Value &q) const
    {
        SQL * Select(COM_NAME).From(COMPANY).Where(COM_ID == q);
        String company;
        if(SQL.Fetch())
            company = SQL[COM_NAME];
        else
            company = "";
        return q.IsNull() ? Null : company;
    }
}
```

```
};

.....
.....
projects.AddColumn(VPR_COMPANYID, t_("Customer")).SetConvert(Single<ConvCompany>());
```

This method is bad because they occur too frequent recourse to the server, but the program looks beautiful.

It would be good to do the same method could display LEFT JOINED FIELD.

Maybe this way:

```
projects.SetTable(PROJECTV),Leftjoined(COMPANY,VPR_COMPANYID),AS_PREFIX(VCOM_);
projects.AddColumn(VCOM_COMPANYNAME, t_("Customer"));
```

This is the ideal, or something similar.

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [mirek](#) on Wed, 12 Nov 2008 21:23:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Sun, 02 November 2008 16:09By the way, I have decided to how to display related fields from other tables by using SqlArray.

```
[code]
struct ConvCompany : Convert
{
    Value Format(const Value &q) const
    {
        SQL * Select(COM_NAME).From(COMPANY).Where(COM_ID == q);
        String company;
        if(SQL.Fetch())
            company = SQL[COM_NAME];
        else
            company = "";
        return q.IsNull() ? Null : company;
    }
};
```

WARNING: Fetching from SQL ("SQL.Fetch()") is NOT RECOMMENDED (based on expriences:)

It is way too simple to call something in the fetch loop which will issue different SQL statement through SQL.

Use "Sql sql; sql * Select....; sql.Fetch()" instead.

Considering efficiency, IME, this method is usually still passable - one reason is that ArrayCtrl converts only if it needs to Paint it, so if the table has 10000 rows, for the first user action, only about 30 selects are performed.

You can also help it a bit by using "Cache" column modified - in that case, for particular ArrayCtrl cell, Convert is only invoked once, then the converted value is cached. That, obviously, has disadvantages of its own, but usually is harmless.

If you need to be more efficient, you can also use WhenPostQuery or something like that to prefetch all values you need for conversion. E.g. this is direct excerpt from my current job, where I have to solve quite similar problem:

```
struct NameConvert : Convert {
    VectorMap<int, String> name;
    VectorMap<int, String> surname;
    virtual Value Format(const Value& q) const;
    void LoadAttrs();
};

Value NameConvert::Format(const Value& q) const
{
    return surname.Get(q, String()) + ' ' + name.Get(q, String());
}

void NameConvert::LoadAttrs()
{
    name.Clear();
    surname.Clear();
    Sql sql;
    sql * Select(SUBJECT_ID, ATTR, TEXT).From(SUBJECT_ATTR)
        .OrderBy(Descending(Nvl(TILL, Date::High())));
    while(sql.Fetch()) {
        int sid = sql[SUBJECT_ID];
        String id = sql[ATTR];
        if(id == "NAME" && name.Find(sid) < 0)
            name.Add(sid, sql[TEXT]);
        if(id == "LASTNAME" && surname.Find(sid) < 0)
            surname.Add(sid, sql[TEXT]);
    }
}
```

Quote:

Maybe this way: [code]
projects.SetTable(PROJECTV),Leftjoined(COMPANY,VPR_COMPANYID
,AS_PREFIX(VCOM_);
projects.AddColumn(VCOM_COMPANYNAME, t_("Customer"));

This is the ideal, or something similar.

I will think about it.

However, 85% of SqlArray code is dealing with insert/update/edit, which would not apply here (IMO). You can easily reimplement those 15% as special case quite easily IMO.

Mirek

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Thu, 13 Nov 2008 10:26:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Thu, 13 November 2008 00:23 sergeynikitin wrote on Sun, 02 November 2008 16:09 By the way, I have decided to how to display related fields from other tables by using SqlArray.

```
[code]
struct ConvCompany : Convert
{
    Value Format(const Value &q) const
    {
        SQL * Select(COM_NAME).From(COMPANY).Where(COM_ID == q);
        String company;
        if(SQL.Fetch())
            company = SQL[COM_NAME];
        else
            company = "";
        return q.IsNull() ? Null : company;
    }
};
```

WARNING: Fetching from SQL ("SQL.Fetch()") is NOT RECOMMENDED (based on expriences:)

It is way too simple to call something in the fetch loop which will issue different SQL statement through SQL.

Use "Sql sql; sql * Select....; sql.Fetch()" instead.

What do you mean? What is the difference between SQL and sql?

In my app I use this initialization code:

```
MySqlSession session;
if(!session.Connect(app.mysql_username, app.mysql_password, app.mysql_database,
app.mysql_server)) {
    printf("Can't connect with MySql\n");
    PromptOK(t_("Can't connect with MySql"));
    return;
}
mysql_set_character_set(session, "utf8");
```

SQL = session;
Sql sql(session);
If you can - I want a short comment about the differences of my decision and your.

Yes. perhaps this is the best solution - to write complex pieces by hands.

By the way, thanks for the complex example.

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [mirek](#) on Sat, 15 Nov 2008 14:02:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Thu, 13 November 2008 05:26

What do you mean? What is the difference between SQL and sql?

I mean that SQL is global variable (well, technically, it is more complicated, but it behaves just like global variable).

And the inherent problem with global variables is that they are problem in reentrant code.

```
void Sum(int id) {
    return SQL % Select(SqlSum(MONEY)).From(TABLE).Where(ID == id);
}

void PrintSums() {
```

```
SQL * Select(NAME, MONEY_ID).From(TABLE);
while(SQL.Fetch())
    Print(SQL[NAME], Sum(SQL[MONEY_ID]));
}
```

I have made this bug way too many times -> that is why I always have to warn about fetching from SQL.

Quote:

```
MySqlSession session;
if(!session.Connect(app.mysql_username, app.mysql_password, app.mysql_database,
app.mysql_server)) {
    printf("Can't connect with MySql\n");
    PromptOK(t_("Can't connect with MySql"));
    return;
}
mysql_set_character_set(session, "utf8");

SQL = session;
Sql sql(session);
```

This current and in fact, you do not need to repeat

```
Sql sql(session);
```

because

```
Sql sql;
```

is the same as

```
Sql sql(SQL.GetSession());
```

There are two purposes for SQL - to serve as simple cursor for insert/delete/update and inline fetches AND to represent default global database connection so that you do not need to repeat 'session' all the time.

Just do not do explicit fetches from it, because while technically possible, it is a sure way how to shoot you leg:)

Mirek

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Sat, 15 Nov 2008 14:48:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

I understand the idea and faced similar issues in other environments.

And the solution is produced in general is simple and beautiful.

Just forget about the context reentrant.

Thanks for comment.

Subject: Re: How to display fields from different tables in one SQLArray

Posted by [sergeynikitin](#) on Fri, 20 Mar 2009 16:06:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

I went on the road, proposed in a previous message, and came across an odd job VectorMap.
Here is a piece of code.

```
Value ConvNomencl::Format(const Value& q) const
{
    static VectorMap<int, String> nom;
    static Time lastcleartime;
    if(GetSysTime()-lastcleartime > 60){
        nom.Clear();
        lastcleartime=GetSysTime();
    }
    if(nom.GetCount()==0) nom.Add(0, " "); // <==adding empty entry there.
    int q1=q;
    int f = nom.Find(q1);
    if(f > 0){
        String s;
        s = nom.Get(q1);
        return s;
    } else {
        Sql sql;
        sql * SqlSelect(NOM_ID,NOM_NAME).From(NOMENCL).Where(NOM_ID == q);
        String nomencl;
        if(sql.Fetch()){
            int sid = sql[NOM_ID];
            nom.Add(sid, sql[NOM_NAME]);
            nomencl = sql[NOM_NAME];
        } else {
            nomencl = "";
        }
    }
}
```

```
    return nomencl;
}
}
```

After creating or cleaning object VectorMap, the first added item can not be found by .Find() method, and therefore the number of elements corresponding to the first element is continuously growing.

However, if you add the first empty element - then all the rest are working properly. This is well intended, or is it wrong?

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [mr_ped](#) on Fri, 20 Mar 2009 20:37:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

if (f > 0) ?

Find returns position of element (0..N-1) or negative value if not found.

See [http://www.ultimatepp.org/src\\$Core\\$AMap\\$en-us.html#AMap..class](http://www.ultimatepp.org/src$Core$AMap$en-us.html#AMap..class)

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [sergeynikitin](#) on Sat, 21 Mar 2009 07:04:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Oh!!! yes !!!

Thanks..

Subject: Re: How to display fields from different tables in one SQLArray
Posted by [sergeynikitin](#) on Tue, 07 Jul 2009 07:47:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

I want to say a special thank you for the construction with prefixes s_.

When many tables (about 5-10) with the same fields, the fields were named as NOM_NAME
ED_NAME COM_NAME ...

And especially when the database is not mine and I can not rename a fields.

Overall, an excellent solution !

Subject: template + convert problem

Posted by [sergeynikitin](#) on Sat, 19 Sep 2009 12:22:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

I make a table in which multiple fields of reference from other tables. The mapping of the field from another table I made with the converter.

Now it looks as follows:

converts.h

```
struct ConvCompany : Convert
{
    virtual Value Format(const Value& q) const;
};

struct ConvNomencl : Convert
{
    virtual Value Format(const Value& q) const;
};

struct ConvManager : Convert
{
    virtual Value Format(const Value& q) const;
};
```

converts.cpp:

```
Value ConvCompany::Format(const Value &q) const
{
    if(q.IsNull()) return Null;
    static VectorMap<int, String> comp;
    static Time lastcleartime;
    if(GetSysTime()-lastcleartime > 600){
        comp.Clear();
        lastcleartime=GetSysTime();
    }
    int f = comp.Find(int(q));
    if(f >= 0){
        return comp[f];
    } else {
        Sql sql;
        sql * Select(COM_NAME).From(COMPANY).Where(COM_ID == q);
        String company;
        if(sql.Fetch()){
            int sid = int(q);
            company = sql[COM_NAME];
```

```

    comp.Add(sid, company);
} else {
    company = "";
}
return company;
}
}

Value ConvNomencl::Format(const Value& q) const
{
if(q.IsNull()) return Null;
static VectorMap<int, String> nom;
static Time lastcleartime;
if(GetSysTime()-lastcleartime > 600){
    nom.Clear();
    lastcleartime=GetSysTime();
}
int f = nom.Find(int(q));
if(f >= 0){
    return nom[f];
} else {
    Sql sql;
    sql * SqlSelect(NOM_ID,NOM_NAME).From(NOMENCL).Where(NOM_ID == q);
    String nomencl;
    if(sql.Fetch()) {
        int sid = sql[NOM_ID];
        nomencl = sql[NOM_NAME];
        nom.Add(sid, nomencl);
    } else {
        nomencl = "";
    }
    return nomencl;
}
}

```

```

Value ConvManager::Format(const Value &q) const
{
if(q.IsNull()) return Null;
static VectorMap<int, String> man;
static Time lastcleartime;
if(GetSysTime()-lastcleartime > 600){
    man.Clear();
    lastcleartime=GetSysTime();
}
int f = man.Find(int(q));
if(f >= 0){
    return man[f];
} else {
    Sql sql;

```

```

sql * SqlSelect(USR_REALNAME).From(USER).Where(USR_ID == q);
String manager;
if(sql.Fetch()) {
    int sid = int(q);
    manager = sql[USR_REALNAME];
    man.Add(sid, manager);
} else {
    manager = "";
}
return manager;
}
}

```

These converters differ only in the name of the table and field names. I want this to be in the form of a template, something like:

```

template <SqlId TBL ,SqlId ID, SqlId NAME,int CLEARTIME>
struct ConvDict : Convert
//ConvDict<COMPANY,COM_ID,COM_NAME,600>()
{
    virtual Value Format(const Value& q) const {
        if(q.IsNull()) return Null;
        static VectorMap<int, String> dict;
        static Time lastcleartime;
        if(GetSysTime()-lastcleartime > CLEARTIME){
            dict.Clear();
            lastcleartime=GetSysTime();
        }
        int f = dict.Find(int(q));
        if(f >= 0){
            return dict[f];
        } else {
            Sql sql;
            sql * Select(NAME).From(TBL).Where(ID == q);
            String s;
            if(sql.Fetch()) {
                int sid = int(q);
                s = sql[NAME];
                dict.Add(sid, s);
            } else {
                s = "";
            }
            return s;
        }
    }
};

```

But this code is not compiled, wrote that at this point can not be applied Sqld.

Can someone experienced with this?

How do make a template for the Converter, or Display?

Subject: Re: template + convert problem

Posted by [Zbych](#) on Sat, 19 Sep 2009 17:30:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Sat, 19 September 2009 14:22The mapping of the field from another table I made with the converter.

Can you tell me why you didn't use 'join', 'where' or 'view', to connect those tables?

Subject: Re: template + convert problem

Posted by [andrei_natanael](#) on Sat, 19 Sep 2009 17:59:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

You don't really need a template for this. You may create a setter and initialize the converter with proper values. Something like...

```
struct ConvDict : Convert
{
    Sqld TBL ,ID, NAME, CLEARTIME;
public:
    void setValues(Sqld _TBL ,Sqld _ID, Sqld _NAME,int _CLEARTIME)
    {
        TBL = _TBL;
        ID = _ID;
        NAME = _NAME;
        CLEARTIME = _CLEARTIME;
    }
// ...
```

The only inconvenient is that you have to call setValues before using converter.

Subject: Re: template + convert problem

Posted by [sergeynikitin](#) on Sat, 19 Sep 2009 20:37:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

Zbych wrote on Sat, 19 September 2009 21:30sergeynikitin wrote on Sat, 19 September 2009 14:22The mapping of the field from another table I made with the converter.

Can you tell me why you didn't use 'join', 'where' or 'view', to connect those tables?

The reasons may be several:

1. SqlArray is not support join
 2. This method saves SQL traffic and network speed on Huge Database.
 3. View may not be fully compatible with some database engine.
-

Subject: Re: template + convert problem

Posted by [sergeynikitin](#) on Sat, 19 Sep 2009 20:45:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

andrei_natanael wrote on Sat, 19 September 2009 21:59 You don't really need a template for this.

You may create a setter and initialize the converter with proper values. Something like...

struct ConvDict : Convert

```
{  
    Sqld TBL ,ID, NAME, CLEARTIME;  
public:  
    void setValues(Sqld _TBL ,Sqld _ID, Sqld _NAME,int _CLEARTIME)  
    {  
        TBL = _TBL;  
        ID = _ID;  
        NAME = _NAME;  
        CLEARTIME = _CLEARTIME;  
    }  
// ...
```

The only inconvenient is that you have to call setValues before using converter.

template is interesting because you can create separate converters for different reference tables designating the tables at the time of use in the code.

(I once again repeat - a lot of reference tables, and many links to them from the main table.)

Subject: Re: template + convert problem

Posted by [Zbych](#) on Sun, 20 Sep 2009 13:47:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

sergeynikitin wrote on Sat, 19 September 2009 22:37 The reasons may be several:

1. SqlArray is not support join

You can always connect tables using 'where', or just use 'join' + ArrayCtrl and fill it "manually". It is simpler than your solution.

Quote:

2. This method saves SQL traffic and network speed on Huge Database.

If you have huge database, than you usually don't display everything at once. Beside, I guess, it is faster to send one query with 1000 rows, than 1000 queries with 1 row each.

Quote:

3. View may not be fully compatible with some database engine.

Than you should use databases, that supports views.

Subject: Re: template + convert problem

Posted by [sergeynikitin](#) on Mon, 21 Sep 2009 05:34:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Zbych wrote on Sun, 20 September 2009 17:47

Quote:

2. This method saves SQL traffic and network speed on Huge Database.

If you have huge database, than you usually don't display everything at once. Beside, I guess, it is faster to send one query with 1000 rows, than 1000 queries with 1 row each.

Quote:

3. View may not be fully compatible with some database engine.

Than you should use databases, that supports views.

notice a slow connection, because each row of the table passed 5 integer numbers.

If I use a view or LeftJoin, then each row of the table must be sent to 100 bytes (5 fields of 20 bytes), that is slower to 10 times.

Subject: Re: template + convert problem

Posted by [sergeynikitin](#) on Thu, 30 Apr 2015 05:55:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

I've made this template!!!

Universal Lookup Convertor syntax like this:

(Single<ConvLookup<COMPANY,COM_ID,COM_NAME> >())

Let's test:

dict.h

```
template<typename T> T& LookupSetup ( T& grid, SqId& tablename, SqId& colid, SqId&
colname, bool showid = false, bool valueiscode = true, SqlBool where = true );
template<> DropGrid& LookupSetup ( DropGrid& grid, SqId& tablename, SqId& colid, SqId&
colname, bool showid, bool valueiscode, SqlBool where );
template<> WithDropChoice<EditString>& LookupSetup ( WithDropChoice<EditString>& grid,
SqId& tablename, SqId& colid, SqId& colname, bool showid, bool valueiscode, SqlBool where );
template<> DropDownList& LookupSetup ( DropDownList& grid, SqId& tablename, SqId& colid, SqId&
colname, bool showid, bool valueiscode, SqlBool where );

template<typename T> T& LookupSetup1 ( T& grid, SqId& tablename, SqId& colid, SqId&
colname1, SqId& colname2, bool showid = false, bool valueiscode = true, SqlBool where = true );
template<> DropGrid& LookupSetup1 ( DropGrid& grid, SqId& tablename, SqId& colid, SqId&
colname1, SqId& colname2, bool showid, bool valueiscode, SqlBool where );
template<> WithDropChoice<EditString>& LookupSetup1 ( WithDropChoice<EditString>& grid,
SqId& tablename, SqId& colid, SqId& colname1, SqId& colname2, bool showid, bool
valueiscode, SqlBool where );

template< SqId &LookupTable, SqId &LookupCode, SqId &LookupValue, bool show_id=false >
struct ConvLookup : Convert
{
    Value Format ( const Value &q ) const
    {
        int sid = q;
        if ( q.IsNull() ){
            return Null;
        } else if ( q == 0 ) {
            return "";
        }

        static VectorMap<int, Value> valuecache;
        static Time lastcleartime;
        if ( GetSysTime() - lastcleartime > 600 )
        {
            valuecache.Clear();
            lastcleartime = GetSysTime();
        }
        if ( valuecache.Get ( sid, "X" ) != "X" )
        {
            if (show_id) {
```

```

        return AsString( sid ) + ":" + AsString(valuecache.Get( sid, Value() ));
    } else {
        return valuecache.Get( sid, Value() );
    }
}
else
{
    Sql sql;
    sql * Select( LookupValue ).From( LookupTable ).Where( LookupCode == sid );
    if( sql.Fetch() )
    {
        valuecache.Add( sid, AsString(sql[LookupValue]) );
        if( valuecache.Get( sid, "X" ) != "X" )
        {
            if( show_id ) {
                return AsString( sid ) + ":" + AsString(valuecache.Get( sid, Value() ));
            } else {
                return valuecache.Get( sid, Value() );
            }
        }
        return sql[LookupValue];
    }
    else
    {
        return AsString( sid ) + ": ??? " + t_(~LookupTable) + " ??? ";
    }
}
return "ERROR RETURN PLACE";
}
};


```

dict.cpp

```

template<typename T> T& LookupSetup( T& grid, Sqld& tablename, Sqld& colid, Sqld&
colname, bool showid, bool valueiscode, SqlBool where ) {}


```

```

template<> DropGrid& LookupSetup( DropGrid& grid, Sqld& tablename, Sqld& colid, Sqld&
colname, bool showid, bool valueiscode, SqlBool where )
{
    Sql sql;

    if( grid.GetList().GetColumnCount() == 0 )
    {
        grid.ClearButton();
        grid.Resizeable( false );
    }
}


```

```

grid.AddColumn ( colid, "", showid ? 10 : 0, true );
grid.AddColumn ( colname, showid ? " :" : "", 70 );

if ( showid )
    grid.SetValueColumn ( 0 );
else
    grid.SetValueColumn ( 1 );

if ( valueiscode )
{
    grid.SetKeyColumn ( 0 );
}
else
{
    grid.SetKeyColumn ( 1 );
}

if ( showid )
{
    grid.AddValueColumn ( 0 );
}
grid.AddValueColumn ( 1 );

grid.SetFindColumn ( 1 );

grid.NoHeader();

grid.ColorRows();
}

grid.Clear();

sql * Select ( colid,
                colname ).From ( tablename ).Where ( where ).OrderBy ( colid );

while ( sql.Fetch() )
{
    grid.Add ( sql[colid], sql[colname] );
}

return grid;
}

template<> WithDropChoice<EditString>& LookupSetup ( WithDropChoice<EditString>& grid,
SqlId& tablename, SqlId& colid, SqlId& colname, bool showid, bool valueiscode, SqlBool where )
{
    Sql sql;
    grid.ClearList();
}

```

```

sql * Select ( colname ).From ( tablename ).Where ( where ).OrderBy ( colname );

while ( sql.Fetch() )
{
    grid.AddList ( sql[colname] );
}

return grid;
}

template<> DropDownList& LookupSetup ( DropDownList& grid, SqId& tablename, SqId& colid, SqId&
colname, bool showid, bool valueiscode, SqlBool where )
{
    Sql sql;

    if ( grid.GetList().GetColumnCount() == 0 )
    {
        grid.SetDropLines ( 12 );
    }

    grid.ClearList();

    sql * Select ( colname ).From ( tablename ).Where ( where ).OrderBy ( colname );

    while ( sql.Fetch() )
    {
        grid.Add ( sql[colname] );
    }

    return grid;
}

template<typename T> T& LookupSetup1 ( T& grid, SqId& tablename, SqId& colid, SqId&
colname1, SqId& colname2, bool showid, bool valueiscode, SqlBool where ) {}

template<> DropGrid& LookupSetup1 ( DropGrid& grid, SqId& tablename, SqId& colid, SqId&
colname1, SqId& colname2, bool showid, bool valueiscode, SqlBool where )
{
    Sql sql;

    if ( grid.GetList().GetColumnCount() == 0 )
    {
        grid.ClearButton();
        grid.Resizeable ( false );
        grid.AddColumn ( colid, "", showid ? 10 : 0, true );
        grid.AddColumn ( colname1, valueiscode ? " : " : "", 70 );
        grid.AddColumn ( colname2, "", 70 );
    }
}

```

```

if ( showid )
    grid.SetValueColumn ( 0 );
else
    grid.SetValueColumn ( 1 );

if ( valueiscode )
{
    grid.SetKeyColumn ( 0 );
}
else
{
    grid.SetKeyColumn ( 1 );
}

if ( showid )
{
    grid.AddValueColumn ( 0 );
}
grid.AddValueColumn ( 1 );

grid.SetFindColumn ( 1 );

grid.NoHeader();

grid.ColorRows();
}

grid.Clear();

sql * Select ( colid,
                colname1, colname2 ).From ( tablename ).Where ( where ).OrderBy ( colid );

while ( sql.Fetch() )
{
    grid.Add ( sql[colid], sql[colname1], sql[colname2] );
}

return grid;
}

template<> WithDropChoice<EditString>& LookupSetup1 ( WithDropChoice<EditString>& grid,
SqlId& tablename, SqlId& colid, SqlId& colname1, SqlId& colname2, bool showid, bool
valueiscode, SqlBool where )
{
    Sql sql;
    grid.ClearList();
    sql * Select ( colname1, colname2 ).From ( tablename ).Where ( where ).OrderBy ( colname1
);
}

```

```
while ( sql.Fetch() )
{
    grid.AddList (AsString (sql[colname1]) + " " + AsString (sql[colname2]));
}

return grid;
}
```

And in AddColumn if GridCtrl you may write as this:

```
listvisitor.AddColumn (VISR_COMPANY_ID, t_("Company"), 265
).SetConvert(Single<ConvLookup<COMPANY,COM_ID,COM_NAME>>()).HeaderAlignCenter();
```
