
Subject: theide: Complete abbreviations
Posted by [mirek](#) on Sat, 06 Dec 2008 12:40:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

type

ieb

press Ctrl+. and it expands to:

```
if() {  
}  
else {  
}
```

(of course, use Setup to create your own abbreviations).

Mirek

Subject: Re: theide: Complete abbreviations
Posted by [captainc](#) on Sat, 06 Dec 2008 13:47:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

oh how cool... it's the simple things that make the development process much smoother.

Subject: Re: theide: Complete abbreviations
Posted by [slashmais](#) on Mon, 09 Feb 2009 10:07:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Very useful!

Now to make it Ultimate (ly!) useful is to add the ability to pass parameters to the expander, e.g.:

ieb(index == 5)

which should then expand to:

```
if (index == 5)  
{  
}  
else  
{  
}
```

Maybe use \$1,\$2, ... as parameter position holders.

I could implement this if you can point me to where the source for it is.

Subject: Re: theide: Complete abbreviations
Posted by [tojocky](#) on Tue, 24 Feb 2009 13:00:27 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek! Can you correct this bugs in ide/Abbr.cpp? corrected code is:

```
void AbbreviationsDlg::Add()
{
    String s;

    if (EditText(s, "New abbreviation", "Keyword", CharFilterAlpha))
    {
        abbr.Add(s, Null);
        Finish(s);
    }
}
```

and

```
void AbbreviationsDlg::Edit()
{
    if(!abbr.IsCursor())
        return;
    String s = abbr.GetKey();

    if (EditText(s, "Edit keyword", "Keyword", CharFilterAlpha))
    {
        abbr.Set(0, s);
        Finish(s);
    }
}
```

I propose to change abbreviation mechanism:

1. Add parametrization, first propose is to add as <@"parameter description">
2. Change char @ with <@>
3. Edit and save abbreviations as tree (group by folders).
4. Save abbreviation file as xml file
5. Save abbreviation in more files and user defined locations. By default will be <installation folder>\abbrs.xml, but in file <installation folder>\ide.abbrs will be saved addresses of

abbreviations files.

6. Set Splitter from abbreviation tree and code editor.

7. Change from "Abbreviation" to "Text template".

I can do this changes on evening and I will post for appreciate.

Anybody is interesting in this changes or have other proposes?

Subject: Re: theide: Complete abbreviations

Posted by [Lance](#) on Wed, 20 Apr 2011 20:00:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

I found this post by searching the forum.

Now I know how to use abbreviations to save some key strokes. Thanks.
