

---

Subject: TopWindows WhenMinimize event  
Posted by [tojocky](#) on Thu, 25 Dec 2008 23:04:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I need the WhenMinimize callback event of TopWindows. On minized its need to hide in TryIcon.  
How I can get this event?

I see that property "state" of class TopWindows is change with procedure "Ctrl::WndProc" that it is  
init in function Ctrl::InitWin32(HINSTANCE hInstance) with function RegisterClassW(&wc); or  
RegisterClass(&wc); where wc.lpfnWndProc = (WNDPROC)Ctrl::WndProc;  
P.S. I found here information in win32 but it would be nice to know how can i do in u++  
(win32/Unix/MacOs)

---

---

Subject: Re: TopWindows WhenMinimize event  
Posted by [tojocky](#) on Fri, 26 Dec 2008 14:38:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I found here the discussion about callback whenminimize. I can't understand: for other os is not  
possible to handle this event?

---

---

Subject: Re: TopWindows WhenMinimize event  
Posted by [mirek](#) on Sun, 04 Jan 2009 13:50:39 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

tojocky wrote on Fri, 26 December 2008 09:38I found here the discussion about callback  
whenminimize. I can't understand: for other os is not possible to handle this event?

Yes, that is the likely problem.

Mirek

---