Subject: TopWindows WhenMinimize event
Posted by tojocky on Thu, 25 Dec 2008 23:04:22 GMT
View Forum Message <> Reply to Message

I need the WhenMinimize calback event of TopWindows. On minized its need to hide in TryIcon. How I can get this event?
I see that property "state" of class TopWindows is change with procedure "Ctrl::WndProc" that it is init in function Ctrl::InitWin32(HINSTANCE hInstance) with function RegisterClassW(&wc); or RegisterClass(&wc); where wc.lpfnWndProc = (WNDPROC)Ctrl::WndProc;
P.S. I found here information in win32 but it would be nice to know how can i do in u++ (win32/lunix/MacOs)

Subject: Re: TopWindows WhenMinimize event
Posted by tojocky on Fri, 26 Dec 2008 14:38:38 GMT
View Forum Message <> Reply to Message

I found here the discusion about callback whenminimize. I can't understand: for other os is not possible to handle this event?

Subject: Re: TopWindows WhenMinimize event
Posted by mirek on Sun, 04 Jan 2009 13:50:39 GMT
View Forum Message <> Reply to Message

tojocky wrote on Fri, 26 December 2008 09:38I found here the discusion about callback whenminimize. I can't understand: for other os is not possible to handle this event?

Yes, that is the likely problem.

Mirek