

---

Subject: Fix to Sqlite3Session::Open  
Posted by [Novo](#) on Sun, 01 Feb 2009 18:18:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Explanation.

sqlite3\_open initializes database argument even if it cannot open database. So, it is incorrect to use NULL == db to check whether database was opened or not.

---

### File Attachments

1) [sqlite3.diff](#), downloaded 338 times

---

---

Subject: Re: Fix to Sqlite3Session::Open  
Posted by [mirek](#) on Mon, 02 Feb 2009 09:56:42 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks!

Should not be the handle closed in Close and opened set to false again?

What about this fix:

```
bool Sqlite3Session::Open(const char* filename) {  
    // Only open db once.  
    ASSERT(NULL == db);  
    current_filename = filename;  
    // By default, sqlite3 associates the opened db with "main."  
    // However, using the ATTACH sql command, it can connect to more databases.  
    // I don't know how to get the list of attached databases from the API  
    current_dbname = "main";  
    if(SQLITE_OK == sqlite3_open(filename, &db))  
        return true;  
    if(db) {  
        sqlite3_close(db);  
        db = NULL;  
    }  
    return false;  
}
```

Mirek

---

---

Subject: Re: Fix to Sqlite3Session::Open

Posted by [Novo](#) on Tue, 03 Feb 2009 04:23:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Mon, 02 February 2009 04:56

Should not be the handle closed in Close and opened set to false again?

That will work too. It is just less efficient. sqlite3\_open allocates a bunch of internal structures, which will be freed and allocated again in case sqlite3\_close.

---