Subject: Fix to Sqlite3Session::Open

Posted by Novo on Sun, 01 Feb 2009 18:18:38 GMT

View Forum Message <> Reply to Message

Explanation.

sqlite3_open initializes database argument even if it cannot open database. So, it is incorrect to use NULL == db to check whether database was opened or not.

File Attachments

```
1) sqlite3.diff, downloaded 364 times
```

Subject: Re: Fix to Sqlite3Session::Open

Posted by mirek on Mon, 02 Feb 2009 09:56:42 GMT

View Forum Message <> Reply to Message

Thanks!

Should not be the handle closed in Close and opened set to false again?

What about this fix:

```
bool Sqlite3Session::Open(const char* filename) {

// Only open db once.

ASSERT(NULL == db);

current_filename = filename;

// By default, sqlite3 associates the opened db with "main.*"

// However, using the ATTACH sql command, it can connect to more databases.

// I don't know how to get the list of attached databases from the API current_dbname = "main";

if(SQLITE_OK == sqlite3_open(filename, &db))

return true;

if(db) {

sqlite3_close(db);

db = NULL;

}

return false;
}
```

Mirek

Subject: Re: Fix to Sqlite3Session::Open

Posted by Novo on Tue, 03 Feb 2009 04:23:37 GMT

View Forum Message <> Reply to Message

luzr wrote on Mon, 02 February 2009 04:56 Should not be the handle closed in Close and opened set to false again?

That will work too. It is just less efficient. sqlite3_open allocates a bunch of internal structures, which will be freed and allocated again in case sqlite3_close.