
Subject: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Sun, 19 Apr 2009 12:02:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have spend some time trying to fix src package.

I believe it should now work quite fine on most system, including initial U++ setup.

I mean

make

make install

~/theide

and you should be running.

I would be glad to hear reports how well it really works. Anybody with POSIX system, please report!

(If you happen to fix 'domake' or 'doinstall' scripts too, post here

Mirek

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [phirox](#) on Mon, 20 Apr 2009 13:39:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

I got it working eventually, but it really needed some help.

First:

sh domake

domake: line 18: syntax error: unexpected end of file

make: *** [all] Error 2

This is caused because lines are terminated by CRLF instead of just LF(posix style).

Second:

I had my subversion sources in ~/uppsvn, the whole src script is hardcoded to use ~/upp.src

Third:

The script uses ~/bin/theide, this should be configurable or autodetected(preferable)

Fourth:

The script starts removing stuff! This is really dangerous considering the generic named ~/upload, ~/upp.tmp is more safe because it has the product name in it. (even though everyone should have backups of course)

Fifth:

It doesn't copy the uppsrc directory to ~/upp.tmp , I'll give it a look later if this is the correct way.

My own insights:

Theoretically on linux it is preferably to do everything within the unpacked source tree, incl. temporary files. And you will still need an initial binary to generate the Makefile, or is this going to be included with every stable release?

I am working on some changes for the src script to autodetect points 2 and 3. I will add that later.

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Mon, 20 Apr 2009 14:18:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

phirox wrote on Mon, 20 April 2009 09:39I got it working eventually, but it really needed some help.

First:

```
sh domake
```

```
domake: line 18: syntax error: unexpected end of file
```

```
make: *** [all] Error 2
```

This is caused because lines are terminated by CRLF instead of just LF(posix style).

Second:

I had my subversion sources in ~/uppsvn, the whole src script is hardcoded to use ~/upp.src

Third:

The script uses ~/bin/theide, this should be configurable or autodetected(preferable)

Fourth:

The script starts removing stuff! This is really dangerous considering the generic named ~/upload, ~/upp.tmp is more safe because it has the product name in it. (even though everyone should have backups of course)

Fifth:

It doesn't copy the uppsrc directory to ~/upp.tmp , I'll give it a look later if this is the correct way.

My own insights:

Theoretically on linux it is preferably to do everything within the unpacked source tree, incl. temporary files. And you will still need an initial binary to generate the Makefile, or is this going to be included with every stable release?

I am working on some changes for the src script to autodetect points 2 and 3. I will add that later.

I am afraid we got two things mixed. I am speaking about the 'product', downloadable here:

<http://code.google.com/p/upp-mirror/downloads/detail?name=upp-p-src-1078.tar.gz&can=2&q=#makechanges>

I believe you are, at least partially, speaking about infrastructure scripts used to create this 'product'.

Am I right?

Still, CRLF issue perhaps holds, but I have not had any problems with it yet. What system you are on?

Mirek

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [phirox](#) on Mon, 20 Apr 2009 14:49:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ah yes!

Well I tried again, and the domake file had the same issue as before. (fixed with the command "busybox dos2unix domake").

I use: Gentoo Linux 2.6.28-hardened-r7 #1 SMP x86_64 AMD GNU/Linux

After that it compiled correctly. And also does not have any of the above mentioned 'issues'.

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [koldo](#) on Tue, 21 Apr 2009 06:14:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello luzr

I had the same problem that phirox had but the fix "busybox dos2unix domake" also worked for me.

Ide compiled right: Ubuntu 8.10 32 bits.

Best regards
Koldo

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Tue, 21 Apr 2009 18:41:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

I hope that issue should be now fixed. Please check.

Mirek

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [koldo](#) on Tue, 21 Apr 2009 20:49:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello luzr

When I enter <http://code.google.com/p/upp-mirror/downloads/list> I see in the top of the list:

upp-win32-1091.exe automated_build 83 minutes ago

upp-src-1078.tar.gz nightly_build 43 hours ago

It seem it is not possible to get the corresponding upp-src-1091.tar.gz file.

Best regards

Koldo

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Tue, 21 Apr 2009 21:27:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

I am sorry, I am having 'issues' whith automated builds right now. Working on it...

Mirek

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [koldo](#) on Wed, 22 Apr 2009 06:14:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

One question

Now the file that appears is "upp-x11-src-1091.tar.gz".

Does it mean that it only can be used in Posix systems?

Best regards
Koldo

Subject: Re: src package should now work just fine in Linux and BSD
Posted by [mirek](#) on Wed, 22 Apr 2009 06:55:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Wed, 22 April 2009 02:14One question

Now the file that appears is "upp-x11-src-1091.tar.gz".

Does it mean that it only can be used in Posix systems?

Best regards
Koldo

Well, the make/install (Makefile, doinstall) process is for X11/GCC systems only (and, I guess, right now it will not work on all either - but that is something to fix gradually).

Of course, there are standard U++ packages with universal sources in it.

I believe it might work on all x86 Linuxes and maybe all BSDs, somebody should check with Solaris...

Mirek

Subject: Re: src package should now work just fine in Linux and BSD
Posted by [cocob](#) on Wed, 22 Apr 2009 07:02:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

does not work on solaris sparc with gcc 4.3
I think the problem is

```
#if __linux
    #define PLATFORM_LINUX 1
#else // ToDo
    #define PLATFORM_BSD 1
    #define PLATFORM_FREEBSD 1
#endif
```

cocob

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [masu](#) on Wed, 22 Apr 2009 08:53:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

cocob wrote on Wed, 22 April 2009 09:02does not work on solaris sparc with gcc 4.3

I think the problem is

```
#if __linux
    #define PLATFORM_LINUX 1
#else // ToDo
    #define PLATFORM_BSD 1
    #define PLATFORM_FREEBSD 1
#endif
```

cocob

I am about to prepare the next OpenBSD patch set (the last one was not included by Mirek until now), I modified this section to:

```
#if __unix || __unix__
...
#endif
#if __linux
    #define PLATFORM_LINUX 1
#else // ToDo
    #if _FreeBSD_
        #define PLATFORM_BSD 1
        #define PLATFORM_FREEBSD 1
    #elif _OpenBSD_
        #define PLATFORM_BSD 1
        #define PLATFORM_OPENBSD 1
    #else
        #error Unknown OS !
    #endif
#endif
#endif
#endif
```

I do not have the actual code here, but it could also be `__*BSD__` instead of `_*BSD_`. And maybe one could use `_Solaris_` for Solaris OS or whatever is defined by installed GCC.

Matthias

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [phirox](#) on Wed, 22 Apr 2009 11:28:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
#ifdef __sun
    #define PLATFORM_SUN 1
```

#endif

This is for solaris, works for both the sun compiler and gcc.

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [cocob](#) on Wed, 22 Apr 2009 15:43:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

did you managed to build upp with sun compiler ??

cocob

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [koldo](#) on Wed, 22 Apr 2009 22:20:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello luzr

Now it compiles well.

Best regards

Koldo

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Thu, 23 Apr 2009 14:16:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

masu wrote on Wed, 22 April 2009 04:53cocob wrote on Wed, 22 April 2009 09:02does not work on solaris sparc with gcc 4.3

I think the problem is

```
#if __linux
    #define PLATFORM_LINUX 1
#else // ToDo
    #define PLATFORM_BSD 1
    #define PLATFORM_FREEBSD 1
#endif
```

cocob

I am about to prepare the next OpenBSD patch set (the last one was not included by Mirek until now), I modified this section to:

```
#if __unix || __unix__
...
#if __linux
    #define PLATFORM_LINUX 1
#else // ToDo
    #if _FreeBSD_
        #define PLATFORM_BSD 1
        #define PLATFORM_FREEBSD 1
    #elif _OpenBSD_
        #define PLATFORM_BSD 1
        #define PLATFORM_OPENBSD 1
    #else
        #error Unknown OS !
    #endif
#endif
#endif
```

I do not have the actual code here, but it could also be `__*BSD__` instead of `_*BSD_`. And maybe one could use `_Solaris_` for Solaris OS or whatever is defined by installed GCC.

Matthias

It is actually sort of question whether we need both (BSD and specificBSD). In fact, I guess I should change all `#ifdef PLATFORM_FREEBSD` to just `PLATFORM_BSD`.

If you are going to fix for OpenBSD, this is the first thing to try.

Mirek

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Thu, 23 Apr 2009 14:17:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

phirox wrote on Wed, 22 April 2009 07:28

```
#ifdef __sun
    #define PLATFORM_SUN 1
#endif
```

This is for solaris, works for both the sun compiler and gcc.

Well, through the code, there is `PLATFORM_SOLARIS` used...

Mirek

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [masu](#) on Thu, 23 Apr 2009 14:20:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

There where subtle differences in the past between FreeBSD and OpenBSD, that is why I still needed PLATFORM_OPENBSD.

I will double check ...

Matthias

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Thu, 23 Apr 2009 14:22:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

masu wrote on Thu, 23 April 2009 10:20There where subtle differences in the past between FreeBSD and OpenBSD, that is why I still needed PLATFORM_OPENBSD.

I will double check ...

Matthias

OK.

Looking forward to patches.

Mirek

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [masu](#) on Thu, 23 Apr 2009 21:10:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

Here it is:

http://www.ultimatepp.org/forum/index.php?t=msg&goto=20974&#msg_20974

PLATFORM_BSD flag unification seems to work .

I also added NetBSD, but cannot test it here, maybe somebody can check that ...

Matthias

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [sevenjay](#) on Fri, 24 Apr 2009 07:31:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Tue, 21 April 2009 20:41I hope that issue should be now fixed. Please check.

Mirek

I think this is the different Newline format on OS.

Quote:

- * LF: Unix and Unix-like systems
- * CR+LF: DOS, Microsoft Windows, Symbian OS

Using Notepad++ transformed CR+LF into LF is ok.

File Attachments

1) [2009-04-24.png](#), downloaded 772 times

Subject: Re: src package should now work just fine in Linux and BSD

Posted by [mirek](#) on Fri, 24 Apr 2009 07:38:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

sevenjay wrote on Fri, 24 April 2009 03:31luzr wrote on Tue, 21 April 2009 20:41I hope that issue should be now fixed. Please check.

Mirek

I think this is the different Newline format on OS.

Quote:

- * LF: Unix and Unix-like systems
- * CR+LF: DOS, Microsoft Windows, Symbian OS

Using Notepad++ transformed CR+LF into LF is ok.

I am sorry, sevenjay, I am not quite sure what you wanted to say.

We all know CRLF was the issue. It should be now OK (by changing release scripts).

Mirek
