
Subject: Incorrect ASSERT in Value::Serialize
Posted by [mrjt](#) on Fri, 08 May 2009 11:20:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

In a (relatively) recent update the following line has been added to Value::Serialize:
ASSERT_(!type || Typemap().Find(type) >= 0, "Missing RichValueType<" + AsString(type) + ">::Register");

Clearly the purpose of this is to prevent serialization of non-registered types. However, it ignores the case of values created with ErrorValue.

This means that if you Serialize a window with an (for instance) empty not-null EditField on you get an assert, but I can testify that this causes no ill effects. I actually use this feature to reset some forms to a null/clear state using Backup/Restore so now I have to comment out this line before I can debug my app.

Could this be fixed please.

Subject: Re: Incorrect ASSERT in Value::Serialize
Posted by [mirek](#) on Fri, 08 May 2009 19:25:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

I hope this should do the job:

Quote:

```
ASSERT_(!type || type == ERROR_V || type == UNKNOWN_V || Typemap().Find(type) >= 0,
"Missing RichValueType<" + AsString(type) + ">::Register");
```

(I am now not on my local network and too lazy to switch svn to external address - will upload on sunday...)

Mirek
