
Subject: GridCtrl: How to respond to moving a row?
Posted by [jeremy_c](#) on Fri, 05 Jun 2009 16:32:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

In my GridCtrl defining the questions, I have a field INT_ (POSITION) SQLDEFAULT(0) field that I currently do not populate. However, I would like to use the Append/Insert methods in conjunction with the Move Up/Down functions of the GridCtrl. My only problem is I cannot seem to figure out how to get notification that an item has moved up or down, thus I cannot update my POSITION values accordingly.

Any tips?

Thanks,

Jeremy

Subject: Re: GridCtrl: How to respond to moving a row?
Posted by [jeremy_c](#) on Sat, 06 Jun 2009 00:44:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

I made a very tiny patch and added in WhenMoveRow. It would be nice to have something a bit more powerfull such as WhenSwapRow and have it pass the row indexes that were swapped. Also something along the lines of CancelMove, i.e. like CancellInsert, CancelUpdate.

Anyway, with this I am progressing with my app and can rework it later if I totally missed how to accomplish this w/o changing GridCtrl.

Index: GridCtrl/GridCtrl.cpp

```
=====
--- GridCtrl/GridCtrl.cpp      (revision 1276)
+++ GridCtrl/GridCtrl.cpp      (working copy)
@@ -5178,6 +5178,7 @@ @@
```

```
    row_order = true;
    SetModify();
+   WhenMoveRow();

    return true;
}
@@ -5231,6 +5232,9 @@ @@
}
    row_order = true;
    SetModify();
+
+   WhenMoveRow();
```

```
+  
    return true;  
}
```

Index: GridCtrl/GridCtrl.h

```
=====
```

--- GridCtrl/GridCtrl.h (revision 1276)
+++ GridCtrl/GridCtrl.h (working copy)
@@ -1692,6 +1692,7 @@
 Callback WhenRemoveRow;
 Callback WhenRemovedRow;
 Callback WhenDuplicateRow;
+ Callback WhenMoveRow;

 Callback WhenCancelNewRow;

Jeremy

Subject: Re: GridCtrl: How to respond to moving a row?
Posted by [jeremy_c](#) on Wed, 10 Jun 2009 13:17:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

Any thoughts on this? This app is progressing and I am relying pretty heavily on the ability to use the WhenMove event, however, that's my own local change to the U++ libraries which I don't want to maintain on each svn up if it's not the proper way of doing things or if something similar is not going to be supported officially.

Jeremy

Subject: Re: GridCtrl: How to respond to moving a row?
Posted by [unodgs](#) on Wed, 10 Jun 2009 21:10:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

jeremy_c wrote on Wed, 10 June 2009 09:17Any thoughts on this? This app is progressing and I am relying pretty heavily on the ability to use the WhenMove event, however, that's my own local change to the U++ libraries which I don't want to maintain on each svn up if it's not the proper way of doing things or if something similar is not going to be supported officially.

Jeremy

Sorry for not responding. I've been busy with buying my new car
Yes, the idea is good. I'll provide your patch after short review.

Subject: Re: GridCtrl: How to respond to moving a row?
Posted by [jeremy_c](#) on Wed, 10 Jun 2009 23:50:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Great, however... Before you apply it, I think it needs some help. I am willing to work with it some more if you think it's worth while, however, this is my first venture into the U++ libs and it may take some time for me to figure out when you could whip it up in 10 minutes.

Right now, it simply calls a callback letting you know that something moved. It does not report what moved where. I was thinking it would be better to be able to let the callback know that row 1 was inserted after row 5. The problem right now is that say you have a db that contains ID, NAME, POSITION. Pretty easy. Well, when you get a "WhenMove" callback, you have to:

```
try
{
    for (int i=0; i < questions.GetCount(); i++)
    {
        SQL & ::Update(HIVE_ACC_Q)
            (POSITION, Value(i))
            .Where(ID == questions.Get(i, 0));
    }
}
catch (SqlExc &exc)
{
    Exclamation("[* " + DeQtLf(exc) + "]);
}
```

If, however, we would send row 1 moved to row 5, that function could update rows only 1 - 5, instead of possibly 1 - 10,000 (maybe a bit extreme).

Further, it would be nice to have:

```
catch (SqlExc &exc)
{
    questions.CancelMove();
    // .....
}
```

as we have CancelInsert, CancelUpdate, etc...

BTW... Cool on the new car! I got a new car, but it's a minivan as my family has grown now to 4 daughters

Jeremy

Subject: Re: GridCtrl: How to respond to moving a row?

Posted by [unodgs](#) on Fri, 12 Jun 2009 20:10:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

jeremy_c wrote on Wed, 10 June 2009 19:50Great, however... Before you apply it, I think it needs some help. I am willing to work with it some more if you think it's worth while, however, this is my first venture into the U++ libs and it may take some time for me to figure out when you could whip it up in 10 minutes.

....

I've added WhenMoveRow(int n, int m) where n is source row and m destination row. You can also call CancelMove to cancel row moving. This is also valid for swap up/down operations. You must however keep in mind that WhenMoveRow is called before any real operation on grid (this is true for moving bunch of rows as well (WhenMoveRow is called for every moved row)). That's why CancelMove is possible. I haven't tested the code. Please write in case of any problem or bug.

Quote:

BTW... Cool on the new car! I got a new car, but it's a minivan as my family has grown now to 4 daughters

Congratulations on your 4'th daughter I bought Opel Astra combi. It's a nice car - enough for average family (I have one 3 years old daughter, but I'm gonna have the next one).
[/quote]

Subject: Re: GridCtrl: How to respond to moving a row?

Posted by [jeremy_c](#) on Fri, 12 Jun 2009 20:16:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ha! I was just finishing up code to do exactly what you did, even the n, m var names... I'll do a svn up in a bit and let you know how it works out.

Thanks,

Jeremy

Subject: Re: GridCtrl: How to respond to moving a row?

Posted by [jeremy_c](#) on Sun, 14 Jun 2009 19:47:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

So far this is working, I'm going to do a bit more testing thought just to make sure

Jeremy
