

---

**Subject:** Input value at main ()

Posted by [darthspawn](#) on Tue, 25 Aug 2009 12:51:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

with a c++ program I can define some input values

```
int main(int argc, char *argv[])
```

how can I do it with u++? I search information on the forum and in the manual section of the site, but I don't found anything. Thank you!

Sam

---

---

---

**Subject:** Re: Input value at main ()

Posted by [masu](#) on Tue, 25 Aug 2009 13:15:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

you may use CommandLine() that return a String Vector.

Matthias

---

---

---

**Subject:** Re: Input value at main ()

Posted by [darthspawn](#) on Tue, 25 Aug 2009 14:26:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Thank you! if someone needs the code I used this:

```
String str;
int argc = CommandLine().GetCount();
const Vector<String>& argv = CommandLine();

if(argc < 1 || argc >2) {
    return;
}
else {
    str = argv[0];
}
```

---

---

Subject: Re: Input value at main ()

Posted by [sergeynikitin](#) on Tue, 25 Aug 2009 14:49:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

My piece of code - can someone correct the it, or maybe for someone, and so it will be useful.

```
#include <plugin/pcre/Pcre.h>
```

```
.....
```

```
.....
```

```
GUI_APP_MAIN
```

```
{
```

```
int argc = CommandLine().GetCount();
const Vector<String>& argv = CommandLine();

if((argc >= 1) && ((argv[0]=="/?")||(argv[0]=="/h")||(argv[0]=="-h")||(argv[0]=="--help")))
{
    Cout() << "PrintProject-SV ver "<<projectversion<< "\n\n"
    << "Command Line Syntax: PrintProject2 --export-tr|--cfg=parametrs.cfg|--help \n"
    << " --cfg=filename.cfg - Set alternative config file\n"
    << " (/cfg=filename and /c=filename - alternative forms of above command)\n"
    << " (filename default in win32.exe folder or at home in POSIX systems)\n"
    << "\n"
    << " --export-tr localizationcode - export localization file to edit runtime localization\n"
    << " (for example --export-tr ruru - this export russian localization in Unicode encoding\n"
    << "     ruru0 - for windows-1250 encoding\n"
    << "     ruru1 - for windows-1251 encoding\n"
    << "     ruru2 - for windows-1252 encoding\n"
    << "     ruru3 - for windows-1253 encoding\n"
    << "     ruru4 - for windows-1254 encoding\n"
    << "     ruru5 - for windows-1255 encoding\n"
    << "     ruru6 - for windows-1256 encoding\n"
    << "     ruru7 - for windows-1257 encoding\n"
    << "     ruruA - for iso-8859-1 encoding\n"
    << "     ruruB - for iso-8859-2 encoding\n"
    << "     ruruC - for iso-8859-3 encoding\n"
    << "     ruruD - for iso-8859-4 encoding\n"
    << "     ruruE - for iso-8859-5 encoding\n"
    << "     ruruF - for iso-8859-6 encoding\n"
    << "     ruruG - for iso-8859-7 encoding\n"
    << "     ruruH - for iso-8859-8 encoding\n"
    << "     rurul - for iso-8859-9 encoding\n"
    << "     ruruJ - for iso-8859-10 encoding\n"
    << "\n\n";
    return;
}
if((argc >= 1) && ((argv[0]=="/?")||(argv[0]=="/h")||(argv[0]=="-h")||(argv[0]=="--help")) {
```

```
Cout() << "Commandline=""<<argv[0] <<"\n";
}

if(argc >= 1) {
    RegExp regexp1("^(?!--cfg|cfg|-c)\\"=(.*)$", RegExp::MULTILINE);
    if (regexp1.Match(argv[0])){
        cfg_filename = regexp1[0];
        cfg_set = true;
        Cout() << "CFG_FILE=""<<cfg_filename <<"\n";
    }
}

.....
.....
Other code
.....
.....
}
```