

---

Subject: opengl & tekstures

Posted by [barpas](#) on Thu, 23 Mar 2006 12:21:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

has anybody working upp code with opengl using textrue ???  
i tray to do it many times eg with nehe tutorials but it's not working ...

eg. i tray convert to upp 6 lesson for neht tutorial - everything semms to by ok file is open textrue  
is done but qube is white (non textured)

i don't understand

i use functions likie that:

```
AUX_RGBImageRec* OpenGL::LoadBMP(char *Filename)           // Loads A Bitmap Image
{
    FILE *File=NULL;                                       // File Handle

    if (!Filename)                                         // Make Sure A Filename Was Given
    {
        return NULL;                                       // If Not Return NULL
    }

    File=fopen(Filename,"r");                             // Check To See If The File Exists

    if (File)                                              // Does The File Exist?
    {
        fclose(File);                                     // Close The Handle
        return auxDIBImageLoad(Filename);                 // Load The Bitmap And Return A Pointer
    }
    return NULL;                                           // If Load Failed Return NULL
}

int OpenGL::LoadGLTextures()                               // Load Bitmaps And Convert To Textures
{
    int Status=FALSE;                                     // Status Indicator

    AUX_RGBImageRec *TextureImage[1];                   // Create Storage Space For The Texture

    memset(TextureImage,0,sizeof(void *)*1);             // Set The Pointer To NULL

    // Load The Bitmap, Check For Errors, If Bitmap's Not Found Quit
    if (TextureImage[0]=LoadBMP("data/to.bmp"))
    {
        Status=TRUE;                                     // Set The Status To TRUE

        glGenTextures(1, &texture[0]);                   // Create The Texture
```

```

// Typical Texture Generation Using Data From The Bitmap
glBindTexture(GL_TEXTURE_2D, texture[0]);
glTexImage2D(GL_TEXTURE_2D, 0, 3, TextureImage[0]->sizeX, TextureImage[0]->sizeY, 0,
GL_RGB, GL_UNSIGNED_BYTE, TextureImage[0]->data);
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_MIN_FILTER, GL_LINEAR);
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_MAG_FILTER, GL_LINEAR);
}

if (TextureImage[0])    // If Texture Exists
{
    if (TextureImage[0]->data)    // If Texture Image Exists
    {
        free(TextureImage[0]->data);    // Free The Texture Image Memory
    }

    free(TextureImage[0]);    // Free The Image Structure
}

return Status;    // Return The Status
}

```

in GLPaint() metod:

```

void OpenGL::GLPaint()
{
    StdView();
    glClear(GL_COLOR_BUFFER_BIT | GL_DEPTH_BUFFER_BIT); // Clear The Screen And The
Depth Buffer
    glLoadIdentity();    // Reset The View
    // glRotatef(lookupdown,0.0f,0,0);
    //glRotatef(sceneroty,0,1.0f,0);
    glBindTexture(GL_TEXTURE_2D, texture[0]);
    glBegin(GL_QUADS);    // Draw A Quad
    // glColor3f(0.0f,1.0f,0.0f);    // Set The Color To Green
    glNormal3f( 0.0f, 0.0f, 1.0f);
    glTexCoord2f(1.0f, 0.0f);glVertex3f( szerokosc/2, -1.0f,-dlugosc/2);    // Top Right Of The Quad
(Top)
    glTexCoord2f(1.0f, 0.0f);glVertex3f(-szerokosc/2, -1.0f,-dlugosc/2);    // Top Left Of The Quad
(Top)
    glTexCoord2f(1.0f, 0.0f);glVertex3f(-szerokosc/2, -1.0f, dlugosc/2);    // Bottom Left Of The Quad

```

```
(Top)
    glTexCoord2f(1.0f, 0.0f);glVertex3f( szerokosc/2, -1.0f, dlugosc/2);    // Bottom Right Of The
Quad (Top)
...
glEnd();

};
```

of course i use #include <GL/glaux.h>

help me please - what i'm dooing wrong????

---

Subject: Re: opengl & tekstures  
Posted by [unodgs](#) on Fri, 24 Mar 2006 07:45:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

I'm sure it is not connected with upp at all I use directx with upp and all textures are painted without any problem . There must be something with your code...

---

Subject: Re: opengl & tekstures  
Posted by [fudadmin](#) on Fri, 24 Mar 2006 21:53:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Regarding textures. My guess that you placed your bmp files somewhere out of reach for you exe...  
And because the lesson example is programmed in a very stupid way you are not informed about it

Advice No1. - in IDE "Build" menu open "Output Directory" and move or copy all \*.bmp etc. files which you are using in your app. In that case, you can use e.g LoadBMP("nehe.bmp") etc. or use full paths to files e.g LoadBMP("D:\data\nehe.bmp")

Advice No2. - put PromptOK("step1"); as guards to check if your program came where you expected.  
e.g

```
if (File)                                // Does The File Exist?
{
    fclose(File);
```

```
        PromptOK("really opening DIB");           // Close The Handle
        return auxDIBImageLoad(Filename);        // Load The Bitmap And Return A Pointer
    }
```

---

---

Subject: Re: opengl & tekstures  
Posted by [fudadmin](#) on Fri, 24 Mar 2006 22:01:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Actually, more clever way would be like this

```
AUX_RGBImageRec* OpenGL::LoadBMP(char *Filename)           // Loads A Bitmap Image
{
    FILE *File=NULL;                                       // File Handle

    if (!Filename)                                       // Make Sure A Filename Was Given
    {
        PromptOK("Where is your filename?!" );
        return NULL;                                     // If Not Return NULL
    }

    File=fopen(Filename,"r");                             // Check To See If The File Exists

    if (File)                                            // Does The File Exist?
    {
        fclose(File);                                    // Close The Handle
        return auxDIBImageLoad(Filename);               // Load The Bitmap And Return A Pointer
    }
    else PromptOK("Couldn't load "+ AsString(Filename) );
    return NULL;                                         // If Load Failed Return NULL
}
```

---

---

Subject: Re: opengl & tekstures  
Posted by [mirek](#) on Fri, 24 Mar 2006 22:19:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fudadmin wrote on Fri, 24 March 2006 16:53 Regarding textures. My guess that you placed your bmp files somewhere out of reach for you exe...

BTW, exactly because of this, there is nice "hack" function GetDataFile function - when your .exe is started from TheIDE, GetDataFile("xxx") will return the full path to "xxx.x" inside your main package.

That way you can store you graphics files together with sources.

When started outside TheIDE (final version), GetDataFile returns the file from the same directory as is .exe places (very likely arrangement for your production files).

Mirek

---

---

Subject: Re: opengl & tekstures  
Posted by [barpas](#) on Sat, 25 Mar 2006 00:22:56 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

i'm sory but its not resolving my problem - i was thinging about it and debug it to look if i have a good pointer ...  
pointer was good,  
booth functions returns good status ...  
but platform was white  
(now it is colored)

if you don't belive me there is code of that in robot.cpp (topic about arrayctrl & edit) - i didnt sent a picture but you can use anything to test it

i think so eg the green "floor" should by textrued but isn't

i don't undestend wby - i do the same in mvc and working good  
maybe i make mistake somewhere but maybe glaux don't work ok wiht upp???

Bartek

---

---

Subject: Re: opengl & tekstures  
Posted by [lindquist](#) on Sun, 09 Apr 2006 23:35:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I'm not sure if you solved it or not, but you may just be missing a  
`glEnable(GL_TEXTURE_2D);` call.

The default GLCtrl is very minimal, and the default OpenGL state for GL\_TEXTURE\_2D is disabled.

---

---

Subject: Re: opengl & tekstures  
Posted by [barpas](#) on Wed, 12 Apr 2006 14:36:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

i have it in my code...  
and problmem is not resolved ...

is here anybody who made upp application with opengl using textures ???

---

---

Subject: Re: opengl & tekstures

Posted by [fudadmin](#) on Wed, 12 Apr 2006 14:55:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

barpas wrote on Wed, 12 April 2006 15:36i have it in my code...

and problmem is not resolved ...

is here anybody who made upp application with opengl using textures ???

I was trying your example and many others for 2 days... with all possible options. Then lost patience. Glut works but not U++...

I guess something wrong with OpenGLCtrl pixel format? descriptor?  
or maybe some more inits required?

Because OpenGL returns errors at the very early stages of initialization if you check with its functions...

Just my guess.

---

---

Subject: Re: opengl & tekstures

Posted by [fudadmin](#) on Wed, 12 Apr 2006 15:02:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

or could be buffers? I had found later some info on the net, but haven't tested...

---

---

Subject: Re: opengl & tekstures

Posted by [lindquist](#) on Sat, 22 Apr 2006 10:05:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I'm successfully using the GLCtrl with texturing.

```
Image img = PngEncoder::New()->LoadImageFile("texture/test.png");  
PixelFormat pix = ImageToPixelFormat(img);
```

```
// pixel format  
GLuint chan,fmt,id;  
switch (pix.GetBPP())  
{  
case 24:  
    chan = 3;  
    fmt = GL_RGB;  
    break;
```

```

case 32:
    chan = 4;
    fmt = GL_RGBA;
    break;

default:
    Exclamation("Unsupported texture BPP (" + FormatInt(pix.GetBPP()) + ")");
    return false;
}

glGenTextures(1, &id);
glBindTexture(GL_TEXTURE_2D, id);

glTexEnvf(GL_TEXTURE_ENV, GL_TEXTURE_ENV_MODE, GL_MODULATE);
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_MIN_FILTER,
    GL_LINEAR_MIPMAP_LINEAR);
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_MAG_FILTER, GL_LINEAR);
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_S, GL_REPEAT);
glTexParameteri(GL_TEXTURE_2D, GL_TEXTURE_WRAP_T, GL_REPEAT);

gluBuild2DMipmaps(GL_TEXTURE_2D, chan, pix.GetWidth(), pix.GetHeight(), fmt,
    GL_UNSIGNED_BYTE, pix.Begin());
return true;

```

My GLCtrl is slightly modified. First I'm using GLee for easy access to extensions, and second, I have the 'wglMakeCurrent(NULL, NULL);' line commented in GLCtrl::WindowProc.

I also inserted 'wglMakeCurrent(hDC, hRC);' at the end of 'GLCtrl::OpenGL'.

At first I had some issues, but it turned out to be my min filter that was LINEAR\_MIPMAP\_LINEAR while I used glTexImage2D...

I hope this is of help.

---

Subject: Re: opengl & tekstures  
 Posted by [mirek](#) on Mon, 01 May 2006 08:07:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

BTW, should I change GLCtrl? I must admit that this is area that is completely out of my knowledge, so any contributions here are much welcome!

Mirek

---



---

Subject: Re: opengl & tekstures  
 Posted by [lindquist](#) on Tue, 02 May 2006 14:26:23 GMT

---

I would say yes. Make those changes.

The problem with not having them in means that OpenGL calls can only be made inside the GLPaint method.

As things like loading textures etc often happens somewhere else (not in the render code) this is somewhat an obstacle.

The problem with my simple approach is that if you're using multiple GLCtrls then we would need a method to activate the content we want to work on.

A MakeActive member might be a good idea. Or something else... For me, the approach I took is just fine as I only have one GL context.

And I just want to write GL code and expect it to work on that context.

P.S the texture code I posted only sort of works. the correct pixel format seems to be GL\_BGR/GL\_BGRA, using these the colours are correct. Tho it might still be flipped, as IIRC OpenGL expects a bottom-left origin.

Is ultimate++ top-left? and is the bgra format consistent? or do I need to do some more checking?

---