
Subject: Pick problems

Posted by [mdelfede](#) on Sat, 23 Jan 2010 09:14:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

I get sometimes 'Pick broken semantic' error in my app and, as it is multithreaded, to locate them is becoming a nightmare.

Just today I've got one which I can't locate, and I'm thinking about some way to check if a container get picked just when it is.

So, it would be possible to add to containers a debug function like

```
BreakOnPick(bool brk = true);
```

which, if enabled, would throw a BREAK in debug mode, so the code that breaks pick semantics can be located more easy ?

Another stuff.... IsPicked() is missing from ArrayMap, because it's missing from AIndex template class.

Adding this to it :

```
bool IsPicked(void) const { return key.IsPicked() || hash.IsPicked(); }
```

Solves the issue.

Ciao

Max

Subject: Re: Pick problems

Posted by [mdelfede](#) on Sat, 23 Jan 2010 13:03:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Attached patched core files (Vcont.h, Map.h and Index.h) helps a lot adding a PickBreak(bool) method.

In order to activate Pick detection, is enough to do

```
MyContainer.PickBreak(true);
```

then each time the container gets picked a debugger breakpoint is triggered, making easy to backtrace the pick event.

Ciao

Max

File Attachments

1) [PickBreak.zip](#), downloaded 231 times

Subject: Re: Pick problems

Posted by [mirek](#) on Sun, 24 Jan 2010 13:41:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

I did not liked the implementation - it changes the sizeof() of container and does not care about release mode.

So I have created my own - only one breakpoint possible, but it should be enough...

Subject: Re: Pick problems

Posted by [mdelfede](#) on Sun, 24 Jan 2010 15:57:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Yep, my implementation was just a quick-and-dirty solution to my problem. What's your implementation usage ?

Do you mean that you can activate the breakpoint just for a single container type or instance on each run ?

Ciao

Max

Subject: Re: Pick problems

Posted by [mirek](#) on Sun, 24 Jan 2010 16:00:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

mdelfede wrote on Sun, 24 January 2010 10:57 Yep, my implementation was just a quick-and-dirty solution to my problem. What's your implementation usage ?

Do you mean that you can activate the breakpoint just for a single container type or instance on each run ?

Ciao

Max

Single instance, yes.
