

---

Subject: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [kohait00](#) on Tue, 16 Feb 2010 11:04:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

hi there

in many other IDEs there is a execute button directly on the toolbar, near/next to Build or Rebuild.. TheIDE should have it also. the functionality is already there using "Debug-Execute" or Ctrl+F5, but why not via Mouse button?

second, the Rebuild All button is with reason pictured as a bomb. it rebuilds the \*entire\* environment. build rebuilds only changes. there should also be something in between. "Rebuild Main Package" i.e, which really rebuilds only the main package or a selected one. cause rightclicking on a package one only can do a "Build" or "Clean". a build only would build changes, but wouldnt rebuild.

so best would be: a functionality to trigger a rebuild of a single package, when rightclicking it..and a function "rebuild main" next to Rebuild All, which triggers this same behaviour for the main package only.

is that possible?

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [fudadmin](#) on Tue, 16 Feb 2010 11:45:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

I've got an execute button (yellow arrow) it in my version.

I can try to post pieces of the code if you'd like.

### File Attachments

1) [screenIdeButtons1.png](#), downloaded 796 times

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [kohait00](#) on Tue, 16 Feb 2010 11:59:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

thank you fudamin, in my version i also have it placed..

in idebar.cpp:534

```
void Ide::MainTool(Bar& bar)
{
    Edit(bar);
}
```

```
if(debugger)
  DebugMenu(bar);
else
if(!designer)
  bar.Separator();
Project(bar);
BuildMenu(bar);
DebugMenu(bar); //new
BrowseMenu(bar);
}
```

is the place.. but the separator doubles are kind of ugly..  
mirek could do it better , i.e even place a "debug run" button, but a first shot is alright.

but the other part, rebuild main, is quite important as well, i think

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button  
Posted by [fudadmin](#) on Tue, 16 Feb 2010 12:10:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I've got

```
void Ide::MainTool(Bar& bar)
{
  Edit(bar);
  // if(debugger)
  // DebugMenu(bar);
  // else
  // if(!designer)
  // bar.Separator();
  if (menu_shown)
    Project(bar);
  DebugMenu(bar);
  BuildMenu(bar);
  BrowseMenu(bar);
}
```

the idea is to comment  
//if(debugger)

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [kohait00](#) on Tue, 16 Feb 2010 12:29:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

isnt that kind of problematik, since this menu is used for both, MenuBar and ToolBar in TheIDE

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [fudadmin](#) on Tue, 16 Feb 2010 12:51:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

kohait00 wrote on Tue, 16 February 2010 12:29isnt that kind of problematik, since this menu is used for both, MenuBar and ToolBar in TheIDE

What kinds of problems?

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [kohait00](#) on Tue, 16 Feb 2010 13:16:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

you are absolutely right, the MainTool bar is already only for that purpose, and there is no change to DebugMenu..

any idea how to fix the other "whish"?

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [fudadmin](#) on Tue, 16 Feb 2010 13:34:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

kohait00 wrote on Tue, 16 February 2010 13:16you are absolutely right, the MainTool bar is already only for that purpose, and there is no change to DebugMenu..

any idea how to fix the other "whish"?

I think "Rebuild Main package" could execute this sequence:

- 1 clean the main package
- 2 buid the main package

But maybe it would be better just to add a separate Clean+Execute?

What do you and others think?

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [kohait00](#) on Tue, 16 Feb 2010 14:54:07 GMT

---

[View Forum Message](#) <> [Reply to Message](#)

---

clean is not that good, cause it really wipes out everything, but many times one has put things inside the output/execution folder, so the stuff is gone as well.

a clean rebuild trigger is preferred, as of my part, just in the same way of Rebuild All, it neither "cleans" the output destinations before building (as far as i know). cleaning is done upon explicit wish of user

---

---

**Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button**

Posted by [fudadmin](#) on Tue, 16 Feb 2010 16:08:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

kohait00 wrote on Tue, 16 February 2010 14:54 clean is not that good, cause it really wipes out everything, but many times one has put things inside the output/execution folder, so the stuff is gone as well.

a clean rebuild trigger is preferred, as of my part, just in the same way of Rebuild All, it neither "cleans" the output destinations before building (as far as i know). cleaning is done upon explicit wish of user

Could "clean package" really wipe anything useful?

---

---

**Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button**

Posted by [kohait00](#) on Tue, 16 Feb 2010 19:58:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

again, you are absolutely right.

i was talking of a different clean. the upout clean. ofcourse, the package clean & package rebuild would obviously do the effect, since it would only clean the specified package's compile folder.

shouldnt be hard then, to implement something similar..

JUST FOR TERMS OF UNDERSTANDING:

3 types of clean (build) (all in Build submenu)

1) clean UPPOUT,

cleans the final application's destination/execution folder, all content deleted. may have more than just the own executable if other applications compile with same config, say GUI MT

2) clean package (build package),

cleans (builds) the (via right click) selected package, or the main package if triggered from build menu.

3) clean (build)

cleans (builds) the entire workspace, including all sub packaged in any dependancy line.

so rebuild all is defined Clean/Build in ide/Builders/Build.cpp:600, so same way we could use the rebuild package only stuff.

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [kohait00](#) on Tue, 16 Feb 2010 20:29:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ok seems to have worked, here comes the mini patch for the "Rebuild Package" feature

ide.h:848

```
void PackageClean();  
void PackageRebuild();
```

ide.key:59

```
KEY(CLEANPACKAGE, "Clean package", 0)  
KEY(REBUILDPACKAGE, "Rebuild package", 0)
```

Build.cpp:113

```
void Ide::PackageRebuild()  
{  
    PackageClean();  
    PackageBuild();  
}
```

idebar.cpp:389

```
menu.Add(b, AK_CLEANPACKAGE, THISBACK(PackageClean))  
    .Help("Remove all intermediate files of the current package");  
menu.Add(b, AK_REBUILDPACKAGE, THISBACK(PackageRebuild))  
    .Help("Rebuild of the current package");
```

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [kohait00](#) on Tue, 16 Feb 2010 20:53:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

to have it all together: the execute (and more stuff) in the toolbar feature..

execute  
idebar.cpp:536

```
void Ide::MainTool(Bar& bar)
{
    Edit(bar);
    // if(debugger)
    // DebugMenu(bar);
    // else
    // if(!designer)
    // bar.Separator();
    Project(bar);
    BuildMenu(bar);
    DebugMenu(bar);
    BrowseMenu(bar);
}
```

open output directory  
idebar.cpp:445

```
menu.Add(!IsNull(target), "Open output directory", Idelmg::opposite(),
THISBACK(OpenOutputFolder));
```

run in debugger, i used own recolored Navigator image from ide.iml, named debug\_debug()  
idebar.cpp:464

```
menu.Add(b, AK_DEBUG, Idelmg::debug_debug(), THISBACK1(BuildAndDebug, false))
.Help("Build application & run debugger");
```

seems as if everything having an image will be displayed also in the toolbar, so what ever you like to have in toolbar, give it an icon for..

---

---

Subject: Re: WISH: "Execute" Button & "Rebuild package only" Button

Posted by [fudadmin](#) on Tue, 16 Feb 2010 23:46:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:

seems as if everything having an image will be displayed also in the toolbar, so what ever you like to have in toolbar, give it an icon for..

AFAIK, it has been this way for some time.

Btw, good work, kohait00! Hopefully, we will exchange more improvements for the ide.

---