

---

Subject: sqlite and Execute

Posted by [forlano](#) on Sun, 14 Mar 2010 11:18:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

I followed the tutorial and I come to the following very simple code that should perform a query on an existing database:

```
#include <CtrlLib/CtrlLib.h>
using namespace Upp;
```

```
#define LAYOUTFILE <c16/c16.lay>
#include <CtrlCore/lay.h>
#include <plugin/sqlite3/Sqlite3.h>
```

```
class c16 : public Withc16Layout<TopWindow> {
public:
    void FillRankingTables();
    typedef c16 CLASSNAME;
    c16();
};
```

```
c16::c16()
```

```
{
    CtrlLayout(*this, "Window title");
```

```
    Sqlite3Session sqlite3;
```

```
    if(!sqlite3.Open(ConfigFile("c16.db"))) {
        Exclamation("Can't create or open database file");
        return;
    }
```

```
    SQL = sqlite3;
```

```
    SQL.Execute("insert into PUNTI_GIOCATORI (IDFSI,IDCIRCOLO,SIGLAPROV,SIGLAREG)
select ID_FSI,IDCIRCOLO,SIGLAPROV,SIGLAREG from ISCRITTI");
}
```

```
void c16::FillRankingTables()
```

```
{
}
```

```
GUI_APP_MAIN
```

```
{ c16().Run();
}
```

No compile error (The .lay file contains a button and is irrelevant... I guess).

The relevant part is the `SQL.Execute(...)` statement that does nothing. If I copy the string inside `Execute` and paste into `SQLiteManager` (a Firefox plugin) to run the query it is executed without problem and the table is filled with the right values.

Instead `SQL.Execute` does not perform the query. What am I missing?

It should be not related to a missing schema file.

Thank you.

Luigi

---

Subject: Re: sqlite and Execute

Posted by [forlano](#) on Mon, 15 Mar 2010 19:41:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

forlano wrote on Sun, 14 March 2010 12:18Hello,

I followed the tutorial and I come to the following very simple code that should perform a query on an existing database:

```
#include <CtrlLib/CtrlLib.h>
using namespace Upp;
```

```
#define LAYOUTFILE <c16/c16.lay>
#include <CtrlCore/lay.h>
#include <plugin/sqlite3/Sqlite3.h>
```

```
class c16 : public Withc16Layout<TopWindow> {
public:
    void FillRankingTables();
    typedef c16 CLASSNAME;
    c16();
};
```

```
c16::c16()
{
    CtrlLayout(*this, "Window title");

    Sqlite3Session sqlite3;
    if(!sqlite3.Open(ConfigFile("c16.db"))) {
        Exclamation("Can't create or open database file");
        return;
    }
}
```

```
SQL = sqlite3;
```

```
SQL.Execute("insert into PUNTI_GIOCATORI (IDFSI,IDCIRCOLO,SIGLAPROV,SIGLAREG)
select ID_FSI,IDCIRCOLO,SIGLAPROV,SIGLAREG from ISCRITTI");
}

void c16::FillRankingTables()
{
}

GUI_APP_MAIN
{ c16().Run();
}
```

No compile error (The .lay file contains a button and is irrelevant... I guess).

The relevant part is the SQL.Execute(...) statement that does nothing. If I copy the string inside Execute and paste into SQLiteManager (a Firefox plugin) to run the query it is executed without problem and the table is filled with the right values. Instead SQL.Execute does not perform the query. What am I missing? It should be not related to a missing schema file.

Thank you.  
Luigi

I tried even this

```
SQL.Execute("INSERT INTO PUNTI_GIOCATORI (IDFSI,IDCIRCOLO,SIGLAPROV,SIGLAREG)
SELECT ISCRITTI.ID_FSI,ISCRITTI.IDCIRCOLO,ISCRITTI.SIGLAPROV,ISCRITTI.SIGLAREG
FROM ISCRITTI");
```

that is run without problem in sqlitemanager but gives the following error in Upp:

```
SQL * INSERT INTO PUNTI_GIOCATORI (IDFSI,IDCIRCOLO,SIGLAPROV,SIGLAREG) SELECT
ISCRITTI.ID_FSI,ISCRITTI.IDCIRCOLO,ISCRITTI.SIGLAPROV,ISCRITTI.SIGLAREG FROM
ISCRITTI
ERROR SQL logic error or missing database(0): INSERT INTO PUNTI_GIOCATORI
(IDFSI,IDCIRCOLO,SIGLAPROV,SIGLAREG) SELECT
ISCRITTI.ID_FSI,ISCRITTI.IDCIRCOLO,ISCRITTI.SIGLAPROV,ISCRITTI.SIGLAREG FROM
ISCRITTI
```

---

Subject: Re: sqlite and Execute  
Posted by [sergeynikitin](#) on Tue, 16 Mar 2010 01:45:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Can you send TestCase with .lay and .db files?

---

---

Subject: Re: sqlite and Execute  
Posted by [forlano](#) on Tue, 16 Mar 2010 08:16:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

sergeynikitin wrote on Tue, 16 March 2010 02:45Can you send TestCase with .lay and .db files?

Privet Sergey,

it is attached the package and the db. I inquire the db with the firefox plugin Sqlitemanager.

Bolshoie spasibo!  
Luigi

---

### File Attachments

1) [c16.rar](#), downloaded 339 times

---

---

Subject: Re: sqlite and Execute  
Posted by [sergeynikitin](#) on Tue, 16 Mar 2010 21:24:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Try as this code

```
c16::c16()
{
    CtrlLayout(*this, "Window title");

    Sqlite3Session sqlite3;
    if(!sqlite3.Open(ConfigFile("c16.db"))) {
        Exclamation("Can't create or open database file");
        return;
    }

#ifdef _DEBUG
    sqlite3.SetTrace();
#endif
    SQL = sqlite3;
    SQL.Execute("INSERT INTO PUNTI_GIOCATORI (IDCIRCOLO,SIGLAPROV,SIGLAREG)
    SELECT IDCIRCOLO,SIGLAPROV,SIGLAREG FROM ISCRITTI;");

    btnFill.WhenPush = THISBACK(FillRankingTables);
```

```
}
```

It seems that you are adding records to the database and violate the unique key. Similar entries being added keys are already present in the database. It is necessary to exclude from the query a key field. For SQL Server is not important, but with SQLite such a conflict arises.

---

---

Subject: Re: sqlite and Execute

Posted by [forlano](#) on Tue, 16 Mar 2010 22:21:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

sergeynikitin wrote on Tue, 16 March 2010 22:24 Try as this code

```
c16::c16()
{
    CtrlLayout(*this, "Window title");

    Sqlite3Session sqlite3;
    if(!sqlite3.Open(ConfigFile("c16.db"))) {
        Exclamation("Can't create or open database file");
        return;
    }

#ifdef _DEBUG
    sqlite3.SetTrace();
#endif
    SQL = sqlite3;
    SQL.Execute("INSERT INTO PUNTI_GIOCATORI (IDCIRCOLO,SIGLAPROV,SIGLAREG)
SELECT IDCIRCOLO,SIGLAPROV,SIGLAREG FROM ISCRITTI;");

    btnFill.WhenPush = THISBACK(FillRankingTables);

}
```

It seems that you are adding records to the database and violate the unique key. Similar entries being added keys are already present in the database. It is necessary to exclude from the query a key field. For SQL Server is not important, but with SQLite such a conflict arises.

Thank you for your effort.

Unfortunately it does not work.

I tried even to drop the table PUNTI\_GIOCATORI and create a new one without primary key.

The weird thing is that the same instruction is parsed correctly by sqlitemanager and fill the table as expected.

I will try to break the instruction in two easy ones in the next days. I suspect there is some strange behaviour in the sqlite package.

Poka,  
Luigi

---

---

Subject: Re: sqlite and Execute  
Posted by [sergeynikitin](#) on Tue, 16 Mar 2010 23:31:15 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I tried to delete all records from PUNTI\_GIOCATORI and all start work! (in program and in mozilla firefox Sqlite viewer)

---

---

Subject: Re: sqlite and Execute  
Posted by [forlano](#) on Wed, 17 Mar 2010 07:44:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

sergeynikitin wrote on Wed, 17 March 2010 00:31 I tried to delete all records from PUNTI\_GIOCATORI and all start work! (in program and in mozilla firefox Sqlite viewer)

After this last reply I have abandoned the plugin sqlite of Mozilla and downloaded another viewer <http://sqlitebrowser.sourceforge.net/index.html>

With this program the data in PUNTI\_GIOCATORI appeared!  
So the problem was not in Upp or sqlite but in this plugin that seems bugged.

Thank you very much for your kind assistance!

Luigi

---