Subject: How to use GetCtrl(r,c) in GridCtrl ???
Posted by Didier on Fri, 14 May 2010 18:06:52 GMT
View Forum Message <> Reply to Message

Hi,

I'm desperatly trying to use the GetCtrl() method in GridCtrl class.

All columns were created using:
AddColumn(....).Ctrls<StaticTextCtrl>()
==> So all cells should have their own Ctrl

When I try to retreive the Ctrl of a cell by using GetCtrl(), it always returns 0 ??? while I was expecting the Ctrl previously created.

I am trying to dynamically change the bg/fg/font of just one cell

Help !!!

Subject: Re: How to use GetCtrl(r,c) in GridCtrl ???
Posted by sergeynikitin on Sun, 16 May 2010 21:35:56 GMT
View Forum Message <> Reply to Message

Why do you write so difficult ?
If you want simple dynamically change colors try "Display" and write in cell value string + color code or use alternative array of color. And write your own display where you must parse color code from cell value.

Subject: Re: How to use GetCtrl(r,c) in GridCtrl ???
Posted by Didier on Mon, 17 May 2010 21:51:53 GMT
View Forum Message <> Reply to Message

Hi sergey,

Thank's for you're reply.

I already looked at that, but GridControl only allows GridDisplay's which are not classic Display's.
So it doesn't work "out of the box".
But I probably missed something ?!?

But I found a simple workaround:
I use a StaticTextCtrl and set Qtf text inside it using the '\1' escape sequence.