
Subject: Two tables sharing same field name?

Posted by [jeremy_c](#) on Tue, 01 Jun 2010 17:28:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have this simple schema:

```
TABLE_(MODES)
STRING_ (NAME, 40) UNIQUE
END_TABLE
```

```
TABLE_(BANDS)
STRING (NAME, 8) UNIQUE
DOUBLE_ (FREQ_BEGIN)
DOUBLE_ (FREQ_END)
END_TABLE
```

This works fine. However, when I go to insert a name into the mode table that is 8 characters or more, I get an exception. i.e.

```
SQL & ::Insert(MODES) (NAME, "AMTORFEC");
```

If I change the above schema to define BANDS/NAME as 40, then the above statement works fine. Put the BANDS/NAME back to 8 and I get the exception. Never fails.

Am I doing something wrong or is this a bug?

Thanks,

Jeremy

Subject: Re: Two tables sharing same field name?

Posted by [mirek](#) on Tue, 01 Jun 2010 17:40:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

jeremy_c wrote on Tue, 01 June 2010 13:28 I have this simple schema:

```
TABLE_(MODES)
STRING_ (NAME, 40) UNIQUE
```

```
END_TABLE
```

```
TABLE_(BANDS)  
STRING (NAME, 8) UNIQUE  
DOUBLE_ (FREQ_BEGIN)  
DOUBLE_ (FREQ_END)  
END_TABLE
```

This works fine. However, when I go to insert a name into the mode table that is 8 characters or more, I get an exception. i.e.

```
SQL & ::Insert(MODES) (NAME, "AMTORFEC");
```

If I change the above schema to define BANDS/NAME as 40, then the above statement works fine. Put the BANDS/NAME back to 8 and I get the exception. Never fails.

Am I doing something wrong or is this a bug?

Thanks,

Jeremy

My guess is that you are breaking the UNIQUE constraint, SQL statement therefore end with error and exception is raised because you are executing with "&".

Put SQL.SetTrace() into MAIN and examine the log file.

Mirek

Subject: Re: Two tables sharing same field name?
Posted by [jeremy_c](#) on Sat, 05 Jun 2010 15:46:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

All of the "modes" are added in one place from a well defined list. I checked and checked and checked, there are no duplicates there. If I change the second use of "NAME" to be a length of 40, then my routine runs fine, always. If, however, I change the second use of "NAME" back to 8, then it will always err. And the second use of "NAME" is not at all where the error is occurring.

The bug log says:

```
ERROR SQL logic error or missing database(0): insert into MODES(NAME) values ('PSK31')
```

However, when looking at the created database file (SQLite) there 48 modes added out of 73 modes that I said to add.

My project is *very* small right now, I have made it available at <http://jeremy.cowgar.com/files/SmartLog.zip> ... maybe that would help solve the problem?

Basically at this point it's 1 window that contains a grid that does nothing. In my GUI_APP_MAIN, I create/open the database and add base data (where the problem is) if the database did not exist on this run.

I am running on Windows with the MSC9 Debug profile selected. You can run the project as is and it fails always for me. However, if you edit SmartLog.sch, line 7 and change the 8 to a 40, then the project will run (besure to remove the previously created database file and .sql files, otherwise the new data log will not happen).

Non-working SmartLog.sch:

```
TABLE_(MODES)
INT_ (ID) PRIMARY_KEY AUTO_INCREMENT
STRING_ (NAME, 40) UNIQUE
END_TABLE
```

```
TABLE_(BANDS)
STRING (NAME, 8) UNIQUE
DOUBLE_ (FREQ_BEGIN)
DOUBLE_ (FREQ_END)
END_TABLE
```

Working SmartLog.sch:

```
TABLE_(MODES)
INT_ (ID) PRIMARY_KEY AUTO_INCREMENT
STRING_ (NAME, 40) UNIQUE
END_TABLE
```

```
TABLE_(BANDS)
STRING (NAME, 40) UNIQUE
DOUBLE_ (FREQ_BEGIN)
DOUBLE_ (FREQ_END)
END_TABLE
```

Thanks for any help with this problem. For now I am just using the "working" schema file, however, I fear I will run into more issues like this later on.

Jeremy
