Subject: double equals nothing Posted by nixnixnix on Tue, 08 Jun 2010 20:30:19 GMT

View Forum Message <> Reply to Message

Hi,

I have a function that looks like this

```
double CUtils::LittleEndianDouble(char* p)
{
  double* pD;
  char cBuf[9];

memcpy(cBuf,p,8);
  cBuf[8] = 0;
  pD = (double*)cBuf;

return *pD;
}
```

and I have come across a file which causes the output to become undefined. For instance, when I go to DUMP the result of initialising a Pointf object with two such doubles, I get

```
Quote:
ptr->pt = [, ]
```

and when I look at it in the debugger the value is also blank and gets copied as blank. If I can just detect this then I can deal with it. I have tried checking whether it equals NULL or IsNull but neither catch it.

I would have thought that any string cast to double would give some sort of recognisable result. Surely that is part of the strength of C++?

Nick

Subject: Re: double equals nothing

Posted by mirek on Tue, 08 Jun 2010 21:15:05 GMT

View Forum Message <> Reply to Message

nixnixnix wrote on Tue, 08 June 2010 16:30

Explanation: In U++, double values < -1.0E+307 are considered Null.

Null itself is defined as -1.0E+308. But to be sure about double equality issues, there is "less" instead of "equal" used. I believe that in practice, limiting double range to e+/-300 is non-issue.

Mirek