
Subject: PatternMatchMulti problem

Posted by [koldo](#) on Fri, 18 Jun 2010 11:33:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello all

Now PatternMatchMulti implementation is this:

```
bool PatternMatchMulti(const char *p, const char *s) {
    String pt;
    while(*p) {
        if(*p == ';' || *p == ',' || *p == ' ') {
            if(PatternMatch(pt, s)) return true;
            p++;
            while(*p == ';' || *p == ',' || *p == ' ') p++;
            pt.Clear();
        }
        else
            pt.Cat(*p++);
    }
    return pt.IsEmpty() ? false : PatternMatch(pt, s);
}
```

It separates patterns with ';', ',' and ' '. I thing to have patterns with spaces it would be better to remove the ' ' form the function.

Subject: Re: PatternMatchMulti problem

Posted by [mirek](#) on Sat, 19 Jun 2010 09:47:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

koldo wrote on Fri, 18 June 2010 07:33Hello all

Now PatternMatchMulti implementation is this:

```
bool PatternMatchMulti(const char *p, const char *s) {
    String pt;
    while(*p) {
        if(*p == ';' || *p == ',' || *p == ' ') {
            if(PatternMatch(pt, s)) return true;
            p++;
            while(*p == ';' || *p == ',' || *p == ' ') p++;
            pt.Clear();
        }
        else
            pt.Cat(*p++);
    }
    return pt.IsEmpty() ? false : PatternMatch(pt, s);
}
```

}

It separates patterns with ';', ',' and ' '. I think to have patterns with spaces it would be better to remove the ' ' from the function.

It is designed to be used with file patterns - spaces are unlikely. Especially in FileSel, using ' ' as separator is common. Changing behaviour would break a lot of existing code.

Also, space as separator works in commandline. So perhaps, if you insist on changing behaviour, we should rather introduce "pattern with spaces" (using ").

Mirek

Mirek

Subject: Re: PatternMatchMulti problem
Posted by [koldo](#) on Sat, 19 Jun 2010 12:53:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Sat, 19 June 2010 11:47koldo wrote on Fri, 18 June 2010 07:33Hello all

Now PatternMatchMulti implementation is this:

```
bool PatternMatchMulti(const char *p, const char *s) {
    String pt;
    while(*p) {
        if(*p == ';' || *p == ',' || *p == ' ') {
            if(PatternMatch(pt, s)) return true;
            p++;
            while(*p == ';' || *p == ',' || *p == ' ') p++;
            pt.Clear();
        }
        else
            pt.Cat(*p++);
    }
    return pt.IsEmpty() ? false : PatternMatch(pt, s);
}
```

It separates patterns with ';', ',' and ' '. I think to have patterns with spaces it would be better to remove the ' ' from the function.

It is designed to be used with file patterns - spaces are unlikely. Especially in FileSel, using ' ' as separator is common. Changing behaviour would break a lot of existing code.

Also, space as separator works in commandline. So perhaps, if you insist on changing behaviour, we should rather introduce "pattern with spaces" (using ").

Mirek

Mirek
Hello Mirek

I did not want to break anything, but it is common to have spaces in folder and file names so I think a function like PatternMatchMulti would have to consider this.

Subject: Re: PatternMatchMulti problem
Posted by [dolik.rce](#) on Sun, 20 Jun 2010 15:12:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Sat, 19 June 2010 11:47Also, space as separator works in commandline. So perhaps, if you insist on changing behaviour, we should rather introduce "pattern with spaces" (using ").
Hi,

Just a note: If you decide to support "pattern with spaces", could you also consider escaped\ spaces? Not that I need it, but it would make the behavior more consistent with common shells...

Best regards,
Honza

Subject: Re: PatternMatchMulti problem
Posted by [mirek](#) on Sun, 20 Jun 2010 15:49:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

dolik.rce wrote on Sun, 20 June 2010 11:12luzr wrote on Sat, 19 June 2010 11:47Also, space as separator works in commandline. So perhaps, if you insist on changing behaviour, we should rather introduce "pattern with spaces" (using ").
Hi,

Just a note: If you decide to support "pattern with spaces", could you also consider escaped\ spaces? Not that I need it, but it would make the behavior more consistent with common shells...

Best regards,
Honza

Well, actually, I am not for changing anything, I have just proposed the path if the change is required..

Subject: Re: PatternMatchMulti problem
Posted by [koldo](#) on Sun, 20 Jun 2010 18:53:27 GMT

luzr wrote on Sun, 20 June 2010 17:49dolik.rce wrote on Sun, 20 June 2010 11:12luzr wrote on Sat, 19 June 2010 11:47Also, space as separator works in commandline. So perhaps, if you insist on changing behaviour, we should rather introduce "pattern with spaces" (using ").
Hi,

Just a note: If you decide to support "pattern with spaces", could you also consider escaped\ spaces? Not that I need it, but it would make the behavior more consistent with common shells...

Best regards,
Honza

Well, actually, I am not for changing anything, I have just proposed the path if the change is required..
Ok

If PatternMatchMulti is used to check extensions for Filsel for example, you could do new function similar to PatternMatchMulti for comparing not

- Files <-> extensions

but

- Files <-> sets of patterns