

---

Subject: Getting data in a row of ArrCtrl  
Posted by [forlano](#) on Mon, 03 Apr 2006 19:22:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear U++ Mate,

here I am with another question to waste your time and test your patience limit .

The subject of this thread seems not yet discussed although very important. In fact the arrayctrl is one of the best widget available around (I left my old C GUI tool for it).

The problem: I have a beautiful arrayctrl (of course with my lovely colored even row) full of data. I need to get all the data contained on the clicked row. I found this information:

and when the strange sign '<...>' appeared everything became dark . Does anybody know how to retrieve the data in the row?

Another observation: I tried the code

```
arr.NoDuplicating();
```

I believed it could prevent a new row equal to one already present in the array. I added 10 identical rows and nothing happened. Is it correct?

Thank you,  
Luigi

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [fudadmin](#) on Mon, 03 Apr 2006 19:42:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

forlano wrote on Mon, 03 April 2006 20:22 Does anybody know how to retrieve the data in the row?

1. When? (then think about when... )
2. In what format and destination? - what do you want to do with the data?

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [fudadmin](#) on Mon, 03 Apr 2006 20:05:27 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fudadmin wrote on Mon, 03 April 2006 20:42forlano wrote on Mon, 03 April 2006 20:22 Does anybody know how to retrieve the data in the row?

1. When? (then think about when... )
2. In what format and destination? - what do you want to do with the data?

Also, this might be useful:

```
...
String s;
int row=0, col=0;
s=arr.ReadRow(row)[col];
```

---

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [fudadmin](#) on Mon, 03 Apr 2006 20:39:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

also, you can play with this:

```
void Tab1::PromptCell(){
    String s;
    s=AsString(arr.ReadRow(arr.GetCursor())[arr.GetClickColumn()]);
    PromptOK(s);
}
```

it is better to use AsString than in previous post because without it, you get crashes in some cases ...

also, don't forget a useful method ToString() ...

---

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [fudadmin](#) on Mon, 03 Apr 2006 21:19:46 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

or you can prepare your own database format with something like this:

```
String s;
int int_row = arr.GetCursor();
for (int i=0; i<arr.GetColumnCount(); i++) {
    s << arr.Get(int_row, i);
    s << "...";
}
```

---

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [forlano](#) on Mon, 03 Apr 2006 22:40:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I have got so many answers that I am a bit confused  
I need to experiment each of them separately.

Please let me answer.

Quote:

1. When? (then think about when... )
2. In what format and destination? - what do you want to do with the data?

1. In principle when I click on a row I would like to have the possibility to retrieve the data (to send them in the above mask for some modification for example).

But after your question I think could be very useful to get the data even when I press some button (I need it for another Tab page). In this case I could want get the data where the cursor is and/or in correspondence of a given row (think about a loop that scan all the rows).

2. Format? some of the cells (columns) in the row are string, other are integer. It is preferable to get them in their original format. But if all are retrieved as string it is perfect too.  
Once the data are available I could send them in some other widget or save in a file... it depends.  
For the moment just pass to another widget.

Now please let me ask you something about your previous suggestion:

a)

```
void Tab1::PromptCell(){  
    String s;  
    s=AsString(arr.ReadRow(arr.GetCursor())[arr.GetClickColumn()]);  
    PromptOK(s);  
}
```

I've associated this method to left\_click event with

```
arr.WhenLeftClick = THISBACK(PromptCell);
```

Did you mean to play in this way?

Quote:

also, don't forget a useful method ToString() ...

What do you mean? Why I need this method (sorry for this silly question).

b)

```
String s;  
int int_row = arr.GetCursor();  
for (int i=0; i<arr.GetColumnCount(); i++) {  
    s << arr.Get(int_row, i);  
    s << "...";  
}
```

If I have understood, in this last example all the cells finish in 's' separated by "...". Is this correct? It is evident that the operator '<<' does a continues strcat(...), it isn't. (Sometimes I feel to be a dinosaur... but I'm enjoying the short and powerfull syntax of C++ ).

Luigi

---

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [fudadmin](#) on Mon, 03 Apr 2006 23:08:16 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

forlano wrote on Mon, 03 April 2006 20:22Dear U++ Mate,

1. here I am with another question to waste your time and test your patience limit .  
...

and when the strange sign '<...>' appeared everything became dark . Does anybody know how to retrieve the data in the row?

...  
3. Another observation: I tried the code

```
arr.NoDuplicating();
```

I believed it could prevent a new row equal to one already present in the array. I added 10 identical rows and nothing happened. Is it correct?

Thank you,  
Luigi

1. if it's about me, and if you want to reach my patience limit you should post, I think, more than 50 messages per day... So, it's plenty of room... Quite opposite, I'm not happy when you are progressing not fast enough... Also, having in mind, that from the beginning of May till late Autumn, I guess, my visits here will be much more limited. So, use the chance...

2. Don't worry about the signs <...>. Learn like a woman to drive a car... How many of them can

drive but are completely lost if they look at the engine... You have seen how easy was to make use of the designer... And ask questions like this :

Quote:how to retrieve the data from the array row?

Or try to formulate even better.

In fact, in most cases, proper formulation of your questions quite often suggests half the answer, if not the whole.

People, who can't properly formulate their questions, first of all, limit their learning speed, and second, limit their chances to receive the proper answers quickly.

3. `arr.NoDuplicating()`; -if anything doesn't work, you should always look at the sources first. (in this case `ArrayCtrl.h` and `ArrayCtrl.cpp`.)

And to get there quickly use `Alt_J` and `Alt_I` !!! For me these are the most useful shortcuts in the whole U++!!! Learn them (be prepared for surprises...)!!! Just don't forget to put editor's cursor inside the word!

---

Subject: Re: Getting data in a row of ArrCtrl

Posted by [fudadmin](#) on Mon, 03 Apr 2006 23:34:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:1. In principle when I click on a row I would like to have the possibility to retrieve the data (to send them in the above mask for some modification for example).

You should have started with this question ... without the word retrieve

Or maybe better - how to fill the edit fields when cursor moves along the rows?

Btw, there is an easy possibility to edit cells directly in the `ArrayCtrl` like in spreadsheets... Maybe it's better to use those edit fields only just for searching. Just an idea...

Btw, why don't you want to use xml format?

---

Subject: Re: Getting data in a row of ArrCtrl

Posted by [fudadmin](#) on Mon, 03 Apr 2006 23:46:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

forlano wrote on Mon, 03 April 2006 23:40

2. Format? some of the cells (columns) in the row are string, other are integer.

Quote:

also, don't forget a useful method `ToString()` ...

What do you mean? Why I need this method (sorry for this silly question).

b)

```
String s;  
int int_row = arr.GetCursor();  
for (int i=0; i<arr.GetColumnCount(); i++) {  
    s << arr.Get(int_row, i);  
    s << "...";  
}
```

Luigi

If you are going to write your data into \*.txt file, everything must be string or char. According to my knowledge... Or do you know other methods?

If yes, then converting to string is useful.

Also you need kind of a record structure (format)? column and rows delimiters?

---

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [fudadmin](#) on Mon, 03 Apr 2006 23:55:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Quote:

If I have understood, in this last example all the cells finish in 's' separated by "...". Is this correct? It is evident that the operator '<<' does a continues strcat(...), it isn't. (Sometimes I feel to be a dinosaur... but I'm enjoying the short and powerfull syntax of C++ ).

Yes, it appends at the end in this case. This way you can prepare your records for importing into let's say ODBC, MS Excell etc.

---

---

Subject: Re: Getting data in a row of ArrCtrl  
Posted by [forlano](#) on Tue, 04 Apr 2006 08:38:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fudadmin wrote on Tue, 04 April 2006 01:34

Btw, there is an easy possibility to edit cells directly in the ArrayCtrl like in spreadsheets... Maybe it's better to use those edit fields only just for searching. Just an idea...

It is a great idea. So far I was implementing what already existed with the old GUI where I hadn't a wonderful arrayctrl.

Really this simplify the thing. I must add a row after each ADD\_Player click and can't be empty line. If you have some guideline I can try it.

Quote:

Btw, why don't you want to use xml format?

Excuse me , , XML to do what? (I know very little, just its name, about it)

Quote:

Also you need kind of a record structure (format)? column and rows delimiters?

At some moment I need to read all the cells of the array and get the information for all players. These finish in some record structure maintained in memory. By the way, has U++ some internal database? In this case I can use it and dismiss my structure. It could be useful for sort operation with respect to field 'date', 'name' and someother integer based. I'm thinking (dreaming) to click on a header and a sort is done with respect that field (I can die after that ).

When I need to save the data the records finish '\n' delimited in a txt file in which each datacolumn is separated by a ';' delimiter. As you see there is nothing sophisticated because fundamentally it is not a database application.

I'll try to use the chance you give me . Unfortunately on next Friday I must take a pause of one week... but after that I'll run at the speed light

Thank you!

Luigi

---