

---

Subject: Help needed.

Posted by [281264](#) on Mon, 12 Jul 2010 16:28:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I am struggling with this dummy application I am creating. The objective is to draw lines in the

Allow me to explain what I have done:

2.- I have added a SplitterFrame and put the previous struct in its left. This allows me to have the

coordinates. Then the user clicks again and anchors one point of the line; after a second click the line is drawn on the screen; so far so good.

4.- However, in the next steps, I am finding some problems:

a.- the last coordinates remains in the screen after line creation process; how to get rid off it?

b.- My intention is to store all the lines in a container, so they can be redraw every time is

variables). The first problem arises when I try to create a line in my application: it does not compile. Second is the usage of vectors or U++ vectors. What to use? In general, is it allow to use the STL in U++?

Many thanks,

Javier

---

---

Subject: Re: Help needed.

Posted by [281264](#) on Mon, 12 Jul 2010 16:31:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Oops, I forgot to include the files. Here they are.

File Attachments

1) [ejemplo\\_splitter.7z](#), downloaded 258 times

---

---

Subject: Re: Help needed.

Posted by [koldo](#) on Mon, 12 Jul 2010 22:21:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

281264 wrote on Mon, 12 July 2010 18:28Hi,

I am struggling with this dummy application I am creating. The objective is to draw lines in the

Allow me to explain what I have done:

2.- I have added a SplitterFrame and put the previous struct in its left. This allows me to have the

coordinates. Then the user clicks again and anchors one point of the line; after a second click the line is drawn on the screen; so far so good.

4.- However, in the next steps, I am finding some problems:

a.- the last coordinates remains in the screen after line creation process; how to get rid off it?

b.- My intention is to store all the lines in a container, so they can be redraw every time is

variables). The first problem arises when I try to create a line in my application: it does not compile. Second is the usage of vectors or U++ vectors. What to use? In general, is it allow to use the STL in U++?

Many thanks,

Javier

Hello Javier

1. I have renamed "line" struct to "myline". line name seems not to be good for a struct.

4.a I have added this to handle mouse up:

```
void ejemplo_splitter::LeftUp(Point p,dword d) {  
    if(!ended) {  
        ended = 1;  
        Refresh();  
    }  
}
```

And Paint begin like this:

```
void ejemplo_splitter::Paint(Draw& draw)  
{  
    draw.DrawRect(GetSize(),White());
```

now it works.

4.b About vectors or other containers I use U++ ones. Read for example this

[http://www.ultimatepp.org/srcdoc\\$Core\\$NTLvsSTL\\$en-us.html](http://www.ultimatepp.org/srcdoc$Core$NTLvsSTL$en-us.html) or this

[http://www.ultimatepp.org/srcdoc\\$Core\\$Tutorial\\$en-us.html](http://www.ultimatepp.org/srcdoc$Core$Tutorial$en-us.html)

## File Attachments

---

1) [ejemplo\\_splitter.7z](#), downloaded 210 times

---

---

Subject: Re: Help needed.

Posted by [281264](#) on Tue, 13 Jul 2010 11:02:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

drawing a line?.

---

---

Subject: Re: Help needed.

Posted by [dolik.rce](#) on Tue, 13 Jul 2010 11:57:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

cursor when, for instance, the user is drawing a line?.

Just pass the new cursor image to OverrideCursor() in LeftUp. And don't forget to put the original (usually Image::Arrow(), I think) back in, using the same method, when the line is finished.

Honza

---

---

Subject: Re: Help needed.

Posted by [mrjt](#) on Tue, 13 Jul 2010 12:48:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

That's not the best solution IMO. You should override CursorImage on your drawing ctrl instead:

```
virtual Image CursorImage(Point p, dword keyflags) {
    if (drawing)
        return Image::Cross();
    else
        return Image::Arrow();
}
```

---

---

---

Subject: Re: Help needed.

Posted by [dolik.rce](#) on Tue, 13 Jul 2010 13:04:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mrjt wrote on Tue, 13 July 2010 14:48That's not the best solution IMO. You should override  
CursorImage on your drawing ctrl instead  
Thanks mrjt, didn't even know about this method. I still learn

Honza

---