Subject: Conceptual Query: widget functions access Posted by 281264 on Sat, 17 Jul 2010 21:46:41 GMT

View Forum Message <> Reply to Message

Hi,
the TopWindow of an application.
toolbar or any other widget.
TopWindow?
Thanks,

Subject: Re: Conceptual Query: widget functions access Posted by mrjt on Sun, 18 Jul 2010 07:54:57 GMT View Forum Message <> Reply to Message

Two methods immediately suggest themselves:

- Overload ChildMouseEvent on the TopWindow to pick up MouseEnter and MouseLeave events on it's children. You can then use OverrideCursor to set the mouse cursor.
- USe a template:

Javier

```
template <class T>
clss WithCursorImage : public T
{
    Image cursorimage;
public:
    WithCursor() { cursorimage = Image::Arrow(); }
    T& SetCursorImage(Image img) { cursorimage = img; return *this; }
    virtual void CursorImage(Point p) {
        Image img = T::CursorImage(p);
        if (img == Image::Arrow())
            img = cursorimage;
        return img;
    }
};
```

(from memory, so there may be some small errors though the logic is correct)

Subject: Re: Conceptual Query: widget functions access Posted by 281264 on Sun, 18 Jul 2010 08:36:27 GMT

View Forum Message <> Reply to Message

Thanks,

I shall test it.

Another question: How images can be used in ctrls if those controls are defined in separated .h and .cpp files (i.e. if they custom controls)? How to make .iml images available?

Best wishes,

Javier

Subject: Re: Conceptual Query: widget functions access Posted by 281264 on Sun, 18 Jul 2010 11:03:02 GMT

View Forum Message <> Reply to Message

I have made a version that works. What do you think? Is it "professional"? Is it well "built"?

Please your advise.

Thanks,

Javier.

File Attachments

1) dummy_custom_ctrl.7z, downloaded 201 times

Subject: Re: Conceptual Query: widget functions access Posted by mrjt on Mon, 19 Jul 2010 11:33:21 GMT

View Forum Message <> Reply to Message

There are a few things (besides coding style):

```
virtual void MouseMove (Point p, dword d){
pos_x=p.x;
pos_y=p.y;
Refresh();
}
virtual void Paint(Draw& w){
w.DrawRect(GetSize(), White());
    w.DrawText(10, 10, AsString(pos_x));
```

```
w.DrawText(10, 20, AsString(pos_y));
}
This can be replaced by the more concise:
virtual void Paint(Draw& w){
    w.DrawRect(GetSize(), White());
        w.DrawText(10, 10, AsString(GetMouseViewPos()));
}
this code contains a bug:
virtual Image CursorImage (Point p, dword d){
    Image img=T::CursorImage(p,d);
    if(img=Image::Arrow()) <-- Should be ==
        img=Images::linguist_prev();
    return img;
}
and you can remove cursorimage and SetCursorImage, since you don't use them.</pre>
```

To use .iml files in header and source you include iml_header.h and iml_source.h in the .cpp file with the same IMAGE* defines.