
Subject: A trouble with "select" from Oracle DB
Posted by [porto](#) on Mon, 18 Oct 2010 13:52:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have a problem with selecting data from the DB (Oracle ver. 10.2). The database has a table that contains 14,124 rows. When I try to fetch data with this code:

```
Oracle8 oracle;  
oracle.Open("user/pass@server/db", false));  
Sql sql(oracle);  
sql.Execute("select * from IKIS_ERS.INSUR_ANKT_A");  
while(sql.Fetch())  
Cout() << sql[0] << "\n";
```

I get only 345 rows. When I try to select data from the database using the same SQL query with "SQLPlus Worksheet" (its a tool from Oracle), I get 14,600 (why not 14,124 I don't know).

When I tried to insert settrace(), in the log I got:
Error: ORA-01406: fetched column value was truncated
This is what I found about this error:
Quote:ORA-01406:fetched column value was truncated

Cause: In a host language program, a FETCH operation was forced to truncate a character string. The program buffer area for this column was not large enough to contain the entire string. The cursor return code from the fetch was +3.

Action: Increase the column buffer area to hold the largest column value or perform other appropriate processing.

How can I increase the column buffer?

Sorry for bad English.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Tue, 19 Oct 2010 07:28:58 GMT
[View Forum Message](#) <> [Reply to Message](#)

porto wrote on Mon, 18 October 2010 16:52 I have a problem with selecting data from the DB (Oracle ver. 10.2). The database has a table that contains 14,124 rows. When I try to fetch data with this code:

```
Oracle8 oracle;  
oracle.Open("user/pass@server/db", false));  
Sql sql(oracle);  
sql.Execute("select * from IKIS_ERS.INSUR_ANKT_A");  
while(sql.Fetch())  
Cout() << sql[0] << "\n";
```

I get only 345 rows.

I fetched from a table more than 1000 rows. it was not problems.

I will try to fetch more than 10 000 rows to test your problem.

The problem can be:

If you run in terminal with non GUI then in terminal you can view only last 3XX rows.

Try to put your output in file and count rows.

porto wrote on Mon, 18 October 2010 16:52

When I try to select data from the database using the same SQL query with "SQLPlus Worksheet" (its a tool from Oracle), I get 14,600 (why not 14,124 I don't know).

seems your oracle db or client has problems. Check it twice.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 07:43:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:If you run in terminal with non GUI then in terminal you can view only last 3XX rows.

Try to put your output in file and count rows.

Thanks, but I think that is not the problem. Because when I do it:

```
int i = 0;
```

```
while(sql.Fetch())
```

```
i++;
```

```
Cout() << i;
```

```
I get the same result: i == 345.
```

I am almost certain that the problem is in the column buffer size. But where and how to increase it, I have no idea.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Tue, 19 Oct 2010 08:02:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

I tested with 193066 rows without any problem.

The code:

```
Oracle8 oracle_conn;
```

```
String result;
```

```
TimeStop v_timer;
```

```
if(oracle_conn.Login("user", "password", "host:port/SID", true)){
```

```
    result << "\n connection time: " << v_timer;
```

```
    v_timer.Reset();
```

```

Sql sql(oracle_conn);
sql.Execute("select count(*) from AP_INVOICES_ALL");
while(sql.Fetch())
  result << "\n total rows: " << sql[0];
result << ", timer: " << v_timer;
v_timer.Reset();
sql.Execute("select INVOICE_ID, INVOICE_DATE from AP_INVOICES_ALL");
int i = 0;
while(sql.Fetch()){
  ++i;
  result << "\n" << i << ". " << sql[0] << " - " << sql[1];
}
result << ", timer: " << v_timer;
v_timer.Reset();
}else
  result << "error to connect";

```

and output:

Quote:

```

connection time: 0.312
total rows: 193066, timer: 0.047
1. 10000 - 12/31/1998
2. 10001 - 12/31/1998
3. 10002 - 12/31/1998
4. 10003 - 12/31/1998
5. 10004 - 12/31/1998
6. 10005 - 12/31/1998
.....
193065. 246828 - 07/01/2010
193066. 246897 - 07/30/2010, timer: 9.781

```

Result:

1. the problem can be with your oracle DB
2. or if you run the code in terminal then you can see only last 3XX rows.

Best Regards,
Ion Lupascu(tojocky).

Added: Oracle DB: 10.2.0.4
 Server: Linux RedHat 4
 Client: Windows XP SP3.
 Tested with string columns - no problems!

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 08:35:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

The client applications works without problems (I did not developed them). If there is a problem in the database itself, I can not fix it, because it's a big database of state organization. Therefore, correction of the database itself is impossible. Especially since all the software if this organization works with the DB without problems.

I think the problem is not the number of rows, but that is columns of some rows have to large values (text values in my case have 255 unicode characters maximum) that do not fit in the some buffer, which must be increased. Encountering a value greater than the buffer size, the fetching is terminated.

I quote again from the error log:

ORA-01406: fetched column value was truncated

Cause: In a host language program, a FETCH operation was forced to truncate a character string. The program buffer area for this column was not large enough to contain the entire string. The cursor return code from the fetch was +3.

Action: Increase the column buffer area to hold the largest column value or perform other appropriate processing.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Tue, 19 Oct 2010 08:46:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

What return to your instance the sql code:
select * from NLS_DATABASE_PARAMETERS
?

porto wrote on Tue, 19 October 2010 11:35The client applications works without problems (I did not developed them). If there is a problem in the database itself, I can not fix it, because it's a big database of state organization. Therefore, correction of the database itself is impossible. Especially since all the software if this organization works with the DB without problems.

I think the problem is not the number of rows, but that is columns of some rows have to large values (text values in my case have 255 unicode characters maximum) that do not fit in the some buffer, which must be increased. Encountering a value greater than the buffer size, the fetching is terminated.

I quote again from the error log:

ORA-01406: fetched column value was truncated

Cause: In a host language program, a FETCH operation was forced to truncate a character string. The program buffer area for this column was not large enough to contain the entire string. The cursor return code from the fetch was +3.

Action: Increase the column buffer area to hold the largest column value or perform other appropriate processing.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 08:53:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:What return to your instance the sql code:
select * from NLS_DATABASE_PARAMETERS

PARAMETER	VALUE
NLS_LANGUAGE	AMERICAN
NLS_TERRITORY	AMERICA
NLS_CURRENCY	\$
NLS_ISO_CURRENCY	AMERICA
NLS_NUMERIC_CHARACTERS	.,
NLS_CHARACTERSET	CL8MSWIN1251
NLS_CALENDAR	GREGORIAN
NLS_DATE_FORMAT	DD-MON-RR
NLS_DATE_LANGUAGE	AMERICAN
NLS_SORT	BINARY
NLS_TIME_FORMAT	HH.MI.SSXFF AM
NLS_TIMESTAMP_FORMAT	DD-MON-RR HH.MI.SSXFF AM
NLS_TIME_TZ_FORMAT	HH.MI.SSXFF AM TZR
NLS_TIMESTAMP_TZ_FORMAT	DD-MON-RR HH.MI.SSXFF AM TZR
NLS_DUAL_CURRENCY	\$
NLS_COMP	BINARY
NLS_LENGTH_SEMANTICS	BYTE
NLS_NCHAR_CONV_EXCP	FALSE
NLS_NCHAR_CHARACTERSET	AL16UTF16
NLS_RDBMS_VERSION	10.2.0.1.0

Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Tue, 19 Oct 2010 09:33:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

From SQLPLUS/TOAD/SQLDeveloper and U++ if you write sql:
1. SELECT COUNT(*) FROM IKIS_ERS.INSUR_ANKT_A
2. SELECT ROWNUM FROM IKIS_ERS.INSUR_ANKT_A

What are results?

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 11:15:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:1. SELECT COUNT(*) FROM IKIS_ERS.INSUR_ANKT_A

```
COUNT(*)
-----
14600
```

1 row selected.

Quote:2. SELECT ROWNUM FROM IKIS_ERS.INSUR_ANKT_A

```
ROWNUM
-----
1
2
3
.....
14598
14599
14600
```

14600 rows selected.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Tue, 19 Oct 2010 11:35:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

porto wrote on Tue, 19 October 2010 14:15Quote:1. SELECT COUNT(*) FROM
IKIS_ERS.INSUR_ANKT_A

```
COUNT(*)
-----
14600
```

1 row selected.

Quote:2. SELECT ROWNUM FROM IKIS_ERS.INSUR_ANKT_A

```
ROWNUM
```

```
-----  
1  
2  
3  
.....  
14598  
14599  
14600
```

14600 rows selected.
This are from SQLPLUS?

What are results from U++?

I have attached a simple code. change code by put your user name, password, host, port and SID(service Name).

File Attachments

1) [OracleTest.zip](#), downloaded 320 times

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 11:53:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:This are from SQLPLUS?
Yes.
Quote:What are results from U++?
connection time: 0.140
total rows: 14600, timer: 0.000
1. 1
2. 2
3. 3
.....
14598. 14598
14599. 14599
14600. 14600, timer: 0.329

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 12:28:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

I thought if I will reduce length of the column with this code:
sql.Execute("select substr(IAN_NAME1, 1, 30) from IKIS_ERS.INSUR_ANKT_A");

```
int i = 0;
while(sql.Fetch())
i++;
Cout() << i;
```

it will help, but somehow it does not work. I get: i == 0. But it works if I get numeric value from the table:

```
sql.Execute("select substr(IAN_NUMIDENT, 1, 3) from IKIS_ERS.INSUR_ANKT_A");
Although normally works in the SQLPlus.
```

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 12:44:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

YES, I DID IT!!!
This line has helped me:
oracle.DisableUtf8Mode();
But anyway, thank you very much for your help.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Tue, 19 Oct 2010 13:15:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

porto wrote on Tue, 19 October 2010 15:44YES, I DID IT!!!
This line has helped me:
oracle.DisableUtf8Mode();
But anyway, thank you very much for your help.

It must work without disabling UTF8.

We need to debug to end.

Please, repeat the test on u++ with replace ROWNUM by IAN_NAME1.

Write the result.

ADD: Don't forget to attach the log file (in the same directory of exe file)

Subject: Re: A trouble with "select" from Oracle DB

Posted by [porto](#) on Tue, 19 Oct 2010 13:34:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

I replaced original text whih "sometext" string.

connection time: 0.141

total rows: 14600, timer: 0.000

1. sometext1

2. sometext2

3. sometext3

.....

343. sometext343

344. sometext344

345. sometext345

File Attachments

1) [OracleTest.log](#), downloaded 318 times

Subject: Re: A trouble with "select" from Oracle DB

Posted by [tojocky](#) on Tue, 19 Oct 2010 14:21:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

porto wrote on Tue, 19 October 2010 16:34I replaced original text whih "sometext" string.

connection time: 0.141

total rows: 14600, timer: 0.000

1. sometext1

2. sometext2

3. sometext3

.....

343. sometext343

344. sometext344

345. sometext345

Please, change the class constructor code like this:

```
OracleTest::OracleTest(){
  CtrlLayout(*this, "Window title");
  Sizeable().MaximizeBox().MinimizeBox().Maximize();
  String result;
  TimeStop v_timer;
  if(oracle_conn.Login("user", "pass", "host:port/SID", true)){
    result << "\n connection time: " << v_timer;
    v_timer.Reset();
    Sql sql(oracle_conn);
    if(sql.Execute("SELECT COUNT(*) FROM IKIS_ERS.INSUR_ANKT_A")){
```

```

while(sql.Fetch())
    result << "\n total rows: " << sql[0];
result << ", timer: " << v_timer;
v_timer.Reset();
}else result << "error: " << sql.GetLastError();

if(sql.Execute("SELECT IAN_NAME1 FROM IKIS_ERS.INSUR_ANKT_A")){
    int i = 0;
    while(sql.Fetch()){
        ++i;
        result << "\n" << i << ". " << sql[0];
    }

    result << ", timer: " << v_timer;
    v_timer.Reset();
}else result << "error: " << sql.GetLastError();
}else
    result << "error to connect";
LogCtrl.Set(result);
}

```

replace connection parameters!

Write your result and attach the log file.

ADDED: change the code. add GetLastError().

Subject: Re: A trouble with "select" from Oracle DB
 Posted by [porto](#) on Tue, 19 Oct 2010 14:31:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

I got the same result.
 .LOG file is attached.
 Where I need to add GetLastError()? I tried to add it the end of the class constructor, bat .log file is not changed...

File Attachments

1) [OracleTest.log](#), downloaded 332 times

Subject: Re: A trouble with "select" from Oracle DB
 Posted by [tojocky](#) on Tue, 19 Oct 2010 15:00:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

porto wrote on Tue, 19 October 2010 17:31
 Where I need to add GetLastError()?

the method "GetLastError" already added in code. just refresh your code execution.

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Tue, 19 Oct 2010 15:14:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

The same result. AND looks like the .log file is not changed.

File Attachments

1) [OracleTest.log](#), downloaded 380 times

Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Wed, 20 Oct 2010 07:15:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

porto wrote on Tue, 19 October 2010 18:14The same result. AND looks like the .log file is not changed.

But what is result text?

Subject: Re: A trouble with "select" from Oracle DB
Posted by [porto](#) on Wed, 20 Oct 2010 07:54:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

connection time: 0.297
total rows: 14602, timer: 0.063
1. sometext1
2. sometext2
3. sometext3
.....
343. sometext343
344. sometext344
345. sometext345, timer: 0.000
