
Subject: Simple thread example
Posted by [nneilson](#) on Mon, 01 Nov 2010 09:21:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

I searched the Upp directory for "thread", nothing found unless I did something wrong. When I got back to an internet connection I searched the forum which found a considerable amount of posts. Some involved servers, OpenGL, etc..

All my app needs is to read a file line then Sleep(1000);
then repeat for all lines.

I am porting a java app (with an extra thread) that works OK in C++ except for the thread.

Without an extra thread this locks up the main thread.

A simple example of a thread with the C++ source and the upp file would be appreciated.

edit: MS Vista will be great to get away from.

Fired up my dependable XP and did a search for "thread" in the Upp directory and found 119.
Vista found none.

Subject: Re: Simple thread example
Posted by [dolik.rce](#) on Mon, 01 Nov 2010 11:59:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Neilson,

First a hint: you can search in package selection dialog and in help inside the ide. It is usually faster (and as it seems even more reliable) than windows file search

Probably simplest possible example suiting your needs:
`#include <Core/Core.h>`
using namespace Upp;

```
void ThreadFn(){
    while(!Thread::IsShutdownThreads()){
        Cout()<<"doing something here\n";
        Sleep(1000);
    }
}
```

```
CONSOLE_APP_MAIN{
    Thread::Start(callback(ThreadFn));
    Sleep(4000);
    Thread::ShutdownThreads();
}
```

Note that you have to set MT flag to compile it (otherwise Thread is not defined).

If you need finer control of the thread, you can also use little bit different syntax: `Thread t;`

t.Run(callback(ThreadFn));The variable t can than be used for example to Wait() for the thread to end or set its priority(win32 only).

Best regards,
Honza

Subject: Re: Simple thread example
Posted by [nneilson](#) on Mon, 01 Nov 2010 21:08:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

dolik.rce wrote on Mon, 01 November 2010 12:59Hi Neilson,

1. First a hint: you can search in package selection dialog and in help inside the ide. It is usually faster (and as it seems even more reliable) than windows file search

Probably simplest possible example suiting your needs:#include <Core/Core.h>
using namespace Upp;

```
void ThreadFn(){
while(!Thread::IsShutdownThreads()){
    Cout()<<"doing something here\n";
    Sleep(1000);
}
}
```

```
CONSOLE_APP_MAIN{
Thread::Start(callback(ThreadFn));
Sleep(4000);
Thread::ShutdownThreads();
}
```

2. Note that you have to set MT flag to compile it (otherwise Thread is not defined).

If you need finer control of the thread, you can also use little bit different syntax: Thread t;
t.Run(callback(ThreadFn));The variable t can than be used for example to Wait() for the thread to end or set its priority(win32 only).

Best regards,
Honza

Thanks Honza, that is a great help.

1. The ide "Search" works good. Even Win XP will not search in Java files but Eclipse will.

2. Project->Main package configuration->right click->Append row->MT
The upp file now has:
mainconfig

```
"" = "GUI",  
"" = "MT";
```

I will try working your code into my app.

Thanks (much)
Neil

edit: One thing I tinkered with in Python was to print each line of a file, stop it, and rewind (from that point read the previous lines.

I did not get that in the Java app but will in C++, it interacts with a display app that replays a track on a moving map.

I will include a link to the app in "Applications" on this forum when I get it to work.

Subject: Re: Simple thread example
Posted by [nlneilson](#) on Thu, 04 Nov 2010 22:03:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

After a bunch of hours (plus updating to MSC10 and U++ 2827) got the thread to work.

Thread work;

```
// At the end of file chooser to read the lines in the thread:  
work.Run(THISBACK(Work));  
  
void Work(){  
    ...  
while(!in.IsEof()){  
    ...  
}
```

upp/Reference/GuiLock was something I could open and run.

Thanks for the help Honza!

Neil

Subject: Re: Simple thread example
Posted by [nlneilson](#) on Sat, 06 Nov 2010 18:45:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have the Java app ported to C++

It works great! A little faster and less CPU usage than Java and no problems with heap space.

It reads a file with lines like this:

```
34.212518,-119.192363,36.0,N10801,113
```

It interacts through a socket with NASA WWJ as 3D tracking on the Earth WGS84 ellipsoid rather than a round globe or a flat space.

The fourth comma delimited value is an ID.

With a file with more positions/IDs can track/draw paths for up to 50 on a single core (<50% CPU usage) updated each second.

I do have one glitch in the C++ code.

In the Exit() function:

```
in.Close();
```

```
Thread::ShutdownThreads();
```

plus saving a config file with settings.

That works OK.

But clicking the red x to close the app gives errors.

Sometimes:

Assertion failed in C:\upp\uppsrc\Core\String.cpp, line 38 rc->rftcount>0

or just closes with these error details":

Problem signature:

Problem Event Name: APPCRASH

Application Name: Replay.exe

Application Version: 0.0.0.0

Application Timestamp: 4cd51eb8

Fault Module Name: Replay.exe

Fault Module Version: 0.0.0.0

Fault Module Timestamp: 4cd51eb8

Exception Code: 80000003

Exception Offset: 0013ad26

OS Version: 6.0.6002.2.2.0.768.3

Locale ID: 1033

Additional Information 1: 0245

Additional Information 2: 6ea91fa736a6c7dd9ccfae9a5d57ed32

Additional Information 3: fa73

Additional Information 4: 93d639f2a4427fa651c7717b5f37f438

In Java had a similar problem. After a considerable amount of searching and tinkering `af.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);`

closes all processes/threads associated with the app, otherwise a bunch of javaw processes need to be closed with task manager.

I would rather not tinker with the Upp core code. Is there a way in Upp/C++ to close all open files

and end all threads started by the app when clicking the red x to end?

Subject: Re: Simple thread example

Posted by [dolik.rce](#) on Sat, 06 Nov 2010 19:03:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

nneilson wrote on Sat, 06 November 2010 19:45: there a way in Upp/C++ to close all open files and end all threads started by the app when clicking the red x to end?

I usually do this in the destructor of the class that contains the file stream or of the main window of my app. Possibly after IsOpen() test, if necessary.

Honza

Subject: Re: Simple thread example

Posted by [nneilson](#) on Sun, 07 Nov 2010 06:02:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

This seems to shutdown OK.

```
void Work(){ // this is the worker thread
    ...
while(!in.IsEof()){
    if(Thread::IsShutdownThreads()){
        in.Close();
        break;
    }
    ....
}
```

A few things still need to be done.

Thanks for the help.

Neil