
Subject: CtrlCore: X11App.cpp should #include <locale.h> [BUG][FIXED]

Posted by [hojtsy](#) on Mon, 10 Apr 2006 20:38:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

The file CtrlCore/X11App.cpp uses constants (LC_ALL) and functions from the locale.h header but it does not include it. I suppose that in some environment it is included indirectly by some other header file, but on a Linux I have tried, it was required to include this header directly to X11App.cpp. Please correct this.

Subject: Re: X11App.cpp should #include <locale.h>

Posted by [hojtsy](#) on Tue, 18 Apr 2006 13:55:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

I see that this has been corrected in 604.dev2. But would it be possible to move the two #include directives of X11App.cpp into the body of #ifndef PLATFORM_X11 ? It would speed up windows compilation a bit.

Subject: Re: X11App.cpp should #include <locale.h>

Posted by [mirek](#) on Tue, 18 Apr 2006 14:16:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Two? I see just #include <locale.h> - yes, a good idea, moved.

Mirek

Subject: Re: X11App.cpp should #include <locale.h>

Posted by [hojtsy](#) on Tue, 18 Apr 2006 14:50:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

Two:

```
#include "CtrlCore.h"
```

```
#include <locale.h>
```

Subject: Re: X11App.cpp should #include <locale.h>

Posted by [mirek](#) on Tue, 18 Apr 2006 16:52:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

"PLATFORM_X11" is defined by #include "CtrlCore.h"

Mirek

Subject: Re: X11App.cpp should #include <locale.h>
Posted by [hojtsy](#) on Tue, 18 Apr 2006 17:45:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Tue, 18 April 2006 12:52 "PLATFORM_X11" is defined by #include "CtrlCore.h"
Oh I thought that this macro is defined on the command line by the builder if LINUX option is
paired with GUI option.

Subject: Re: X11App.cpp should #include <locale.h>
Posted by [mirek](#) on Tue, 18 Apr 2006 18:20:06 GMT
[View Forum Message](#) <> [Reply to Message](#)

No. The logic is that each compilation flag XXX is reflected as "flagXXX" define in C++. It is then
tested in Core.h (in quite ugly and fuzzy preprocessing) and combined with other macros
identifying compilers etc... to produce PLATFORM_*, CPU_* and COMPILER_* (reminds me I
should finally find time to document them....)

Mirek
